ANA BULLETIN NO. 440a
25 February 1960
Superseding
ANA BULLETIN NO. 440
20 March 1958

AIR FORCE-NAVY AERONAUTICAL BULLETIN

TYPE DESIGNATION SYSTEM FOR AERONAUTICAL AND AERONAUTICAL SUPPORT EQUIPMENT

1. PURPOSE

1.1 The purpose of this bulletin is to provide a type designation system for use by the Air Force and Navy Bureau of Naval Weapons in identifying aeronautical and aeronautical support equipment listed in Section II of the Annex to this bulletin.

2. SCOPE

2.1 Objectives of the system.- The type designation system is flexible and sufficiently broad in scope to cover present types of equipment, new types of equipment, and usage of equipment to be developed in the future; yet, it is sufficiently stable to permit the assigned type designation to continue to identify the equipment throughout its entire life. Further, this system is designed to:

(a) Simplify the identification of aeronautical equipments and provide a means of readily identifying items designated.
(b) Define and identify similar items to insure that any significant differences between the user's viewpoint and that of the item's designed use and purpose are readily distinguishable.
(c) Provide a means of adequately identifying items on nameplates.
(d) Provide an unclassified means of identifying equipment in correspondence and other communications.
(e) Provide an indication of interchangeability and substitutability.

3. APPLICATION

3.1 Equipment covered by this system.- Aeronautical type designations will be assigned to the following equipments, components, and units:

(a) Complete equipment designed for Air Force or Bureau of Naval Weapons.
(b) Components, and units of equipment designed for Air Force or Bureau of Naval Weapons use.
(c) Commercial equipments, components, and units adopted for Air Force or Bureau of Naval Weapons use for which Air Force or Bureau of Naval Weapons procurement data are contemplated but commercial identification is not acceptable.

3.2 Equipment not covered by this system.- The following types of equipment are already covered by other type designation systems and are thereby excluded:

(a) Aircraft and guided missiles.
(b) Photographic.
(c) Joint communication-electronics, (Including electronic armament.)
(d) Reciprocating aircraft engines.

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the current version before use.

(e) Aircraft turbine and jet engines.
(f) Engine-rocket, liquid propellant.
(g) Jet thrust units.
(h) Atomic Energy Commission approved type designations for radiological items.
(i) Special weapons and related equipment intended for DOD and interdepartmental use.
(j) Electronic component parts.

4. GLOSSARY

4.1 Type designation.- The term "type designation" as used herein is defined as the letter and number indicators combined in a specific sequence to provide a short significant method of identifying the equipment by type.

4.2 Item name.- The term "item name" as used herein is defined as the name authorized and published by the Cataloging Division, Armed Forces Supply Support Center, Cataloging Handbook H6-1 Federal Item Identification Guide for Supply Cataloging, Part I.

4.3 Nomenclature.- The term "nomenclature" as used herein is defined as a combination of the official item name and type designation.

4.4 Basic assignment.- The term "basic assignment" as used herein is defined as the equipment's general design: It consists of type designation with an empty parentheses ( ) directly following the model number. Example: A/S32P-5( ).

4.5 Developmental assignment.- After the basic assignment has been made by the assigning activity, the development activity may make development assignment thereto by utilizing the appropriate development indicator from List V followed by a numeral. These numerals will be assigned in sequence starting with -1 for each basic assignment. Examples of development assignments are A/S32P-5(XQ-1) for the first developmental model and A/S32P-5(XQ-2) for the second developmental model.

4.6 Production assignment.- The term "production assignment" as used herein is defined as the type designation assigned to identify a production item or a group of production items. It consists of the basic type designation modified by deleting the empty parentheses for the initial production item. Example: A/S32P-5. SECTION I of the ANNEX to this bulletin tells how to designate modified production items.

4.7 Equipment.- The term "equipment" as used herein is defined as items of supply, such as sets, systems, groups, vehicles, etc., which consist of a number of components that perform a complete function when grouped together; such items may derive their motivating power from an external source.

4.8 Component (K).- The term "component" as used herein is defined as an item (or a group of items), such as an amplifier, fuse, mount, pump, relay, etc., which functions as a portion of any given equipment or which is essential to its operation and which is designated as an integral portion of that equipment.

4.9 Unit (U).- The term "unit" as used herein is defined as an item which has a specific function in equipment operation but which is used independently or is used in conjunction or association with, but not as an integral portion ("component") of one or more equipment. The unit designation will be similar to the component designation except that the third letter of the unit designation will be "U" while that of the component will be "K."

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

4.10 Assigning activity.- The term "assigning activity" as used herein is defined as the activity which assigns basic and production type designations covered by this publication.

4.11 Type designation card.- A type designation card serves as the basic descriptive record of aeronautical equipment, component, or unit designations, and advises using activities of the type designations assigned. These cards will reflect but need not be limited to the following information:

(a) Card shipment number. (Supplied by assigning activity.)
(b) Type number
(c) Requesting activity.
(d) Security classification.
(e) Name and type number.
(f) Complete description.
(g) Descriptive pattern number selected from the Federal Catalog Handbook H6-2.
(h) Drawing or specification number.
(i) Date of designation assignment, amendment, or cancellation.
(j) Project office identification.
(k) Equipment, component, or unit with which the newly designated item is associated or used.

5. SECURITY

5.1 The information contained in each request for the assignment of a type designation will determine what security classification this request and subsequent type designation card must bear to meet military security requirements.

5.2 The requesting activity will be responsible for determining the applicable security classification.

5.3 The combination of item name and type designation will be unclassified.

6. POLICIES

6.1 In implementing the type designation system, the following policies will apply:

6.2 This system will not be retroactively applied to items already type-designated under other systems. Inasmuch as the type designation system covered by this bulletin is an expansion of the Air Force type designation system covered by AFR 81-9, the model number sequence previously assigned under AFR 81-9 will continue under this system. Equipments originally designated as AF/ under AFR 81-9 will not be retroactively changed to A/.

6.3 The use of aeronautical type designations is mandatory when any government type designation is to be applied to the classes of material listed in this bulletin.

6.4 One individual type designation will be assigned to each item covered by this bulletin. Once a type designation has been assigned, it will not be used to identify any other item, even if the original assignment is cancelled.

6.5 Aeronautical type designations will be used exactly as assigned. Where space is not sufficient for spelling out an item name, abbreviations conforming to Standard MIL-STD-12 may be used, but the basic noun or noun phrases must be spelled out.

6.6 Consecutive numbering will be used in type designation assignments. Reserving blocks of numbers is not permitted.

Source: https://assist.dla.mil -- Downloaded: 20260-26T14:03Z
Check the source to verify that this is the current version before use.

6.7 Item names, using word sequence in the latest manner prescribed by the Cataloging Division, Armed Forces Supply Support Center, will be applied to items in assigning production suffix letters.

6.8 Type designations may be cancelled upon request of the originating activity when both of these conditions exist: (a) Item has not been procured, and (b) experimental models do not exist. In this regard, a cancelled aeronautical type designation will not be reissued to identify another item; instead, a cancelled type designation card will be issued to preclude reissuance. Cancellation requests will bear the following statement: "This item has never been procured, stocked, or issued."

6.9 All requests for the assignment of type designations will contain a description in keeping with the descriptive patterns set forth in the "Federal Item Identification Guides for Supply Cataloging." When descriptive patterns are not available, descriptions in accordance with Federal Standard No. 5 will be used. A separate request will be used to request assignment of a new type number modification letter, or description change. These requests will be transmitted to the assigning activity. Requests for suffix letters will include the following statement: "This item is electrically, mechanically, and functionally interchangeable with preceding assignment(s)."

6.10 Requests for suffix designations may be made by reproducing the data on present type designation card with an additional statement as to difference between the old and new items. This procedure can be used only for three subsequent suffix letter assignments. For the fourth, an entirely new request will be submitted.

6.11 Requests for basic assignments may be made at any time, but preferably at the time that a research and development project reaches the end of the study and investigation phase of the technical program.

7. RESPONSIBILITIES AND ADMINISTRATION

7.1 Responsibilities of the Air Force.- As the assigning agent for type designations covered by this system, other than developmental designations, the Air Force will:

(a) Assign type designations.
(b) Prepare and distribute type designation cards to all concerned, after assigning or amending type designations. In this respect, distribution will be made semimonthly on a need-to-know basis, according to a mailing list prepared from requests of using activities.
(c) Formulate and coordinate procedures and correspondence media for use by activities in requesting assignment of type designations.
(d) Investigate, as far as practicable, each request for type designation assignment to avoid duplication.

7.2 Responsibilities of requesting activities.- Requesting activities will recommend assignments, changes, or cancellations of designations assigned under this system, when appropriate, to the Air Force.

7.3 Responsibilities of ASG.- The Aeronautical Standards Group will resolve conflicts arising in type designation actions when the Air Force and Bureau of Naval Weapons cannot reach an agreement.

7.4 Centralized administration.-

7.4.1 The Air Force shall provide a centralized office for the purpose of administering the system, including assignment of type designations, preparation and distribution of type designation cards, and maintenance of necessary records.

7.4.2 The Bureau of Naval Weapons shall provide a centralized office for the purpose of administering Bureau of Naval Weapons responsibilities in the obtaining of type designation assignments.

8. Sources.- Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

ANNEX

ANA BULLETIN NO. 440a

TYPE DESIGNATION SYSTEM FOR AERONAUTICAL
AND AERONAUTICAL SUPPORT EQUIPMENT

SECTION I - GENERAL

1.1 Composition.- Type designations established by this bulletin are composed of the following:

(a) Installation letters. (List I)
(b) Type of equipment numerical indicators. (List II)
(c) Purpose letters. (List III)
(d) Model numbers.
(e) Modification sequence.
(f) Differentiation between sets and components.
(g) Component or unit indicators.

1.2 Categories within the aeronautical support type designation system.- Aeronautical support material covered by this system will be divided into three categories: Equipment, components, and units; with the manner of assigning type designations differing somewhat for each category. In each instance, however, the official item name will precede the type designation.

1.3 Equipment type designations.- These designations consist of: An "A/" to denote assignment in the aeronautical type designation system; an installation letter; a numerical type-of-equipment indicator, consisting of two digits; and a purpose letter; followed by a dash (--), a numerical model number, and modification letter if it applies.

(a) Using a fire fighting truck as an example, a breakdown is presented in table I.

TABLE I

Example of equipment type designation

TRUCK, Firefighting	A/	S	32	P	-5
Item name as appearing in Federal Cataloging Handbook	Aeronautical Support Equipment	Ground Self-Propelled (List I)	Mechanical (List II)	Protection (List III)	The fifth equipment in the S32P category to which a type designation has been assigned.

Thus, the designation A/S32P indicates ground, self-propelled, mechanical, protection equipment. The first equipment in this same category would be designated A/S32P-1. Other equipments in this category which differ functionally, electrically or physically and are not interchangeable with previous equipments will be designated A/S32P-2, -3, -4, -5, etc. The model numbers are assigned to equipments in sequence, starting at one, for each installation-type-purpose indicator combination. Another example of an equipment type designation is Fire Control System,

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

Fighter Aircraft A/A24F-5. This designation indicates that the item is the fifth equipment in the Airborne Nonelectronic Fire Control Equipment Category.

(b) The examples shown in the preceding paragraph are first production assignments. The original or basic assignment for each equipment will have an empty parentheses directly following the model number; for example: A/S32P-5( ) or A/A24F-5( ), etc. This basic assignment will not identify a specific equipment, but will identify all equipments of the same general design. Specific production equipment identification is provided by deleting the empty parentheses for the first production equipment and assigning suffix letters for each subsequent modification; for example: A/S32P-5A or A/A24F-5A.

(c) Changes to the type designation will occur only as follows:

(1) When an equipment component is modified so that it is not functionally, electrically, or physically interchangeable with the unmodified component. (In such instances, the equipment will be identified by the assignment of a new suffix letter so long as the complete equipment, as a whole, is still interchangeable functionally with other equipments under the basic type designation.)

(2) When a complete equipment is modified or improved to the extent that either its electrical, physical, or functional interchangeability is affected, then the equipment will be assigned the next model number available for that particular installation-type-purpose combination, and

(3) When the installation, type, or purpose is changed. (In such instances, an entirely new type designation will be assigned.)

(d) Equipments designed for training purposes will be assigned type designations as follows:

(1) Equipment used to train for a specific basic equipment will be assigned the specific equipment type number, followed by a dash, the letter T, and a number. Example: Auto Pilot Trainer "A/A24G-6-T1" would be the first training equipment for Auto Pilot "A/A24G-6."

(2) Equipment used to train for general types of equipments will be assigned the general equipment indicators followed by a dash, the letter T, and a number. Example: Auto Pilot Trainer "A/A24G-T1" would be the first training equipment for general auto pilot training.

(3) Complete equipments used to train for types of equipment not covered by this regulation, for instance -- aircraft engines, etc., will be designated as follows: A/ applicable installation and type indicators from Lists I and II, and the purpose letter "U" followed by a "-T1, -T2, -T3, etc." Example: Trainer, A/C, Engine: A/E32U-T1.

1.4 Component type designations.- These type designations will consist of the applicable two-letter code selected from Equipment List IV, followed immediately by the third letter "K" for "component," a dash, a model number, slant bar, and the equipment designation of which the component is a part.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

(a) Using a servomechanism which is a component of an automatic pilot as an example, a breakdown is presented in table II.

TABLE II

Example of component type designation

Servomechanism (Item name appearing in Federal Cataloging Handbook (H6-1))	SV (Servo-mechanism) (List IV)	K (Component Symbol)	-7 (Seventh servo to which an aeronautical designation has been assigned.)	/A24G-6 (Equipment of which a part.)

Thus, the SVK-7/A24G-6 is the seventh servomechanism to which a type designation has been assigned and is part of the A/A24G-6 Automatic Pilot. Another servomechanism which is part of the same automatic pilot would be designated SVK-1/A24G-6. Other automatic pilot servomechanisms might be designated, hypothetically, as SVK-5/A24G-4 or SVK-15/A24G-7. The model numbers are assigned to components in sequence, starting at one, for each of the two-letter codes set forth in Equipment List IV. Each new number indicates noninterchangeability with preceding models.

(b) The examples shown in the preceding paragraph are first production assignments. The original or basic assignment for each component will have an empty parentheses directly following the model number for example: SVK-1( )/A24G-4 or SVK-15( )/A24G-7, etc. This basic assignment will not identify a specific component but will, instead, identify all models of this same general design. Specific production component identification is provided by deleting the empty parentheses for the first production component, and assigning suffix letters for each subsequent modification; for example: SVK-1A/A24G-6 or SVK-15A/A24G-7.

(c) A component must be physically, electrically, and functionally interchangeable in order to maintain original identity. Changes to the component type designations will be accomplished only:

(1) When subassemblies, and possibly the parts, are no longer interchangeable, but the component itself remains interchangeable physically, electrically, and functionally with the unmodified item. In this instance, a suffix letter may be assigned.

(2) When a component is modified or improved to the extent that either its electrical, physical, or functional interchangeability is affected; then the component will have assigned the next model number available for that particular two-letter code.

(d) Components that are part of two or more equipments are identified in the usual manner, with the exception that after the slant bar, there will appear the appropriate installation-type-purpose-indicator codes without an equipment model number. Thus, a servomechanism that is part of the A/A24G-5, A/A24G-7, and A/A24G-15 would be identified as SVK-16/A24G.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

1.5 Unit type designators.- Units will be designated by a two-letter code taken from Equipment List IV, followed by the letter "U," a dash, a model number, a slant bar, and the appropriate installation indicator letter from Equipment List I. These type designations will be similar to component type designations, with the following differences: The third letter of the unit type designation will always be "U" for "unit," following the slant bar will be the appropriate installation letter, rather than complete equipment indicators; for example: SUV-9/A.

1.5.1 When additional identification of units is desirable, type-of-equipment indicators (List II) may be added. For example, Starter STU-15/A24 would identify an electrical aircraft starter, while STU-16/A34 would identify a pneumatic aircraft starter.

1.6 Additional provisions.-

(a) The parentheses used in type designations provide a more general identification than that provided by type designations assigned to specific item designs. A series of equipments, components, or units will be identified by parentheses after the identifying model number; for example: The A/A24G-6(XW-1), A/A24G-6, A/A24G-6A, and A/A24G-6B will all be given the more general identification of A/A24G-6( ). Likewise, SVK-15(XW-1)/A24G-6, SVK-15/A24G-6, SVK-15A/A24G-6, etc., will all be identified, in general, as SVK-15( )/A24G-6.

(b) To identify a specific developmental equipment, component, or unit, a development organization-indicator, selected from List V, followed by a number inserted in the parentheses, will be used. Different developmental versions of the same items will be identified by successive numerals, for example: (XW-1), (XW-2), etc.

(c) The assigning and recording of specific numerals after an experimental indicator, within the parentheses of a type designation will be the developing activity's responsibility without reference to the assigning activity.

(d) An "A/" equipment type designation will be assigned to all overall equipment, regardless of the name assigned, such as sets, systems, vehicles, etc. Also the official "item name" assigned will not necessarily affect the type designation style (equipment, component or unit) or the applicable indicator letters selected.

(e) Type designations will normally not be assigned to the subassemblies and parts which make up a component or unit unless their importance from a functional or maintenance viewpoint is of sufficient magnitude to warrant such assignment.

(f) Aircraft instruments:

(1) At the discretion of the requesting service, dash numbers may be added directly following the basic type designation of an aircraft instrument to identify and differentiate between versions of the same basic aircraft instrument--differing only in range, etc. For instance: The type AAU-5/A altimeter supplied in three ranges: 0 to 25,000 feet, 0 to 50,000 feet, and 0 to 80,000 feet would be identified as AAU-5/A-1, AAU-5/A-2, and AAU-5/A-3, respectively. The basic provisions of this document concerning modification letters would apply; for instance, an improvement to the basic series of AAU-5/A altimeters would be identified as AAU-5A/A-1, AAU-5A/A-2, etc.

(2) The requesting service may request the dash number assignments either at the time of the original request or later as the need arises. Later requests for dash numbers need not include complete descriptions, only the differentiating feature. Any form of correspondence will be satisfactory for requesting dash numbers.

Source: https://assist.dla.mil -- Downloaded: 20260-26T14:03Z
Check the source to verify that this is the current version before use.

ANNEX

ANA BULLETIN NO. 440a

TYPE DESIGNATION SYSTEM FOR AERONAUTICAL AND AERONAUTICAL SUPPORT EQUIPMENT

SECTION II - LISTS

LIST I
EQUIPMENT INDICATORS COVERING INSTALLATION

Indicator	Installation	Indicator	Installation
A	AIRCRAFT OR MISSILE (Installed in aircraft)	M	GROUND, SELF-CONTAINED (Moveable, includes vehicle but not self-propelled)
B	AIRCRAFT OR MISSILE (Transported, but not installed in aircraft)	P	PERSONAL USE (Held or worn by individual)
C	COMBINATION (Ground and airborne)	S	GROUND, SELF-PROPELLED (Includes vehicle)
E	GROUND, NOT FIXED	U	MULTI-INSTALLATION
F	GROUND, FIXED	W	WATER (Surface or submerged)

LIST II
EQUIPMENT INDICATORS COVERING TYPE OF EQUIPMENT

Indicator	Type of Equipment	Indicator	Type of Equipment
22	APPAREL	36	OPTI-MECHANICAL
23	CHEMICAL	37	ELECTRO-MECHANICAL
24	ELECTRICAL	38	INVISIBLE LIGHT (INFRARED)
25	EXPLOSIVE	39	INERTIAL
26	GASEOUS	42	ELECTRO-HYDRAULIC
27	HYDRAULIC	43	MANUAL
28	MATERIALS, PLIABLE (Fabrics, rubber, etc)	44	INTERNAL COMBUSTION
		45	BIOLOGICAL
29	MATERIALS, RIGID (Metals, woods, etc)	46	PNEUMATIC-HYDRAULIC
32	MECHANICAL	47	ELECTRO-PNEUMATIC
33	NUCLEAR	48	HYDRO-MECHANICAL
34	PNEUMATIC	99	MISCELLANEOUS
35	OPTICAL		

NOTE: Where more than one type number applies, use the one which is most applicable.

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the currenversion before use.

LIST III
EQUIPMENT INDICATORS COVERING PURPOSE

Indicator	Purpose	Indicator	Purpose
A	AIRCRAFT OR MISSILE SUPPORT	M	MAINTENANCE, AIRCRAFT
B	BOMBING OR FIRE CONTROL, OR BOTH (Nonelectronic)	P	PROTECTION
C	AIR CONDITIONING	Q	RECONNAISSANCE (Nonelectronic)
D	DETECTION	R	FUELING
E	DESTRUCTION	S	PERSONNEL SUPPORT
G	FLIGHT CONTROL OR NAVIGATION, OR BOTH (Nonelectronic)	T	TESTING
H	AIRCRAFT LOADING AND CARGO HANDLING	U	SPECIAL, NOT OTHERWISE COVERED, OR COMBINATION OF PURPOSES
J	INDICATING	V	MAINTENANCE, AUTOMOTIVE
K	AERIAL STORES (MUNITIONS) HANDLING	W	GRAPHIC ARTS
L	LUBRICATING	X	IDENTIFICATION
		Y	DISSEMINATION

LIST IV
COMPONENT OR UNIT INDICATORS - BASIC PORTION (FIRST TWO LETTERS)

Indicator		
AA	Altitude Indicating Instruments, Aircraft	---Altimeter, rate of climb indicators.
AB	Aircraft Flight Instruments	---Accelerometer; free air temperature indicators; aircraft clocks; and any other flight instruments not otherwise covered.
AC	Compressors, Air	---Air compressors, excludes oxygen or other specific gaseous compressors; may or may not include prime mover.
AD	Adapting Items	---Items used to adapt one item to another
AE	Aircraft Engine Instruments	---Any aircraft engine instruments not otherwise covered.
AG	Pressure Indicating Instruments, Aircraft	---Cabin pressure, hydraulic pressure, etc.
AH	Aircraft Handling Items	---Miscellaneous items used in ground handling of aircraft, pry and tow bars, etc.
AL	Position Indicating Instruments, Aircraft	---Flap landing gear, nosegear, trim tabs, etc.
AM	Automotive Maintenance Items	---Brake bonders, analyzers, lifts, jacks, etc.
AP	Miscellaneous Auto Pilot Components	---Any of the components that make up an auto pilot.
AQ	Aircraft Navigational Instruments	---Sextants, compasses; any other aircraft instrument not otherwise covered
AR	Attitude Indicating Instruments, Aircraft	---Attitude, pitch and yaw, roll turn and slip

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

LIST IV
(Continued)

Indicator		
AS	Amplifiers, Signal	---Amplifiers between data source and instruments (not associated with communications equipment).
AT	Actuating items	---Devices which provide mechanical actuation for the operation of other aircraft items.
AV	Air Speed Indicating Instruments, Aircraft	---Air speed, Mach No., etc.
BA	Overrun Barriers	---Aircraft crash barriers and components.
BC	Battery Chargers	---Any style battery charger.
BD	Bombs, Aircraft Dummy	---Dummy practice and training bombs.
BG	Bags	---Flyers, briefcases, carrying cases, etc.
BL	Bombs, Aircraft Live	---All types of live aerial bombs.
BP	Assessing and Briefing, Projection	---Items projecting an image to a screen; used for graphic arts purposes.
BV	Assessing and Briefing, Viewing	---Items presenting an image directly used for graphic arts purposes.
CA	Cabinets, Misc	---Misc types and styles of cabinets and similar items.
CB	Clusters, Bombs	---Various types of clusters for dropping small bombs and missiles.
CE	Crushers, Ice	---Ice crushers for crushing any type ice, dry, cube, flake, etc.
CG	Cargo Mooring Items	---Devices used in mooring aircraft cargo; tie downs, cables, fittings, etc.
CH	Cushions, Aircraft	---Seat cushions - both life-preserver type and otherwise.
CL	Calibrating Items	---Items used in calibrating operational equipment.
CM	Clothing, Misc	---Misc types of clothing, such as rubber suits for bail-out over water, tree jump, etc, (other clothing not otherwise covered).
CN	Containers, Misc	---Various containers, excludes tank type and aerial delivery containers.
CP	Computing Items	---Mechanical or electrical, or both, computing devices.
CR	Oxygen Items, Misc	---Cylinders, regulators, valves, etc.
CS	Clothing, Special	---Clothing worn for protection from high altitude and "G" forces (excludes headgear, handwear, and footwear).
CT	Containers, Aerial Delivery	---Containers for aerial delivery of equipment and supplies.
CV	Covers, Misc	---Misc types and styles of covers, heated or not heated.
CW	Clothing, Warmth	---Clothing worn for warmth, jackets, trousers, coveralls, etc, (excludes headgear, handwear and footwear).
DC	Control Devices	---Various types of aircraft control devices.
DE	Dehumidifying Items	---Desiccators, dehumidifiers, etc.
DP	Duplicating Items	---Dry-developing machines, copying machines, etc; used for graphic arts purposes.

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

LIST IV (Continued)

DS	Detecting Items	---Hydrophones, magnetometers, etc.
DT	Timing Devices	---Intervalometers, timers, nonaircraft clocks, watches, etc.
EA	Performance Indicating Instruments, Aircraft Engines	---Engines, engine analyzers, cruise control indicators.
EC	Electrical Conversion Items	---Conversion of electrical current frequency, etc., to some other form of electrical energy.
EF	Fuel Measuring Instruments Aircraft	---Rate-of-flow gages and fuel-remaining gages.
EG	Pressure Measuring Instruments, Aircraft Engine	---Engine pressure, all types
EH	Temperature Indicating Instruments, Aircraft Engine	
EP	Electrical Power Supply Items	---Ground electrical-power-supply items, generators, power plants, etc., w/o prime mover.
ER	Tachometers, Aircraft Engine	
EM	Electrical Power Supply Items	---Ground electrical power supply items, generators, power plants, etc., w/prime mover.
ET	Engine Transportation and Handling devices	---Stands, dollies, racks, etc., for engine transportation and handling during maintenance and change.
FD	Direction Indicating Instruments, Aircraft	---Directional gyros, directional indicators, etc.
FE	Fire Extinguishers	---Any type of fire extinguishers, CO_2 carbontet, dry, etc.
FF	Fuel Filters	---All types.
FL	Inflating Equipment	---For inflating life rafts and similar equipment.
FM	Fuses, Munitions	---Any type of style munition fuse.
FR	Refrigerators	---Mechanical refrigerators, ground or aircraft installed.
FT	Fuel Tanks	---All types
FW	Footwear	---Shoes, boots, mukluks, etc.
GA	Guns, Aircraft	---Applicable to aircraft guns.
GC	Gaseous Converters Chargers and Rechargers	---For items which convert liquid to gas or charge gas containers, cartridges, etc.
GE	Generators, Electrical, Aircraft	---Aircraft installed electrical generating equipment.
GG	Generators, Gaseous	---Oxygen, CO_2 Nitrogen Generators, etc.
GL	Gasoline Engines	---Gasoline engines used to power ground generators.
GM	Gages, Misc	---Rate-of-flow gages, pressure; and any other gages not otherwise covered.
GR	Ground Refueling Items	---Hoses, nozzles, etc.
GS	Aircraft Ground Support Items	---For misc ground support items not otherwise covered.
GU	Guns, Misc	---Applicable to guns, other than for aircraft.
HA	Handwear	---Gloves, inserts, mittens, etc.
HB	Harnesses and Belts, Safety	---For use in aircraft, restraining, etc.
HC	Cargo Handling Items	---For items used in loading and handling aircraft cargoes.
HD	Heating Devices	---Space, ovens, immersion, etc.
HG	Headgear	---Helmets, caps, etc.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

LIST IV
(Continued)

Indicator		
HL	Hoisting Items	---Lifts, slings, etc.
HR	Electrical Harnesses and Cables	---Used as hook-up or connection for various other equipment.
JE	Electrical Distribution, Junction and Interconnecting Boxes and Devices	---Installed in either aircraft or ground.
KM	Kits, Misc	---For kits not designatable as sets.
LB	Lubricating Devices	---Lubricators, spray guns, etc.
LE	Lighting Items	---Floodlights, spots, light extensions, explosion-proof inspection lights, etc.
LM	Launching Mechanisms	---Ground launchers for rockets, missiles, targets.
LA	Launching Mechanisms	---Aircraft-installed launchers.
LP	Life Preservers	---Any style or size life preserver.
LR	Life Rafts	---Any style or size life raft.
LT	Aircraft Installed Lights	---Lights installed in or on aircraft, wing tip, panel, etc.
MA	Misc Armament Items	---Racks, shackles, etc.
MB	Masks, Breathing Oxygen	---Used only for breathing oxygen masks.
MD	Misc Munitions, Dummy	---Dummy, practice munitions, not otherwise provided for, mines, etc.
MH	Aerial Stores (Munitions) Handling Items	---Not otherwise covered, dollies, slings, etc.
ML	Misc Munitions Live	---Live munitions not otherwise provided for, mines, etc.
MM	Aircraft Maintenance Items	---Not otherwise covered.
MP	Masks, Protective	---For face masks, other than breathing oxygen, i.e. gas, protective, etc.
MS	Maintenance Stands	---Stands, platforms, etc., (excluding items peculiar to engines).
MT	Mounts	---Any style mount.
MX	Miscellaneous	---Not otherwise covered.
NC	Non-Stereo-Charting Items	---Chart and map compilation items utilizing principles other than stereoscopic projection and viewing; used for graphic arts purposes.
NM	Nuclear Measuring Items	---Radiometers, geiger counters, etc.
PC	Parachute Components	---Canopies, harnesses, packs, pilot chutes, etc.
PD	Packing and Dispensing Items for Printed Data	---For packing and dispensing leaflets and misc printed data.
PE	Panel, Electrical	---Control panels, etc.
PL	Plotting Devices	---Tables, scales, charts, holders, etc.
PM	Pumps, Aircraft	---Various types of pumps associated with aircraft.
PP	Printing Items	---Printing presses, etc, used for graphic arts purposes.
PR	Misc Protective Items	---Armor, vests, kits, etc.
PT	Power Units	---Auxiliary aircraft power units that operate aircraft equipment while on the ground.
RD	Rockets, Aircraft Dummy	---Noncontrollable (after firing) dummy and practice aircraft rockets.
RE	Rescue Devices	---Baskets, towing ropes, etc.
RF	Inflight Refueling Items	---Nozzles, hose, etc, used for inflight refueling.
RG	Regulating Items, Electrical	---Devices used to regulate electrical current, voltage, frequency, etc.

Source: https://assist.dla.mil -- Downloaded: 20260-26T14:03Z
Check the source to verify that this is the current version before use.

LIST IV
(Continued)

RH	Reconnaissance Interpretation	---Film plotting table, stereoscopes, magnifier, etc., used for graphic arts purposes.
RL	Rockets, Aircraft Live	---Noncontrollable (after firing) live aircraft rockets.
RM	Reels and Reeling Mechanisms	---Mechanisms used for reeling, in or out, cable, tow rope, wire, etc.
RY	Relays, Electrical	---Electrical relays associated with aircraft and support equipment.
SA	Sights, Gun-Bomb-Rocket	---All types of optical bomb, gun, and rocket sights.
SB	Stabilizing Items	---Gyroscopes, etc.
SC	Stereo-Charting Items	---Items used in compiling charts and maps utilizing the principles of stereoscopic projection and viewing; used for graphic arts purposes.
SD	Signal Devices	---Signal lights, hand and otherwise, warning devices, a-c installed, etc.
SE	Seats, Aircraft	---Aircraft seats, pilots', crew members, and passengers.
SG	Starters, Aircraft, Ground	---Starting units used on the ground to start aircraft.
SH	Shelters, Building and Docks	---Structures used for aircraft maintenance, storage, and misc uses.
SM	Simulators	---Items which simulate operation of operational equipment.
SP	Sweeping Items (Mines)	---Floats, otters, depressors, cutters, etc.
SR	Misc Survival Items	---Sustenance Kits and Components of Sustenance Kits, knives, etc.
ST	Starters, Aircraft Installed	---Any type of starter installed in aircraft.
SU	Suspension and Release	---For aircraft stores including bombs, rockets, misc munitions, fuel tanks, launchers, etc.
SV	Servomechanisms and Components	---Servos, drum and brackets, motor and drive, etc.
SW	Switches, Electrical	---Various electrical switches and similar items.
SX	Scoring Devices	---Items used in determining miss distances and firing error indication. Normally installed in aerial targets.
TA	Training Aids	---For sets and systems use basic designation plus --T. "TA" for less complicated training aids.
TD	Target Devices	---Various types and styles of targets, tow, winged, etc.
TE	Transformers, Electrical	---Any size of style transformer associated with aircraft or aircraft support equipment.
TH	Target Handling Items	---Cables, cutters, etc.
TK	Tracking Equipment	---Aircraft, missile or aerial target tracking.
TL	Tools	---Not otherwise covered.
TM	Tanks, Misc	---Oxygen, fuel, sampling, etc.
TR	Transmitters	---Signal transmission to instruments, rate-of-flow, compass, pressure, etc.
TT	Test Items	---Any items not otherwise covered.
VA	Valves, Aircraft	---Various types of valves, associated with aircraft.
VC	Chassis, Vehicle	---All types of vehicle chassis. NOTE: Complete vehicle designated by a set-designation.

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

LIST V

DEVELOPMENT INDICATORS FOR IDENTIFICATION OF DEVELOPMENT AGENCIES

INDICATOR	
XA	Communication-Navigation Laboratory, WADD, W-PAFB, Ohio
XB	Naval Research Laboratory, Washington, D. C.
XC	Air Force Ballistics Missile Division, Inglewood, California
XD	Air Force Cambridge Research Center, Bedford, Massachusetts
XE	Aircraft Laboratory, WADD, W-PAFB, Ohio
XF	Air Force Missile Development Center, Alamogordo, New Mexico
XG	U.S.N. Electronic Laboratory, San Diego, California
XH	Aerial Reconnaissance Laboratory, WADD, W-PAFB, Ohio
XI	AF Armament Division, Eglin AFB, Florida
XJ	Naval Air Development Center, Johnsville, Pennsylvania
XK	Flight Control Laboratory, WADD, W-PAFB, Ohio
XM	Aeromedical Laboratory, WADD, W-PAFB, Ohio
XN	Department of the Navy, Washington, D. C.
XP	Propulsion Laboratory, WADD, W-PAFB, Ohio
XQ	Aeronautical Accessories Laboratory, WADD, W-PAFB, Ohio
XR	Navy Bureau of Naval Weapons, Washington, D. C.
XS	Electronic Components Laboratory, WADD, W-PAFB, Ohio
XU	U.S.N. Underwater Sound Laboratory, Fort Trumbull, New London, Connecticut
XV	AF Special Weapons Center, Kirtland AFB, New Mexico
XW	Rome Air Development Center, Rome, New York
XY	Weapons Guidance Laboratory, WADD, W-PAFB, Ohio

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the currentversion before use.