****

DEPARTMENT OF THE NAVY
NAVAL FACILITIES
ENGINEERING COMMAND
GUIDE SPECIFICATION

NFGS-00021B
30 June 1995

Superseding NFGS-00021A (06/94)

****

NFGS-00021B

TABLE OF CONTENTS

****

Preparing Activity: NAVFACENGCOMHQ (15G)

	Typed Name & Reg.	Signature	Date
Prepared by:	J. B. Samson, P.E.		04/19/95
Approved for NAVFAC:	Carl E. Kersten, R.A.		06/30/95

****

AMSC N/A

AREA FACR

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

SECTION 00021

TABLE OF CONTENTS
06/95

NOTE: This section \@lists the Table of Contents for the entire project@\. It lists the section for bidding requirements, contract forms and conditions of the contract, and locates the specifications. Its use is optional.

NOTE: This revision "B" to NFGS-00021 revalidates the issue dated 30 June 1994.

NOTE: This section includes the graphics used to produce the Title Page for the project. The first graphics is a blank master copy which may be used as a paper copy master or as an electronic template to complete the cover sheet for the project. A computer program distributed on the Construction Criteria Base with the NAVFAC Guide Specifications can be used to generate the cover sheet, using an HP LaserJet printer. The second graphics explains what is entered by the program, or by hand, if the program is not available. The third graphics illustrates a completed cover sheet. Be sure specification cover sheet, drawings, and this title page are coordinated regarding project title, number and date.

INTRODUCTORY INFORMATION

NOTE: Use of a title page is optional. Table of Contents may follow 00020 when Form 1442 is used as the first page. Title page generator is found on the CCB "SPECS" menu.

00001 TITLE PAGE

BIDDING DOCUMENTS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

00020 SOLICITATION (Form 1442, with Solicitation portion completed)

00021 TABLE OF CONTENTS

00100 INSTRUCTIONS TO BIDDERS

[00150 INSTRUCTIONS TO PROPOSERS

[00160 EVALUATION FACTORS FOR AWARD]

00401 REPRESENTATIONS AND CERTIFICATIONS FOR CONTRACTING BY SEALED BIDS

[00402 REPRESENTATIONS AND CERTIFICATIONS FOR CONTRACTING BY NEGOTIATION]

CONTRACT FORMS AND CONDITIONS OF THE CONTRACT

00500 SOLICITATION, OFFER AND AWARD (AWARD PORTION)

00501 LIST OF DRAWINGS

****

NOTE: There is no guidance document 00600. This is a "placeholding" location for the bid guarantees, performance and payment bond forms.

****

00600 BONDS AND CERTIFICATES

****

NOTE: Choose 00710 or 00720, but not both, based on the decision of the Contracting Officer to use full text or "by reference" version of "Contract Clauses, FAR 52.202 Through 52.228."

****

00710 CONTRACT CLAUSES, FAR 52.202 THROUGH 52.228

00720 CONTRACT CLAUSES, FAR 52.202 THROUGH 52.228 (BY REFERENCE)

****

NOTE: Choose 00711 or 00721, but not both, based on the decision of the Contracting Officer to use full text or "by reference" version of "Contract Clauses, FAR 52.229 Through 52.252."

****

00711 CONTRACT CLAUSES, FAR 52.229 THROUGH 52.252

00721 CONTRACT CLAUSES, FAR 52.229 THROUGH 52.252 (BY REFERENCE)

[00740 CONTRACT CLAUSES FOR OVERSEAS]

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

****
NOTE: There is no guidance document 00830. The Contracting Officer should place the preprinted Wage Determination document in this location.
****

00830 DAVIS-BACON WAGE DETERMINATION

****
NOTE: Insert the specification number.
****

SPECIFICATION [_____]

****
NOTE: Suggestions for improvement of this specification will be welcomed using the "Agency Response Form" located in SPECSINTACT under "System Directory" or DD Form 1426. Suggestions should be forwarded to:

Commanding Officer
Naval Construction Battalion Center
NAVFAC 15G/CESO 158
1000 23rd Avenue
Port Hueneme, CA 93043-4301
****

-- End of Section --

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

-- INSERT GRAPHIC --

TO PRINT SECTION TEXT WITH GRAPHICS

1. In CCB, select SPECS from the main menu
2. Select NAVFAC Guide Specifications
3. Highlight Section
4. Select PRINT
5. Select items in PRINT BOX
6. Press ENTER

TO PRINT GRAPHICS ONLY

1. In CCB, select SPECS from the main menu
2. Select NAVFAC Guide Specifications
3. Select NAVFAC Guide Specification Graphics
4. Select the graphic you want to print
5. Select PRINT
   - Select the appropriate buttons in the print box
   - Select PRINT button

- OR -

1. In CCB, select SPECS from the main menu
2. Select NAVFAC Guide Specifications
3. Select the section to VIEW
4. From the horizontal menu bar across the top, select GRAPHICS
5. Select the graphic to print
6. Select the PRINT button

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

-- INSERT GRAPHIC --

TO PRINT SECTION TEXT AND GRAPHICS: INSTRUCTION IS SHOWN ON FIRST PAGE OF GRAPHIC

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

SECTION TABLE OF CONTENTS

DOCUMENTS

SECTION 00021

TABLE OF CONTENTS

-- End of Section Table of Contents --

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

Guidance for use of this Naval Facilities Guide Specification (NFGS):

1. The NFGS is in the three-part section format established by the Construction Specifications Institute and adopted by the Department of the Navy. It is designed to ease preparation of the project specification section with the SPECSINTACT Processing System.

2. All technical notes are inserted in the body of the NFGS, separated from text by lines of asterisks. All notations immediately precede the text to which they apply. DO NOT INCLUDE NOTES OR NOTATIONS IN THE PROJECT SPECIFICATION SECTION. (Notes can be deleted automatically when using SPECSINTACT.)

3. Do not refer to the NFGS in the project specification. Use it as a manuscript, editing and modifying to meet project requirements. Where "as shown," "as indicated," "as detailed," or similar words are used, include all requirements so designated on the project drawings.

4. Do not include in the project specification:

    a. Signature Sheet
    b. Table of Contents
    c. Notes
    d. Sketches, if any
    e. General Notes
    f. Other supplemental information, if any, attached to this guide specification.

5. Place project title in upper left corner of each page and limit to 66 character spaces on one line. (Automatically printed when using SPECSINTACT if the project title is entered as the title in the Job Set-Up Screen).

6. Place project specification number in upper right corner of each page. (Automatically printed when using SPECSINTACT if the project specification number is entered as the job name in the Job Set-Up Screen.)

7. Center project specification section number and page number at bottom of each page of the section created from this guide specification. (Automatically printed when using SPECSINTACT.)

8. Where numbers, symbols, words, phrases, clauses, sentences, or paragraphs in this guide specification are enclosed in brackets, [], a choice or modification must be made; delete inapplicable portion(s) and brackets. Where blank spaces enclosed in brackets occur, insert appropriate data. Delete inapplicable text and, if not using

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

SPECSINTACT, renumber subsequent articles, paragraphs, sub-paragraphs, accordingly. (Renumbering is done automatically during the print process when using SPECSINTACT.)

9. The article "REFERENCES" never contains numbered paragraphs or subparagraphs. Each organization's publications are listed beneath the organization name. Revision letters or dates identifying the current edition appear in parentheses followed by the title.

10. Use the latest issue of the referenced publications, but only after reviewing to ensure that it will satisfy the minimum essential requirements of the project. If the latest issue does not satisfy project requirements:

    1. Use the issue shown; or
    2. Select and refer to a document which does; or
    3. Incorporate the pertinent requirements into the project specification.

    Inform NAVFACENGCOM 15G, if the latest issue of a referenced publication is not compatible with this guide specification.

    Delete those referenced publications not used for the project specification.

11. The "SUBMITTALS" article in Part 1 of the section includes a SPECSINTACT coding. This provides an automated project "Submittals Register" when utilizing the SPECSINTACT Processing System. The system prints two letters and two numbers on the hard copy for each submittal type (i.e. SD-14 for "Samples"). The letters and numbers (i.e., SD-14 for "Samples") are submittal descriptions defined in Section 01300, "Submittals."

12. Do not repeat information shown on the drawings in the specification. Use the specifications to establish quality of materials and workmanship, methods of installation, equipment functions, and required testing. Use the drawings to indicate dimensions, relationship of materials, quantities, and location and capacity of equipment. Use keywords common between the specifications and drawings.

13. CAUTION: Coordination of this section with other sections of the project specification and with the drawings is mandatory. If materials or equipment are to be furnished under this section and installed under other sections or are indicated on the drawings, state that fact clearly for each type of material and item of equipment. Review the project specifications and drawings to ensure that complete and operational systems and equipment will be provided.

14. Changes or revisions to this document, since the date of original NAVFAC approval, have been performed by the Guide Specifications Division (NAVFAC 15G). (Phone: (805) 982-6103, FAX: (805) 982-5196, DSN 551-6103).

15. Suggestions for improving this NFGS are welcome. Use the "Agency Response Form" located in SPECSINTACT under "System Directory" or DD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

Form 1426. Forward to:

Commanding Officer
Naval Construction Battalion Center
NAVFAC 15G/CESO 158
1000 23rd Avenue
Port Hueneme, CA 93043-4301

-- End of General Notes --

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and the revision letter should be given.

2. The submitter of this form must complete blocks 4, 5, 6, and 7.

3. the preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE	1. DOCUMENT NUMBER NFGS-00021B	2. DOCUMENT DATE (YYMMDD) 950630

3. DOCUMENT TITLE

TABLE OF CONTENTS

4. NATURE OF CHANGE (*Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.*)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME MS. JOAN SAMSON, P.E.	b. TELEPHONE (*Include Area Code*) (1) Commercial (805) 982-5543 (2) AUTOVON 551-5543
c. ADDRESS (*Include Zip Code*) NAVAL CONSTRUCTION BATTALION CENTER NAVFAC 15G/CESO 158, 1000 23rd AVENUE PORT HUENEME, CA 93043-4301	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041 Telephone (703) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.