DEPARTMENT OF THE NAVY
NAVAL FACILITIES
ENGINEERING COMMAND
GUIDE SPECIFICATION

NFGS-00501D
30 September 1995
Superseding NFGS-00501C (06/95)

NFGS-00501D

LIST OF DRAWINGS

Preparing Activity: NAVFACENGCOMHQ (15G)

	Typed Name & Reg.	Signature	Date
Prepared by:	J. B. Samson, P.E.	/s/	06/30/95
Approved for NAVFAC:	Carl E. Kersten, R.A.	/s/	06/30/95
Changes or Revisions Approved for NAVFAC:	Carl E. Kersten, R.A.		09/30/95

Any changes or revisions to this document since the date of the original approval for NAVFAC, have been performed by the Guide Specifications Division (Code 15G).

AMSC N/A

AREA FACR

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

SECTION 00501

LIST OF DRAWINGS
09/95

****
NOTE: This section \@lists the drawings for the project@\.
****

****
NOTE: This revision "D" to NFGS-00501 amends the issue dated 30 June 1995 by adding SOUTHNAVFACENGCOM note.
****

****
NOTE: Contracts personnel will insert this section in the appropriate location within the solicitation package. Include this section on the SPECSINTACT system back-up diskette.
****

****
NOTE: \&For SOUTHNAVFACENGCOM projects, the A/E shall prepare this section for each project, but it is not to be listed in the Table of Contents of the specifications. SOUTHNAVFACENGCOM will insert this section in the appropriate location within the solicitation package. A/E shall also include this section on the SPECSINTACT "job back-up" diskette that is required by SOUTHNAVFACENGCOM.&\
****

1.1 SUMMARY

This section lists the drawings for the project pursuant to contract clause "DFARS 252.236-7001, Contract Drawings, Maps and Specifications."

1.2 CONTRACT DRAWINGS

****
NOTE: Use revision column only if drawings show a revision date. List the 7-digit NAVFAC drawing number in the third column. For LANTNAVFACENGCOM projects fill in EFD drawing numbers.
****

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

Contract drawings are as follows:

DRAWING NO.	[EFD DWG NO.]	[REVISION NO.]	NAVFAC DWG NO.	TITLE
[_____]	[_____]	[_____]	[_____]	[_____]

1.3 [SUPPLEMENTARY DRAWINGS

These supplementary drawings may not be a part of the contract but are included with the drawings for information.

1.3.1 [Reference Drawing[s]

****
NOTE: Use only when reference drawings must be included in the project.
****

The following reference drawing[s] [is] [are] intended only to show the original construction. Drawing[s] [is] [are] the property of the Government and shall not be used for any purpose other than that intended by the contract. [The drawing[s] [is] [are] [half] [full] size. Full-size drawings are available at the bidder's or Contractor's expense. [Information on procuring these full-size drawings may be obtained from the Contracting Officer.] [Full size drawings may be inspected during regular working hours at [the office of the Contracting Officer.] [the station.]]

NAVFAC DRAWING NO.	TITLE
[_____]	[_____]]

1.3.2 [Boring Logs

****
NOTE: Select this paragraph or the paragraph below entitled "Subsurface Data," if the boring logs and subsurface information are not already incorporated in the drawings. Use the first paragraph if boring logs are available and the second, if they are incorporated into a soils report or if only a soils report is available.
****

****
NOTE: Do not use this paragraph for SOUTHNAVFACENGCOM contracts.
****

The Government does not guarantee that borings indicate actual conditions, except for the exact locations and the time that they were made. [Subsurface data, not specified or indicated, have been obtained by the Government at this station. The data are available for examination by prospective bidders [in the office of the Contracting Officer] [at the station].]]

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

1.3.3 [Subsurface Data

****
NOTE: Do not use this paragraph for SOUTHNAVFACENGCOM contracts.
****

Subsurface data, not specified or indicated, have been obtained by the Government at the station. The data are available for examination by prospective bidders [in the office of the Contracting Officer] [at the station]. [The soils report is included as part of the solicitation].]

****
NOTE: Suggestions for improvement of this specification will be welcomed using the Navy "Change Request Forms" subdirectory located in SPECSINTACT in Jobs or Masters under "Forms/Documents" directory or DD Form 1426. Suggestions should be forwarded to:

Commanding Officer
Naval Construction Battalion Center
NAVFAC 15G/CESO 158
1000 23rd Avenue
Port Hueneme, CA 93043-4301

FAX: (805) 985-6465/982-5196
****

-- End of Section --

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

SECTION TABLE OF CONTENTS

DOCUMENTS

SECTION 00501

LIST OF DRAWINGS

1.1 SUMMARY
1.2 CONTRACT DRAWINGS
1.3 [SUPPLEMENTARY DRAWINGS
1.3.1 [Reference Drawing[s]
1.3.2 [Boring Logs
1.3.3 [Subsurface Data

-- End of Section Table of Contents --

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

****

DEPARTMENT OF THE NAVY **GENERAL NOTES (October 1995)**
NAVAL FACILITIES
ENGINEERING COMMAND

****

GENERAL NOTES

Guidance for use of this Naval Facilities Guide Specification (NFGS):

1. The NFGS is in the three-part section format established by the Construction Specifications Institute and adopted by the Department of the Navy. It is designed to ease preparation of the project specification section with the *SPECSINTACT Processing System*.

2. All technical notes are inserted in the body of the NFGS, separated from text by lines of asterisks. All notations immediately precede the text to which they apply. DO NOT INCLUDE NOTES OR NOTATIONS IN THE PROJECT SPECIFICATION SECTION. (Notes can be deleted automatically when using SPECSINTACT.)

3. Do not refer to the NFGS in the project specification. Use it as a manuscript, editing and modifying to meet project requirements. Where "as shown," "as indicated," "as detailed," or similar words are used, include all requirements so designated on the project drawings.

4. Do not include in the project specification:

    a. Signature Sheet
    b. Table of Contents
    c. Notes
    d. Sketches, if any
    e. General Notes
    f. Other supplemental information, if any, attached to this guide specification.

5. Place project title in upper left corner of each page and limit to 66 character spaces on one line. (Automatically printed when using SPECSINTACT if the project title is entered as the title in the Job Set-Up Screen).

6. Place project specification number in upper right corner of each page. (Automatically printed when using SPECSINTACT if the project specification number is entered as the job name in the Job Set-Up Screen.)

7. Center project specification section number and page number at bottom of each page of the section created from this guide specification. (Automatically printed when using SPECSINTACT.)

8. Where numbers, symbols, words, phrases, clauses, sentences, or paragraphs in this guide specification are enclosed in brackets, [], a choice or modification must be made; delete inapplicable portion(s) and brackets. Where blank spaces enclosed in brackets occur, insert appropriate data. Delete inapplicable text and, if not using

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

SPECSINTACT, renumber subsequent articles, paragraphs, sub-paragraphs, accordingly. (Renumbering is done automatically during the print process when using SPECSINTACT.)

9. The article "REFERENCES" never contains numbered paragraphs or subparagraphs. Each organization's publications are listed beneath the organization name. Revision letters or dates identifying the current edition appear in parentheses followed by the title.

10. Use the latest issue of the referenced publications, but only after reviewing to ensure that it will satisfy the minimum essential requirements of the project. If the latest issue does not satisfy project requirements:

    1. Use the issue shown; or
    2. Select and refer to a document which does; or
    3. Incorporate the pertinent requirements into the project specification.

    Inform NAVFACENGCOM 15G, if the latest issue of a referenced publication is not compatible with this guide specification.

    Delete those referenced publications not used for the project specification.

11. The "SUBMITTALS" article in Part 1 of the section includes a SPECSINTACT coding. This provides an automated project "Submittals Register" when utilizing the SPECSINTACT Processing System. The system prints two letters and two numbers on the hard copy for each submittal type (i.e. SD-14 for "Samples"). The letters and numbers (i.e., SD-14 for "Samples") are submittal descriptions defined in Section 01300, "Submittals."

12. Do not repeat information shown on the drawings in the specification. Use the specifications to establish quality of materials and workmanship, methods of installation, equipment functions, and required testing. Use the drawings to indicate dimensions, relationship of materials, quantities, and location and capacity of equipment. Use keywords common between the specifications and drawings.

13. CAUTION: Coordination of this section with other sections of the project specification and with the drawings is mandatory. If materials or equipment are to be furnished under this section and installed under other sections or are indicated on the drawings, state that fact clearly for each type of material and item of equipment. Review the project specifications and drawings to ensure that complete and operational systems and equipment will be provided.

14. Changes or revisions to this document, since the date of original NAVFAC approval, have been performed by the Guide Specifications Division (NAVFAC 15G). (Phone: (805) 982-6103, DSN 551-6103), FAX: (805) 985-6465/982-5196.

15. Suggestions for improvement of this specification will be welcomed using the Navy "Change Request Form" subdirectory located in

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

SPECSINTACT in Jobs or Masters under "Forms/Documents" directory or DD Form 1426. Forward to:

Commanding Officer
Naval Construction Battalion Center
NAVFAC 15G/CESO 158
1000 23rd Avenue
Port Hueneme, CA 93043-4301

FAX: (805) 985-6465/982-5196

-- End of General Notes --

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and the revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. the preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE	1. DOCUMENT NUMBER NFGS-00501D	2. DOCUMENT DATE (YYMMDD) 950930

3. DOCUMENT TITLE

LISTS OF DRAWINGS

4. NATURE OF CHANGE (*Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.*)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (*Include Zip Code*)	d. TELEPHONE (*Include Area Code*) (1) Commercial (2) AUTOVON (*If applicable*)	7. DATE SUBMITTED (*YYMMDD*)

8. PREPARING ACTIVITY

a. NAME MS. JOAN SAMSON, P.E.	b. TELEPHONE (*Include Area Code*) (1) Commercial (805) 982-5543 (2) AUTOVON 551-5543
c. ADDRESS (*Include Zip Code*) NAVAL CONSTRUCTION BATTALION CENTER NAVFAC 15G/CESO 158, 1000 23rd AVENUE PORT HUENEME, CA 93043-4301	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041 Telephone (703) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:05Z
Check the source to verify that this is the current version before use.