FED-STD-H28/15A
7 June 1984
SUPERSEDING
FED-STD-H28/15
31 August 1978

FEDERAL STANDARD

SCREW-THREAD STANDARDS FOR FEDERAL SERVICES

SECTION 15

ROLLED THREADS FOR SCREW-SHELLS FOR ELECTRIC LAMPHOLDERS AND LAMP BASES

This standard was approved by the Assistant Administrator, Office of Federal Supply and Services, General Services Administration, for the use of all Federal Agencies.

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. Single copies of this standard are available at the GSA Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Houston, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA, or from the General Services Administration, Specification Unit (WFSIS), Room 6039, 7th and D Streets S.W., Washington, DC 20407.

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

AREA THDS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.

INFORMATION SHEET ON FEDERAL STANDARDS

This Federal Standard is issued in loose-leaf form to permit the insertion or removal of new or revised pages and sections.

All users of Federal Standards should keep them up to date by inserting revised or new pages as issued and removing superseded and canceled pages.

New and revised pages will be issued under Change Notices which will be numbered consecutively and will bear the date of issuance. Change Notices should be retained and filed in front of the standard until such time as they are superseded by a reissue of the entire standard.

FOREWORD

This section was developed to provide standard rolled threads for screw-shells of electric lampholders and lamp bases for the Federal Services. National standards were originally published in 1915 in Bulletin No. 1474 of the American Society of Mechanical Engineers (ASME) entitled. "Rolled Threads for Screw Shells of Electric Sockets and Lamp Bases", which was a report of the ASME Committee on Standardization of Special Threads for Fixtures and Fittings. This document originally covered miniature, candelabra, medium and mogul lamp shell threads to which was added the intermediate lamp shell thread in 1927. The first issue of FED-STD-H28/15 presented data for these 5 threads and their gages.

FED-STD-H28/15A was prepared by the Defense Industrial Supply Center (DLA-IS) and incorporates the American National Standard, Specifications for Electric Lamp Bases and Holders——Screw-Shell Types, ANSI C81.10-1976. Significant changes from the previous issue include the following:

(1) Added midget, mini-can and skirted medium lamp shell threads.

(2) Added dimensions for finished lamp base screw-shells.

(3) Updated thread dimensions and gage requirements for screw-shells.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.

SECTION 15 - Rolled Threads for Screw-Shells of Electric Lampholders and Lamp Bases

1. Scope. This section provides the standards for rolled threads for screw-shells of electric lampholders and lamp bases, their gages and acceptability requirements.

2. Referenced documents.

2.1 Government publications. The issue of the following document in effect on the date of invitation for bids or request for proposal forms a part of this standard to the extent specified herein.

Federal standard.

FED-STD-H28/1 Nomenclature, Definitions and Letter Symbols for Screw Threads

(Activities outside the Federal Government may obtain copies of Federal specifications, standards and commercial item descriptions as stated in the Index of Federal Specifications, Standards and Commercial Item Descriptions. The index, including cumulative bimonthly supplements issued during the year, is sold on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

(Single copies of Federal specifications, standards, and commercial item descriptions required for bidding purposes are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA, or from the General Services Administration Supply Distribution Facility Franconia-Building A, Loisdale Road, Franconia, VA 22105.

(Federal Government activities may obtain copies of Federal standardization documents from established distribution points in their agencies.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following document forms a part of this standard to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

American National Standard.

ANSI C81.10-1976 Specifications for Electric Lamp Bases and Holders - Screw-Shell Types

(Applications for copies should be addressed to the American National Standards Institute, 1430 Broadway, New York, NY 10018.)

3. Definitions. The terms applicable to this standard are defined in FED-STD-H28/1.

4. General requirements. Not applicable.

5. Detailed requirements.

5.1 Form of thread. The thread form is composed of two circular segments tangent to each other and of equal radii as shown in Figure 15.1.




FIGURE 15.1 ILLUSTRATION OF THREADS FOR ELECTRIC LAMP BASES AND LAMPHOLDERS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.

5.2 Lamp base screw-shells.

5.2.1 Data for lamp base screw-shells, which are used on lamp bases, plug type fuses (medium lamp base thread), and similar devices, shall be in accordance with the applicable standard sheets in ANSI C81.10-1976. These data are tabulated in Table XV.1 for reference. For each screw base, the lamp base thread and applicable standard sheet appear in Table XV.2.

5.2.2 Gaging for lamp screw base conformance, including conformance of threads, shall be in accordance with ANSI C81.10-1976 Part 1 and the applicable standard sheets in ANSI C81.10-1976 Part 2. These gages and the applicable standard sheets are tabulated in Table XV.2 for reference.

5.3 Lampholder screw-shells.

5.3.1 Data for lampholder screw-shells, which are used for lampholders, fuseholders (medium lampholder thread), and similar devices, shall be in accordance with the applicable standard sheets in ANSI C81.10-1976. These data are tabulated in Table XV.3 for reference. For each lampholder, the lampholder thread and applicable standard sheet appear in Table XV.4.

5.3.2 Gaging for lampholder screw-shell conformance, including conformance of threads, shall be in accordance with ANSI C81.10-1976 Part 1 and the applicable standard sheets in ANSI C81.10-1976 Part 2. These gages and the applicable standard sheets are tabulated in Table XV.4 for reference.

MILITARY INTERESTS:

Custodians

Army - AR
Air Force - 11

Review Activities

Army - CR, ME, MI
Air Force - 82
DLA - GS

User Activities

Navy - EC, OS, SH, YD

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

PREPARING ACTIVITY:

DLA - IS

(DoD Project THDS -0046)

☆U.S. GOVERNMENT PRINTING OFFICE: 1984-705-040/A3169

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.

TABLE XV.1 ROLLED THREADS FOR LAMP BASE SCREW-SHELLS. SEE 5.2.1.

THREAD DESIGNATION	THREADS PER INCH	PITCH, p	HEIGHT (DEPTH) OF THREAD	RADIUS, r	UNMOUNTED				ON FINISHED LAMP			
					MAJOR DIA, d		MINOR DIA, d_1		MAJOR DIA, d		MINOR DIA, d_1	
					MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN
Midget lamp base thread	25.4	0.03937	0.011	0.0115	0.210	0.206	0.188	—	0.210	0.206	0.188	—
Miniature lamp base thread	14	0.07143	0.020	0.0210	0.375	0.365	0.335	—	0.3765	0.365	0.3365	—
Mini-Can lamp base thread	14	0.07143	0.020	0.0210	—	—	—	—	0.425	0.415	0.385	—
Candelabra lamp base thread	10	0.10000	0.025	0.0312	0.465	0.455	0.415	—	0.468	0.455	0.418	—
Intermediate lamp base thread	9	0.11111	0.027	0.0353	0.651	0.641	0.597	—	0.655	0.641	0.601	—
Medium lamp base thread	7	0.14286	0.033	0.0469	1.037	1.029	0.971	—	1.043	1.029	0.977	—
Skirted medium lamp base thread	7	0.14286	0.033	0.0469	1.042	1.029	0.976	—	1.042	1.029	0.976	—
Mogul lamp base thread	4	0.25000	0.050	0.0906	1.555	1.542	1.455	—	1.560	1.542	1.460	—

TABLE XV.2 ELECTRIC LAMP SCREW BASE REQUIREMENTS. SEE 5.2.1 AND 5.2.2.

SCREW BASE	LAMP BASE THREAD	ANSI C81.10 STD SHEET FOR BASE	APPLICABLE GAGES	ANSI C81.10 STD SHEETS FOR GAGES
Midget (IEC E5)	Midget	1-1-*	GO thread gage NOT-GO plain gage	3-1-* 3-2-*
Miniature (IEC E10/12)	Miniature	1-3-*	GO thread gage NOT-GO plain gage	3-11-* 3-13-*
Mini-Can	Mini-can	1-5-*	GO thread gage	3-21-*
Candelabra (IEC E12/15)	Candelabra	1-7-*	GO contact (plain) gage GO thread gage NOT-GO plain gage	3-31-* 3-32-* 3-33-*
Intermediate (IEC E17/20)	Intermediate	1-9-*	GO contact (plain) gage GO thread gage NOT-GO plain gage	3-51-* 3-52-* 3-53-*
Single contact medium (IEC E26/24) Double contact medium (IEC F26d)	Medium	1-11-* 1-13-*	GO contact (plain) gage-single & double GO thread gage-finished lamp GO thread gage-unmounted base NOT-GO plain gage Double contact base gages	3-61-* 3-62-* 3-64-* 3-63-* 3-65-* 3-66-*
Skirted medium (E26/50 x 39)	Skirted medium	1-15-*	GO contact (plain) gage GO thread gage NOT-GO plain gage	3-67-* 3-68-* 3-63-*
Mogul (IEC E39)	Mogul	1-17-*	GO contact (plain) gage GO thread gage NOT-GO plain gage	3-81-* 3-82-* 3-83-*
Position-oriented Mogul (IEC EP39)	Mogul	1-19-*	GO contact (plain) gage GO thread gage NOT-GO plain gage	3-93-* 3-94-* 3-83-*

* Third number indicates the issue number - latest issue applies.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.

TABLE XV.3 ROLLED THREADS FOR LAMPHOLDER SCREW-SHELLS. SEE 5.3.1.

THREAD DESIGNATION	THREADS PER INCH	PITCH, p	HEIGHT (DEPTH) OF THREAD	RADIUS, R	MAJOR DIA, D		MINOR DIA, D_1	
					MIN	MAX	MIN	MAX
Midget lampholder thread	25.4	0.03937	0.011	0.0115	0.212	0.216	0.190	0.194
Miniature lampholder thread	14	0.07143	0.020	0.0210	0.3775	0.3835	0.3375	0.3435
Mini-Can lampholder thread	14	0.07143	0.020	0.0210	0.4275	0.4335	0.3875	0.3935
Candelabra lampholder thread	10	0.10000	0.025	0.0312	0.470	0.476	0.420	0.426
Intermediate lampholder thread	9	0.11111	0.027	0.0353	0.657	0.664	0.603	0.610
Medium lampholder thread	7	0.14286	0.033	0.0469	1.045	1.053	0.979	0.987
Mogul lampholder thread	4	0.25000	0.050	0.0906	1.565	1.577	1.465	1.477

TABLE XV.4 SCREW-SHELL REQUIREMENTS FOR ELECTRIC LAMPHOLDERS. SEE 5.3.1 AND 5.3.2.

LAMPHOLDER	LAMPHOLDER THREAD	ANSI C81.10 STD SHEET FOR LAMPHOLDER	APPLICABLE GAGES	ANSI C81.10 STD SHEETS FOR GAGES
Midget (IEC E5)	Midget	2-1-*	GO thread gage NOT-GO plain gage	3-6-* 3-7-*
Miniature (IEC E10)	Miniature	2-3-*	GO contact (threaded) gage GO thread gage NOT-GO plain gage	3-15-* 3-16-* 3-17-*
Mini-Can	Mini-Can	2-5-*	GO contact (threaded) gage	3-23-*
Candelabra (IEC E12)	Candelabra	2-7-*	GO contact (threaded) gage GO thread gage NOT-GO plain gage	3-35-* 3-36-* 3-37-*
Intermediate (IEC E17)	Intermediate	2-9-*	GO contact (threaded) gage GO thread gage NOT-GO plain gage	3-55-* 3-56-* 3-57-*
Single contact medium (IEC E26)	Medium	2-11-*	GO contact (threaded) gage GO thread gage NOT-GO plain gage	3-71-* 3-74-* 3-76-*
Double contact medium (IEC E26d)	Medium	2-13-*	GO contact (threaded) gage for metal-shell paper lined holder GO contact (threaded) gage for porcelain or molded holder GO thread gage NOT-GO plain gage GO/NOT-GO contact (plain) gage for radial position of intermediate contact	3-72-* 3-73-* 3-75-* 3-76-* 3-77-*
Mogul (IEC E39)	Mogul	2-17-*	GO contact (threaded) gage GO thread gage NOT-GO plain gage	3-85-* 3-86-* 3-87-*
Position-oriented Mogul	Mogul	2-19-*	GO contact (threaded) gage GO thread gage NOT-GO plain gage Insertion clearance gage	3-96-* 3-86-* 3-87-* 3-97-*

* Third number indicate the issue number - latest issue applies.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: *In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge (DO NOT STAPLE), and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.*

NOTE: **This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.**

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 4966 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Defense Industrial Supply Center
ATTN: DISC-ECF
700 Robbins Avenue
Philadelphia, PA 19111

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
FED-STD-H28/15A	Rolled Threads For Screw - Shells for Electric Lampholders & Lamp Bases

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:53Z
Check the source to verify that this is the current version before use.