INCH-POUND

MIL-C-82733A(OS)
AMENDMENT 2
12 June 2001
SUPERSEDING
AMENDMENT 1
23 October 2000

MILITARY SPECIFICATION

CARTRIDGE, IMPULSE, CCU-22/A/A ASSEMBLY

This amendment forms a part of MIL-C-82733A, dated 22 June 1988, is a approved for use within the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1.1, Under Specifications, Military: Delete in its entirety;
"MIL-C-82734 Catapult, Aircraft Ejection Seat, CKU-5/A/A Assembly".
Insert the following;
"MIL-DTL-82683 Solid Propellant"
"MIL-DTL-82876 Catapult, Aircraft Ejection Seat CKU-5B/A"

PAGE 2

* 2.1.1, Under Standards, Military: Delete in its entirety;
"MIL-STD-453 Inspection, Radiographic"

* 2.2, Insert the following:
"AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM E 1742 Standard Practice for Radiographic Examination (DoD adopted)

(Application for copies of ASTMs should be sent to the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959)"

PAGE 3

3.1.1, fifth line: Delete "MIL-P-82652. The rate" and insert "MIL-DTL-82683. The rate".

AMSC NO. N4455 FSC 1377

Distribution Statement A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:23Z
Check the source to verify that this is the current version before use.

3.3.2: Delete paragraph in its entirety and insert the following:
"**3.3.2 Cartridge grain.** The cartridge grain (cartridge propellant grain per drawing 5184356) shall be loaded (when the cartridge case is crimped) within 180 days of the oldest cartridge propellant mix. When manufactured as a subassembly of the CKU-5B/A Rocket Catapult, the provisions of MIL-DTL-82876 Section 3.3.1.2 shall apply."

3.4, second line: Delete "with MIL-C-82734 and test" and insert "with MIL-C-82876 and test".

PAGE 4

3.5, first line: Delete "with MIL-P-82652" and insert "with MIL DTL- 82683".

3.7, second line: Delete "load of 36-41 pounds" and insert "load of 46-51 pounds".

PAGE 6

4.4.3, second line: Delete "with MIL-P-82652. Failure" and insert "with MIL-DTL-82683. Failure".
Last line: Delete "of MIL-P-82652 shall" and insert "of MIL-DTL-82683 shall".

***** 4.4.4, first sentence, Change from: "Four cartridge case and grain assemblies" to "Two cartridge propellant grains".

PAGE 7

***** 4.5.1.5, third line: Change from: "cartridge case and grain assembly" to "cartridge propellant grain".

PAGE 8

***** 4.5.2.5, first line: Change from: "50" to "20".

PAGE 9

4.5.5, Note, first line: Delete "of the CKU-5A/A rocket …with MIL-C-82734, a separate" and insert "of the CKU-5B/A rocket … with MIL-DTL-82876, a separate".

***** 4.5.6, second line: Change from: MIL-STD-453, radiographic quality level 1" to "ASTM E 1742, level 2-2T"

Eighth line: Change from: "8 years" to "10 years".

4.5.7, second line: Delete "at 36-41pounds" and insert "at 46-51 pounds".

PAGE 10

6.1, first line: Delete "the CKU-5/A/A aircraft" and insert "the CKU-5B/A aircraft".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:23Z
Check the source to verify that this is the current version before use.

PAGE 11

6.3.8, second line: Delete "pellets, cartridge case and grain assemblies, propellant" and insert "pellets, cartridge propellant grains, propellant".

PAGE 12

6.8, first line: Delete "of 7 years …of 7 years" and substitute "of 9 years …of 9 years".

Note: The margins of this amendment are marked with asterisks to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

. .

Preparing activity:
Navy – OS
(Project 1377-0159)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:23Z
Check the source to verify that this is the current version before use.