MILITARY SPECIFICATION

REPRODUCTION SET, SILK SCREEN PROCESS:

SIGN REPRODUCTION, PACKAGING OF

1. SCOPE

1.1 This specification covers requirements for preservation, packaging, packing, and marking of a Reproduction Set, Silk Screen Process: Sign Reproduction (SC 3610-97-CL-E06).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-C-843	- Cushioning Material, Cellulosic.
PPP-T-60	- Tape: Pressure-Sensitive Adhesive, Waterproof, for Packaging.

Military

MIL-P-116	- Preservation, Methods of.
MIL-B-121	- Barrier Material, Greaseproofed, Waterproofed, Flexible.
MIL-H-15424	- Hand Tools; Packaging of.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Tariff Publishing Officer, Room 202, Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington, D. C. 20036.)

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified to prove prior to starting production packaging and packing, that the applied preservation, packaging, packing, and marking comply with the requirements of this specification (see 6.3). Examination shall be as specified herein.

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation and packaging. Preservation and packaging shall be level A or C as specified.

3.3.1 Level A.

3.3.1.1 Methods. Methods of preservation indicated by symbols herein shall conform to the corresponding symbols in MIL-P-116.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.2 Varnish brushes. The bristle end of each brush shall be placed in a commercial type envelope or a double thickness wrap of 30 pound basic weight kraft paper. The wrap shall be folded back over the bristle and secured to the brush handle with gummed tape. Each brush shall then be preserved method IC-1.

3.3.1.3 Clamps, fasteners, lettering guide, crayons, ruler, staple tacker, staples, squeegee, tape, and wedge. Each clamp, box of fasteners, lettering guide, dozen crayons, ruler, staple tacker, box of staples, squeegee, roll of tape and wedge shall be preserved method IC-1.

3.3.1.4 Hammer, knives, screwdriver, and shears. These items shall be preserved and packaged in accordance with MIL-H-15424, level A.

3.3.1.5 Signboards. Signboards of like description shall be packaged together in quantities of 100. Each 100 signboards shall be wrapped in barrier material conforming to MIL-B-121, type II, grade A, class 2 and the wrap shall be sealed with tape conforming to PPP-T-60, type IV, class 1.

3.3.1.6 Stencil sets. The stencil set shall be wrapped in barrier material conforming to MIL-B-121, type II, grade A, class 2 and the wrap shall be sealed with tape conforming to PPP-T-60, type IV, class 1.

3.3.1.7 Tracing paper. The tracing paper shall be packaged in quantities specified for each set. Fiberboard stiffeners shall be placed on each face of the pack of tracing paper and the pack shall be wrapped in barrier material conforming to MIL-B-121, type II, grade A, class 2 and the wrap sealed with tape conforming to PPP-T-60, type IV, class 1.

3.3.1.8 Cans of paint, dope, and thinner, and pans. These items shall not require unit packaging.

3.3.1.9 Screens. The screens shall be packaged flat in quantities specified for each set. Fiberboard stiffeners shall be placed on each face of the pack of screens and the pack shall be wrapped in barrier material conforming to MIL-B-121, type II, grade A, class 2 and the wrap sealed with tape conforming to PPP-T-60, type IV, class 1.

3.3.1.10 Consolidated packaging. The packaged and unpackaged items comprising each complete set shall be consolidated packaged in the chests in accordance with the individual chest loading plan. Cushioning conforming to PPP-C-843, type II, class A, shall be provided as necessary to immobilize the items within the chests and to prevent damage by abrasion. The chest lids shall be closed and secured.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.2 Level C. The components of each complete set shall be preserved and packaged to the extent deemed necessary by the supplier to provide protection against deterioration and damage from the supplier to the initial destination. The items shall be consolidated packaged and cushioned within the chests as specified in 3.3.1.10. The chest lids shall be closed and secured.

3.4 Packing. Packing shall be level A, B, or C, as specified.

3.4.1 Level A. The three chests containing the preserved and packaged items comprising each complete set shall be packed together in a box conforming to PPP-B-601, style I, overseas type. Blocking and bracing shall be provided to prevent movement of the chests within the box. Strapping shall be zinc-coated.

3.4.2 Level B. The chests containing components of each complete set shall be packed as specified in 3.4.1 for level A, except that the box shall be domestic type, and strapping shall not be required to be zinc-coated.

3.4.3 Level C. The chests containing the components of the set shall be prepared for shipment in a manner to assure carrier acceptance and safe delivery to destination at the lowest ratings of the carrier in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking required by the contract or purchase order, packages and shipping containers shall be marked in accordance with MIL-STD-129.

3.6 Workmanship. Workmanship shall be such as to provide maximum protection to the set components by application of the requirements specified herein, to prevent corrosion, deterioration, and mechanical or physical damage to the components during handling, shipment, and storage, and shall be in accordance with the highest grade possible for this type of work.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspection. Inspection shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.4 Quality conformance inspection.

4.4.1 Inspection stages. Inspection shall be in three stages as follows:

(a) The first stage shall include inspection of procedures, methods, materials, containers, and packaging marking prior to placing the packages into the consolidated containers (chests).
(b) The second stage shall include inspection of closure and marking of consolidated containers (chests), and the arrangement and blocking and bracing of the consolidated containers (chests) in the shipping containers.
(c) The third stage shall include inspection of the closed, strapped and marked shipping containers as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection all packages or packs, prepared for any applicable inspection stage, that will comprise a complete pack shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in table I. Acceptable quality level (AQL) shall be 2.5 percent defective.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

Table I. Classification of defects

No.	Defect	Level A	Level B	Level C
101.	Materials, methods or containers not as specified. Each incorrect material, method or container shall constitute one defect.	X	X	-
102.	Bristles of brushes not covered as specified.	X	-	-
103.	Items not preserved in accordance with referenced document as specified.	X	-	-
104.	Signboards not packaged in quantities specified.	X	-	-
105.	Packaged items not sealed with tape as specified.	X	-	-
106.	Tracing paper and screens not packaged as specified.	X	-	-
107.	Intermediate packaging not as specified.	X	-	X
108.	Blocking and bracing not as specified.	X	X	-
109.	Strapping not zinc coated.	X	-	-
110.	Marking, illegible, incomplete, incorrect or missing.	X	X	X

5. PREPARATION FOR DELIVERY

(This section not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packaging, packing, and marking of a Reproduction Set, Silk Screen Process: Sign Reproduction (FSN 3610-174-5271).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) Any special marking required (see 3.5).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the set components in accordance with this specification.

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 3610-A193

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.