MILITARY SPECIFICATION SHEET

TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, GROUNDING MODULES, INTEGRAL BRACKET MOUNTING, SERIES I

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the block described herein shall consist of this document and the latest issue of specification MIL-T-81714.




FIGURE 1. Mounting bracket housing one block, size 16.

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.

TABLE I. Part numbers.

Part Number	Consists of Block and		Insertion/ Extraction Tool (Ref Note 2)
	Contacts Part Number	Sealing Plugs Part Number	Part Number
M81714/28-22HD	M39029/1-507	MS27488-22	M81969/14-01 or M81969/1-04
M81714/28-22	M39029/1-100	MS27488-20	M81969/14-02
M81714/28-20	M39029/1-101	MS27488-20	M81969/14-02
M81714/28-16	M39029/1-102	MS27488-16	M81969/14-03
M81714/28-12	M39029/1-103	MS27488-12	M81969/14-04

Inch	mm	Inch	mm	Inch	mm
.005	0.13	.155	3.94	.817	20.75
.010	0.25	.370	9.40	.880	22.35
.029	0.74	.512	13.00	.975	24.77
.032	0.81	.531	13.49	1.050	26.67
.035	0.89	.540	13.72	1.060	26.92
.048	1.22	.550	13.97	1.321	33.51
.090	2.29	.700	17.78	1.350	34.29
.130	3.30	.760	19.30	1.725	43.82

Source: https://assist.dla.mil -- Downloaded: 202610-23T05:59Z
Check the source to verify that this is the currentversion before use.




FIGURE 2. Bracket mounting grounding block: size 16.

Source: https://assist.dla.mil -- Downloaded: 202610-23T05:59Z
Check the source to verify that this is the current version before use.






FIGURE 3. Bracket mounting grounding block: size 12.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.




SIZE 22HD
FIG. 4A



SIZES 22&20
FIG. 4B



SIZE 12
FIG. 4D



SIZE 16
FIG. 4C

FIGURE 4. Block top marking.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Materials:

   a. Bracket and ground plate, aluminum alloy, 6061-T4.

   b. Bracket and ground plate plating, electroless nickel per MIL-C-26074.


NOTES:

1. Dimensions are in inches.

2. Tools for contact inserting/removal specified in Table I shall be ordered separately.

3. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.

4. The part number consists of the letter M, specification sheet number, block class, and size.



Part number example:

M81714/28-D-20

Size 22 grounding block, bracket mounting.

5. Classes A, B and C components are inactive for new design. Only Class D components shall be used for direct government acquisition.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.

Custodians:
Army - ER
Navy - AS
Air Force - 85

Review Activities:
Navy - EC, OS
Air Force - 99
DLA - GS

User Activities:
Army - MU, AV, AT, WC, MI
Navy - SH

Preparing Activity:
Navy - AS
(Project No. 5940-1001-28)

Source: https://assist.dla.mil -- Downloaded: 202640-23T05:59Z
Check the source to verify that this is the current version before use.