MIL-T-43853B(GL)
AMENDMENT-1
4 November 1980

MILITARY SPECIFICATION

TROUSERS, MEN'S, ARMY TAN 445, DURABLE PRESS

This amendment forms a part of Military Specification MIL-T-43853B(GL), dated 27 April 1978.

PAGE 2

2.1, after line 10: Add "PPP-B-636 - Boxes, Shipping, Fiberboard".

2.1, under SPECIFICATIONS MILITARY: Delete "MIL-B-17757 - Boxes, Shipping, Fiberboard (Modular Sizes)".

PAGE 3

2.1, under STANDARDS MILITARY: Add "MIL-STD-1188 - Commercial Packaging of Supplies and Equipment".

2.2, lines 10 through 17: Delete.

PAGE 4

3.2 Materials: Add "(see 6.11)".

PAGE 27

Table II, operation 24.a.: Add after last sentence "As an alternate, center the size label on the waistband lining above the right hip pocket, and stitch the top and bottom edge of size label with the stitching extending a minimum of 1/2 inch beyond the ends of the label."

PAGE 36

4.2.3 c, line 2: Delete "No specimen" and substitute "No individual trouser".

PAGE 37

4.3.1.3.1, line 7, after "(46° ± 3°C)": Add "and the rinse temperature shall be 80 ± 5°F (26 ± 3°C)".

PAGE 40

5.1, line 1: Delete "-packaging". Delete "C" and substitute "Commercial".

5.1.2 Delete and substitute "5.1.2 Commercial. The trousers shall be preserved in accordance with MIL-STD-1188."

FSC 8405

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:37Z
Check the source to verify that this is the current version before use.

5.2: Delete "C" and substitute "Commercial".

5.2.1 through 5.2.2.1 Delete and substitute:

"5.2.1 Level A packing. Forty pairs of trousers of one class and size only, preserved as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC-L, grade V2s of PPP-B-636. The inside of each shipping container shall be fitted with a box liner conforming to type CF, class weather-resistant, variety DW, grade V15c of PPP-B-636. Level A intermediate packs shall be packed flat, four in depth within a shipping container. Inside dimensions of each shipping container shall approximate 23-1/2 inches in length, 15 inches in width, and 15 inches in depth. Approximate dimensions are furnished as a guide only. Each container shall have the contents completely covered on the top and bottom with a sheet of 30-pound minimum basis weight kraft paper conforming to type I, grade B of UU-P-268. Each shipping container shall be closed in accordance with method III, waterproofed in accordance with method V, and reinforced as specified in the appendix of PPP-B-636, except that the inspection shall be in accordance with 4.2.2. Toward the end of the contract or when there are less than the required amount per container of the same size, mixed sizes may be packed within the same container.

5.2.2 Level B packing. Forty pairs of trousers of one class and size only, preserved as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC-L, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636. The inside of each shipping container shall be fitted with a box liner conforming to type CF, class domestic, variety DW, grade 275 of PPP-B-636. Level A intermediate packs shall be packed flat, four in depth within a shipping container. Inside dimensions of each shipping container shall approximate 23-1/2 inches in length, 15 inches in width, and 15 inches in depth. Approximate dimensions are furnished as a guide only. Each container shall have the contents completely covered on the top and botton with a sheet of 30-pound minimum basis weight kraft paper conforming to type I, grade B of UU-P-268. Each shipping container shall be closed in accordance with method II as specified in the appendix of PPP-B-636, except that the inspection shall be in accordance with 4.2.2. Toward the end of the contract or when there are less than the required amount per container of the same size, mixed sizes may be packed within the same container.

5.2.2.1 Weather-resistant fiberboard container. When specified (see 6.2), the shipping container shall be a grade V3c, V3s, or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with method III as specified in the appendix of PPP-B-636, except that the inspection shall be in accordance with 4.2.2."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:37Z
Check the source to verify that this is the current version before use.

PAGE 41

5.2.3 and 5.3 Delete and substitute:

"5.2.3 Commercial packing. Trousers, preserved as specified in 5.1, shall be packed in accordance with MIL-STD-1188.

5.3 Marking. In addition to any special marking required by the contract, intermediate packs (bundles) and shipping containers shall be marked in accordance with MIL-STD-129 or MIL-STD-1188, as applicable."

6.2, subparagraph (c): Delete "-packaging".

PAGE 42

Add new paragraph:

"6.11 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of the specification (see 3.2)."

Custodian:

Army - GL

Review activities:

Army - MD
DLA - CT

Preparing activity:

Army - GL

Project No. 8405-A860

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:37Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:37Z
Check the source to verify that this is the current version before use.