MILITARY SPECIFICATION

BURSTER, PROJECTILE, M47
LOADING, ASSEMBLING AND PACKING

This specification is approved for use by the U.S. Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification contains requirements and provides quality assurance provisions for components, loading, assembling and packing of the Burster, Projectile, M47.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078	- Ammunition, Standard Quality Assurance Provisions, General Specification for
MIL-P-48395	- Pellet, Explosive Composition (For Use in Ammunition)

FSC 1315

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Center, Attn. DRSMC-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-1167	- Ammunition Data Cards

2.1.2 Other Government documents, drawings and publications. The following other Government documents, drawings and publications form a part of this specification to the extent specified herein.

DRAWINGS

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

8846600	- Burster, Projectile, M47 Assembly
8799220	- Carton, Packing, Ammunition, for Burster, Projectile, M47
8799221	- Box, Packing, Ammunition, for Burster, Projectil, M47
8796522	- Marking Diagram and Sealing for Wood Packing Boxes

(Copies of specifications, standards, drawings, and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the Contracting Officer).

2.1.3 Order of precedence. In the event of a conflict between the text of this specification and reference cited herein, the text of this specification shall take precedence.

3. REQUIREMENTS

3.1 Material. Materials and parts shall be in accordance with applicable drawings and specifications.

3.2 Parts. The parts shall comply with all requirements specified on drawing (dwg.) 8846600 as applicable, and with all requirements specified in applicable specifications and standards.

3.3 Pelletized explosive. The explosve pellets used in loading the burster shall be in accordance with specification MIL-P-48395.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

3.4 First article inspection. This specification contains technical provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the contract.

3.4 Workmanship. The burster, projectile shall be loaded and finished in a thorough, workmanlike manner. It shall be free of burrs, chips, sharp edges, unblended radii, cracks, surface defects, dirt, grease, rust, corrosion products and other foreign matter. The cleaning methods used shall not be injurious to any part nor shall the parts be contaminated by the cleaning agents. Exterior surface coatings shall be continuous except for a few slight scratches. All required markings shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions. Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of inspections. The following type of inspection shall be conducted on this item:

a. First article inspection

b. Quality conformance inspection

4.3 First article inspection. The contractor shall submit a first article as designated by the Contracting Officer for evaluation in accordance with provisions of 4.3.2. The first article sample shall consist of the items as required per Table I.

4.3.2 Inspections to be performed. See MIL-A-48078 and Table I specified herein.

4.3.3 Rejection. See MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

TABLE I. First article inspection

CLASSIFICATION OF DEFECTS & TESTS MIL-B-46514B(AR)

PARAGRAPH	TITLE: Burster, Projectile, M47		SHEET 1 OF 1		DRAWING NUMBER: See below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
1.	Burster assembly (Examination for defects)	20		3.2	4.4.2.3

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

4.4 Quality conformance inspection.

4.4.1 Inspection lot formation. Inspection lots shall comply with lot provisions of MIL-A-48078.

4.4.2 Examination. See MIL-A-48078. Unless otherwise specified in the classification of defects and test tables, sampling plans and procedures shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-46514B(AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.1	Pellet	1 OF 1	8846601
			NEXT HIGHER ASSEMBLY: 8846600

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Weight		0.40%	3.2	Scale
102	Diameter		0.40%	3.2	Gage
103	Pellet chipped		0.40%	3.2	Visual
Minor	None defined				

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-46514B(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.2	Pellet Assembly, Prior to Sealing Both Ends				8846600
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical					
1	Explosive above flush		100%	3.2	Visual/Straight edge
Major					
101	Explosive more than .02 below end of tube (both ends)		0.40%	3.2	Gage
102	Explosive missing		0.40%	3.2	Visual
Minor	None defined				

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-46514B(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.3	Burster Assembly				8846600
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Chamber gage failure		0.40%	3.2	Gage
102	Total length, maximum		0.40%	3.2	Gage
103	Charge loose		0.40%	3.2	Manual
104	Crack in tube		0.40%	3.2	Visual
105	Sealing lacquer missing or inadequate (both ends)		0.40%	3.2	Visual
Minor					
201	Coating damaged		0.65%	3.2	Visual
202	Evidence of poor workmanship		0.65%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-46514B(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.4	Carton Prior to Sealing				8799220
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major 101	Burster projectile missing		0.40%	3.2	Visual
Minor 201	Any packing component missing		0.65%	3.2	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-46514B(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.5	Carton, Sealed				8799220
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Tape improper		0.40%	3.2	Visual
Minor					
201	Marking misleading or unidentifiable		0.65%	3.2	Visual
202	Contents loose		0.65%	3.2	Manual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-46514B(AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.6	Carton in Sealed Bag		8799220
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major 101	Bag improperly sealed, torn or cut		0.40%	3.2	Visual
Minor	None defined				

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-46514B(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8799221
4.4.2.7	Sealed Wood Packing Box				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Box damaged		0.40%	3.2	Visual
102	Strapping missing, broken or loose		0.40%	3.2	Visual/Manual
Minor					
201	Strapping improperly assembled		0.65%	3.2	Visual
202	Lid improperly assembled		0.65%	3.2	Visual
203	Marking misleading or unidentifiable		0.65%	3.2	Visual
204	Contents loose		0.65%	3.2	Manual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

4.3.3 Inspection testing. None.

4.3.4 Inspection equipment. The inspection equipment required to perform the examinations prescribed herein is described in the "Paragraph Reference/Inspection Method" column in the tables starting with paragraph 4.3.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 and 6.2 herein.

4.4 Methods of inspection. See 4.4.2.1 thru 4.4.2.7.

5. PREPARATION FOR DELIVERY

5.1 Preservation and packing.

5.1.1 Level A. The M47 projectile burster shall be preserved and packaged in accordance with dwg. 8799220.

5.2 Packing.

5.2.1 Level A. The cartons shall be packed in accordance with dwg. 8799221.

5.3 Marking. Marking shall be in accordance with dwg. 8799220, 8799221 and 8796522.

6. NOTES

6.1 Ordering data. See MIL-A-48078.

6.1.1 Data cards. Data cards shall be prepared for each lot in accordance with MIL-STD-1167.

6.1.2 Delivery of data to the technical activity. The following address is to be added to those listed in the contract (Form DD1423) for the delivery of any copy, each, to the technical agency, of the Ammunition Data Cards prepared by the contractor for the duration of the contract: Commander, US Army Armament Research and Development Command, ATTN: DRSMC-QAT-B(D), Dover, NJ 07801.

6.2 Submission of inspection equipment designs for approval. See MIL-A-48078. Submit equipment designs to: Commander, US Army Armament Research and Development Command, ATTN: DRSMC-QAT-I(D), Dover, NJ 07801.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

6.3 Drawings. Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by, and identified as Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activities is now under the cognizance of ARRADCOM.

6.4 Delay in Distribution. Document was approved 9 November 1982, however, it was not received by Department of Defense Single Stock Point for indexing and distribution until December 1983.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315-A505)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-B-46514B	BURSTER, PROJECTILE, M47 LOADING, ASSEMBLING AND PACKING

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil – Downloaded: 2026-10-22T06:09Z
Check the source to verify that this is the current version before use.