INCH-POUND
MIL-DTL-32221D
29 May 2025
SUPERSEDING
MIL-DTL-32221C
14 August 2020

DETAIL SPECIFICATION

# FILLED BAKERY ITEM, SHELF STABLE, FOR OPERATIONAL RATIONS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

## 1. SCOPE

1.1 Scope. This specification covers a shelf stable filled bakery item in a flexible pouch intended for use by the Department of Defense as a component of operational rations.

1.2 Classification. The product will be of the following types as specified (see 6.1).

1.2.1 Types. The types are as follows:

| | | |
|---|---|---|
| Type I | - | Filled French toast |
| Type II | - | Cinnamon bun |
| Type III | - | Apple turnover |
| Type IV | - | Blueberry turnover |

Comments, suggestions, or questions on this document should be addressed to: Combat Capabilities Development Command (DEVCOM) Soldier Center, FCDD-SCD-SCR, 10 General Greene Avenue, Natick, MA 01760-5000 or emailed to michelle.l.condlin.ctr@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 8920

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

## 2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3, 4, or 5 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of documents cited in sections 3, 4, or 5 of this specification, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. None.

2.2.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug, and Cosmetic (FD&C) Act and regulations promulgated thereunder (21 CFR Parts 1-199)

(Copies of this document are available online at www.gpo.gov/ or from the Superintendent of Documents, ATTN: New Orders, P.O. Box 371954, Pittsburgh, PA 15250-7954.)

U.S. ENVIRONMENTAL PROTECTION ACENCY (EPA)

National Primary Drinking Water Regulations

(Copies of this document are available online at www.epa.gov or from the Office of Drinking Water, Environmental Protection Agency, WH550D, 401 M Street, SW, Washington, DC 20460.)

2.3 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

AMERICAN ASSOCIATION OF CEREAL CHEMISTS (AACC)

Approved Methods of the American Association of Cereal Chemists



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

(Copies of this document are available from www.aaccnet.org or American Association of Cereal Chemists, 3340 Pilot Knob Road, St. Paul, MN 55121.)

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

ANSI/ASQ Z1.4 Sampling Procedures and Tables for Inspection by Attributes

(Copies of this document are available from www.asq.org or ASQ, 600 North Plankinton Ave., Milwaukee, WI 53203.)

AOAC INTERNATIONAL

Official Methods of Analysis (OMA) of AOAC International

(Copies of this document are available from www.aoac.org or AOAC International, 2275 Research Boulevard, Suite 300, Rockville, MD 20850-3250.)

NATIONAL ACADEMY OF SCIENCES

Food Chemicals Codex

(Copies of this document are available from www.nap.edu or National Academy Press, 2101 Constitution Avenue, N.W. Washington, DC 20418.)

2.4 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

## 3. REQUIREMENTS

3.1 Product standard. When specified (see 6.1), a sample shall be subjected to first article (FA) or product demonstration model (PDM) inspection as applicable, in accordance with 4.2. The approved sample shall serve as the product standard. Should the contractor at any time plan to or actually produce the product using different raw material or process methodologies from the approved product standard, which result in a product noncomparable to the product standard, the contractor shall submit a replacement FA or PDM for approval. In any event, all product produced must meet all requirements of this document including product standard comparability.

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent or insect infestation, extraneous material, off-flavors, off-odors,



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

and off-colors. All ingredients shall meet and be in accordance with good commercial manufacturing practices.

3.2.1 Ingredients for bread.

3.2.1.1 Flour. The flour shall be matured, bleached, enriched, hard wheat flour, which will produce a product in compliance with 3.5. Alternatively, unenriched flour may be used provided the equivalent enrichments required in the Code of Federal Regulations (CFR) for Standard of Identity for Enriched Flour (21 CFR Part 137.165) are added at the time of production of the finished product. The flour used for preparation of the dough shall have a protein content of not less than 12.5 percent. Amylolytic enzyme activity, as determined by the "falling number" method shall not be less than 225. Flour not meeting protein requirements but otherwise in compliance may be supplemented with vital wheat gluten to the required protein level.

3.2.1.2 Water. Water used for formulation and washing shall conform to the National Primary Drinking Water Regulations.

3.2.1.3 Shortening. The solid shortening shall be made from refined, bleached, deodorized, and interesterified high oleic soybean oil and hydrogenated oil and may contain hydrogenated cottonseed oil added for improved crystalline structure. This solid shortening is commonly used in the baking industry as an all-purpose shortening for general baking and frying applications. The shortening shall have a creamy, opaque white appearance and possess a bland clean odor and flavor. The solid shortening shall have an oleic fatty acid content of greater than or equal to 70.0 percent; a free fatty acid content of less than or equal to 0.1 percent; and a Peroxide Value of less than or equal to 1 meq/kg. The solid shortening shall have a Mettler Dropping Point between 110°F to 135°F and may contain regulated additives/ingredients.

3.2.1.4 Oil. The liquid oil shall be made from refined, bleached, deodorized, and interesterified high oleic soybean oil and hydrogenated oil and may contain hydrogenated cottonseed oil added for improved crystalline structure. The liquid oil shall be clear and brilliant at ambient temperatures between 60°F to 100°F. The liquid oil shall have an oleic fatty acid content of greater than or equal to 70.0 percent; a free fatty acid content of less than or equal to 0.1 percent; and a Peroxide Value of less than or equal to 1 meq/kg. The liquid oil may contain additives such as antifoam or antioxidants.

3.2.1.5 Maple flakes. For type I, the maple flakes shall have a flake size of 10.0 by 4.0 by 1.9 mm. Flakes shall be a medium brown color with a maple odor and flavor (see 6.2.1).



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

3.2.1.6 Cinnamon flakes. For types I, II, and III, the cinnamon flakes shall have a flake size of 10.0 by 4.0 by 1.9 mm. Flakes shall be a medium brown to dark brown color with a cinnamon odor and flavor (see 6.2.2).

3.2.1.7 Glycerol. The glycerol shall comply with the Food Chemicals Codex.

3.2.1.8 Yeast, instant dry. Yeast shall be active dry baker's yeast instant dry. Compressed yeast shall not be used.

3.2.1.9 Salt. Salt shall be iodized, white, refined sodium chloride with or without anti-caking agents.

3.2.1.10 Emulsifier. The emulsifier shall be sucrose fatty acid esters complying with the 21 CFR Part 172.859 and shall be limited to sucrose ester stearate having a Hydrophilic-Lipophilic Balance (HLB) number of approximately sixteen.

3.2.1.11 French toast flavor. For type I, the appearance shall be an off-white colored powder with a sweet maple and French toast odor and flavor (see 6.2.3).

3.2.1.12 Gum arabic. Gum arabic shall comply with the Food Chemicals Codex and shall have been produced from a solution of gum arabic which has been spray dried.

3.2.1.13 Calcium sulfate. Calcium sulfate shall comply with the Food Chemicals Codex.

3.2.1.14 Xanthan gum. Xanthan gum shall comply with the Food Chemicals Codex.

3.2.1.15 Sorbic acid, encapsulated. Encapsulated sorbic acid shall comply with the Food Chemicals Codex. The encapsulated sorbic acid shall consist of 70 ± 2 percent sorbic acid and 30 ± 2 percent vegetable oil. The vegetable oil shall have a melting point of 141°F to 147°F (61°F to 64°C) (see 6.2.4).

3.2.1.16 FD&C Yellow #5 Alum Lake. The lake shall be a yellow, water insoluble pigment made by absorbing FD&C Yellow #5 dye on a substrate of Alumina. The pure dye range shall be 35 to 42 percent (see 6.2.5).

3.2.1.17 Vital wheat gluten. Vital wheat gluten shall have a protein content (N x 5.7) of not less than 71.0 percent and a moisture content of not more than 6.5 percent.

3.2.1.18 Oxidizer/conditioner/mix reducer. For type II, the oxidizer/conditioner/mix reducer shall be Im-Prove 200 or equal complying with the Food Chemicals Codex (see 6.2.6). NOTE: Optional for types I, III, and IV.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

3.2.1.19 Sugar, white, granulated. For type II, sugar shall be white, refined, granulated cane or beet sugar, or a combination thereof.

3.2.1.20 Butter flavor. For type II, the butter flavor shall be a yellow powder with a creamy artificial butter odor and flavor (see 6.2.7).

3.2.1.21 Blueberry flavor. For type IV, the appearance shall be a white colored powder with a blueberry odor and flavor (see 6.2.8).

3.2.1.22 Blueberry flakes. For type IV, the blueberry flakes shall have a flake size of 10.0 by 4.0 by 1.9 mm. Flakes shall be a white to an off-white color with a blueberry odor and flavor (see 6.2.9).

3.3 Preparation and processing.

3.3.1 Preparation of bread.

3.3.1.1 Preparation of type I, filled French toast dough. The bread shall be formulated from the following ingredients in the proportions specified:

| Ingredient | Percent by weight |
|---|---|
| Flour 1/ 2 | 46.6 |
| Water 1/ | 25.2 |
| Shortening or oil | 7.8 |
| Maple flakes | 6.0 |
| Cinnamon flakes | 4.7 |
| Glycerol | 4.6 |
| Yeast (instant dry only) 1/ | 1.8 |
| Salt | 1.1 |
| Emulsifier | 0.7 |
| French toast flavor | 0.5 |
| Gum arabic | 0.5 |
| Calcium sulfate | 0.2 |
| Xanthan gum | 0.2 |
| Sorbic acid, encapsulated | 0.09 |
| FD&C Yellow #5 Alum Lake | 0.01 |

1/ The percent by weight of flour, water and yeast may be adjusted, if necessary, to compensate for in-plant processing equipment, humidity and temperature conditions.

2/ Oxidizer/conditioner/mix reducer ingredient may be used in an amount no greater than 0.5 percent of the total formula weight. If the oxidizer/conditioner/mix reducer ingredient is



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

used, the proportion of the flour ingredient shall be decreased by 0.5 percent of the total formula weight to ensure the total formula weight equals 100 percent.

The bread shall be manufactured by the straight dough method. The following procedure has been shown to produce product meeting the end item requirements:

a. Begin with lowest mixing speed.
b. Mix all dry ingredients except flavor flakes.
c. Add shortening or oil and mix to crumble consistency.
d. Add water and mix until incorporated.
e. Add glycerol and mix until dough forms ball.
f. Increase speed and continue mixing until dough develops.
g. Add the maple and cinnamon flakes at the last stage of dough development.
h. Chill dough sufficiently such that it will sheet into pieces that will meet end item requirements.

3.3.1.2 Preparation of type II, cinnamon bun dough. The bread shall be formulated from the following ingredients in the proportions specified:

| Ingredient | Percent by weight |
|---|---|
| Flour 1/ | 47.5 |
| Water 1/ | 25.8 |
| Shortening or oil | 8.2 |
| Glycerol | 6.0 |
| Cinnamon flakes | 4.7 |
| Yeast (instant dry only) 1/ | 1.9 |
| Sugar | 1.9 |
| Salt | 1.2 |
| Emulsifier | 0.9 |
| Oxidizer/conditioner/mix reducer | 0.5 |
| Gum arabic | 0.5 |
| Vital wheat gluten | 0.3 |
| Calcium sulfate | 0.24 |
| Xanthan gum | 0.23 |
| Sorbic acid, encapsulated | 0.09 |
| Butter flavor | 0.03 |
| FD&C Yellow #5 Alum Lake | 0.01 |

1/ The percent by weight of flour, water and yeast may be adjusted, if necessary, to compensate for in-plant processing equipment, humidity and temperature conditions.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

The bread shall be manufactured by the straight dough method. The following procedure has been shown to produce product meeting the end item requirements:

a. Begin with lowest mixing speed.
b. Mix all dry ingredients except flavor flakes.
c. Add shortening or oil and mix to crumble consistency.
d. Add water and mix until incorporated.
e. Add glycerol and mix until dough forms ball.
f. Increase speed and continue mixing until dough develops.
g. Add the cinnamon flakes at the last stage of dough development.
h. Chill dough sufficiently such that it will sheet into pieces that will meet end item requirements.

3.3.1.3 Preparation for type III, apple turnover dough. The bread shall be formulated from the following ingredients in the proportions specified:

| Ingredients | Percent by weight |
|---|---|
| Flour, bread 1/ 2 | 46.9 |
| Water 1/ | 29.1 |
| Shortening or oil | 7.9 |
| Cinnamon flakes | 6.6 |
| Glycerol | 4.7 |
| Yeast (instant dry only) 1/ | 1.9 |
| Salt | 1.2 |
| Emulsifier | 0.7 |
| Gum arabic | 0.5 |
| Calcium sulfate | 0.2 |
| Xanthan gum | 0.2 |
| Sorbic acid, encapsulated | 0.09 |
| FD&C Yellow #5 Alum Lake | 0.01 |

1/ The percent by weight of flour, water and yeast may be adjusted, if necessary, to compensate for in-plant processing equipment, humidity and temperature conditions.

2/ Oxidizer/conditioner/mix reducer ingredient may be used in an amount no greater than 0.5 percent of the total formula weight. If the oxidizer/conditioner/mix reducer ingredient is used, the proportion of the flour ingredient shall be decreased by 0.5 percent of the total formula weight to ensure the total formula weight equals 100 percent.

The bread shall be manufactured by the straight dough method. The following procedure has been shown to produce product meeting the end item requirements:



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

a. Begin with lowest mixing speed.
b. Mix all dry ingredients except flavor flakes.
c. Add shortening or oil and mix to crumble consistency.
d. Add water and mix until incorporated.
e. Add glycerol and mix until dough forms ball.
f. Increase speed and continue mixing until dough develops.
g. Add cinnamon flakes at last stage of dough development. Time to develop varies on batch size and mixer.
h. Chill dough sufficiently such that it will sheet into pieces that will meet end item requirements.

3.3.1.4 Preparation for type IV, blueberry turnover dough. The bread shall be formulated from the following ingredients in the proportions specified:

| Ingredients | Percent by weight |
|---|---|
| Flour, bread 1/ 2 | 47.6 |
| Water 1/ | 29.6 |
| Shortening or oil | 8.0 |
| Blueberry flakes | 5.0 |
| Glycerol | 4.7 |
| Yeast (instant dry only) 1/ | 1.9 |
| Salt | 1.2 |
| Emulsifier | 0.8 |
| Gum arabic | 0.5 |
| Blueberry flavor | 0.2 |
| Calcium sulfate | 0.2 |
| Xanthan gum | 0.2 |
| Sorbic acid, encapsulated | 0.09 |
| FD&C Yellow #5 Alum Lake | 0.01 |

1/ The percent by weight of flour, water and yeast may be adjusted, if necessary, to compensate for in-plant processing equipment, humidity and temperature conditions.

2/ Oxidizer/conditioner/mix reducer ingredient may be used in an amount no greater than 0.5 percent of the total formula weight. If the oxidizer/conditioner/mix reducer ingredient is used, the proportion of the flour ingredient shall be decreased by 0.5 percent of the total formula weight to ensure the total formula weight equals 100 percent.

The bread shall be manufactured by the straight dough method. The following procedure has been shown to produce product meeting the end item requirements:



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

a. Begin with lowest mixing speed.
b. Mix all dry ingredients except flavor flakes.
c. Add shortening or oil and mix to crumble consistency.
d. Add water and mix until incorporated.
e. Add glycerol and mix until dough forms ball.
f. Increase speed and continue mixing until dough develops.
g. Add blueberry flakes at last stage of dough development. Time to develop varies on batch size and mixer.
h. Chill dough sufficiently such that it will sheet into pieces that will meet end item requirements.

3.3.2 Inspection of fillings.

3.3.2.1 All filling mixtures shall be cooled at room temperature and not refrigerated. The fillings shall be used in the final product or frozen within 60 days. See Section 6 NOTES for suggested filling formulations.

3.3.2.2 The filling mixture water activity ($a_w$) shall not be greater than 0.84. A Certificate of Analysis (CoA) is required.

3.3.2.3 If frozen, the fillings shall be held at 0°F (-18°C) or below for not more than 180 days. A Certificate of Conformance (CoC) is required.

3.3.3 Preparation of filled bakery item.

3.3.3.1 Sheeting and filling. The chilled dough shall be sheeted into pieces of sufficient weight and filled to ensure compliance with finished product net weight requirements.

3.3.3.2 Forming.

3.3.3.2.1 Type I. For type I, the filling weight shall be a minimum of 1.1 ounces (31.2 grams). The formed product made with a dough weight of 3.0 ounces (85.0 grams) and filling weight of 1.1 ounces (31.2 grams) and a final product weight of 4.1 ounces (116.2 grams) prior to proofing and baking have been shown to meet end item requirement weights.

3.3.3.2.2 Type II. For type II, the filling weight shall be a minimum of 0.8 ounces (22.7.grams). The formed product made with a dough weight of 3.3 ounces (93.6 grams) and filling weight of 0.8 ounces (22.7 grams) and a final product weight of 4.1 ounces (116.2 grams) prior to proofing and baking have been shown to meet end item requirement weights.

3.3.3.2.3 Types III and IV. For types III and IV the filling weight shall be a minimum 1.3 ounces (38 grams). The formed product made with a dough weight of 2.3 ounces (63 grams)



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

and filling weight of 1.3 ounces (38 grams) and a final product weight of 3.6 ounces (101 grams) prior to proofing and baking have been shown to meet end item requirement weights.

3.3.3.3 Proofing. The formed product shall be proofed at 90°F to 100°F (32°C to 38°C) and 75 to 100 percent relative humidity (RH) for 40 to 70 minutes. Fluctuations due to opening and closing of proof box doors are acceptable as long as end item requirements are met.

3.3.3.4 Baking. The proofed product shall be fully baked to a minimum internal temperature of 180°F (82°C) and until the exterior is a uniform medium golden-brown.

3.4 Packaging methods. A continuous method shall be used. One unit of a filled bakery item and one oxygen scavenger shall be placed into the pouch. The internal temperature of the product shall be not less than 80°F (27°C) or greater than 120°F (49°C).

3.4.1 Oxygen scavenger. The oxygen scavenger shall be constructed of materials that are safe for direct food contact. The oxygen scavenger shall be in compliance with all applicable Federal Drug Administration (FDA) regulations.

3.5 Finished product requirements. The finished product shall comply with the following requirements:

a. There shall be no foreign materials such as, but not limited to dirt, insect parts, hair, glass, wood, or metal.

b. There shall be no foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, stale, musty or moldy.

c. There shall be no foreign color to the product.

d. For types I and II, no individual pouch shall contain less than 3.5 ounces (99 grams). For types III and IV no individual pouch shall contain less than 3.1 ounces (88 grams).

e. Each pouch shall contain one intact unit of filled bakery item and one intact oxygen scavenger.

f. The water activity ($a_w$) for any individual pouch shall not be greater than 0.86 when measured at 77°F (25°C).

g. The oxygen content of the filled and sealed pouch shall not exceed 0.30 percent after 48 hours from time of sealing.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

h. The texture of the bread shall not be excessively dry and crumbly and shall not be excessively moist and gummy.

i. The bread shall be slightly dense and have a uniform cell structure.

j. The bread shall show no evidence of compression streaks.

k. The crust color shall be a uniform medium golden-brown.

l. The crust shall show no evidence of excessive flour dusting.

m. The filling shall not be excessively thin or runny.

n. The filled bakery items shall not have filling leakage through the bread portion of the product.

o. The type I product shall have a sweet maple and French toast odor and flavor and shall have a light to medium golden-brown colored gel matrix.

p. For type I, the crust shall have dark brown maple flakes.

q. The type II, product shall have a sweet cinnamon odor and flavor and shall have a medium to dark brown colored gel matrix.

r. For types II and III, the crust shall have dark brown cinnamon flakes.

s. For type III, the product shall have a sweet, cooked apple pie odor and flavor and shall have apple pieces throughout the tan to pale yellow colored gel matrix.

t. For type IV, the product shall have a sweet, cooked blueberry odor and flavor and shall have blueberry pieces throughout the dark blue to purple colored gel matrix.

u. For types I and II, the product shall be a square or rectangular shape.

v. For types III and IV the product shall be a half circle shape.

3.5.1 Palatability and overall appearance. The finished product shall be equal to or better than the approved product standard (see 6.1) in palatability and overall appearance.

3.6 Plant qualifications. The product shall be prepared, processed and packaged in establishments meeting the requirements of 21 CFR Part 110 “Current Good Manufacturing



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

Practice in Manufacturing, Processing, Packaging, or Holding of Human Food", and the plant sanitation requirements of the appropriate Government inspection agency.

3.7 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. VERIFICATION

4.1 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. Product standard inspection (see 4.2).

b. Conformance inspection (see 4.3).

4.2 Product standard inspection. The first article or product demonstration model shall be inspected in accordance with the provisions of this document and evaluated for appearance, odor, flavor, and texture. Any failure to conform to the performance requirements or any appearance or palatability failure shall be cause for rejection of the lot.

4.2.1 Periodic review evaluation. The approved first article or product demonstration model shall be used as the product standard for periodic review evaluations. All food components that are inspected by the U.S. Department of Agriculture (USDA) shall be subject to periodic review sampling and evaluation. The USDA shall select sample units during production of contracts and submit them to the following address for evaluation:

COMBAT CAPABILITIES DEVELOPMENT COMMAND (DEVCOM) SOLDIER CENTER
FCDD-SCD-SCR
10 GENERAL GREENE AVENUE
NATICK, MA 01760-5000

One lot shall be randomly selected during each calendar month of production or as otherwise specified in the contract. Three (3) sample units of each item produced shall be randomly selected from that one production lot. The three (3) sample units shall be shipped to DEVCOM Soldier Center within five (5) working days from the end of the production month from which they are randomly selected and upon completion of all USDA inspection requirements. The sample units will be evaluated for overall quality against the current first article or product demonstration model.

4.2.2 Product examination. The filled and sealed pouches shall be conditioned to 70°F to 80°F (21°C to 27°C) and examined for the defects listed in table I. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. Utilizing the



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

double sampling plans indicated in ANSI/ASQ Z1.4, the inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 1.5 for major defects and 4.0 for minor defects.

4.3 Conformance inspection. Conformance inspection shall include the examinations of 4.2.1, 4.3.1, 4.3.2, and the tests of 4.4.1 and 4.4.2.

4.3.1 Component and material inspection. Components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.3.2 Ingredient and component examination. Conformance of ingredients and components to identity, condition, and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer, and compliance shall be verified by examination of pertinent labels, markings, US Grade Certificates, Certificates of Analyses (CoA), or other such valid documents acceptable to the inspection agency. If necessary, each ingredient shall be examined organoleptically or inspected according to generally recognized test methods such as the standard methods described in the Official Methods of Analysis (OMA) of AOAC International and in the Approved Methods of the American Association of Cereal Chemists, to determine conformance to the requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

TABLE I. Product defects 1/ 2/

| Category | | Defect |
|---|---|---|
| Major | Minor | |
| | | General |
| 101 | | Product not type as specified. |
| 102 | | Pouch does not contain one intact unit of filled bakery item or does not contain one intact oxygen scavenger. 3/ |
| 103 | | Tear or hole or open seal in oxygen scavenger. |
| | 201 | Product shape not as specified. |
| | | Bread |
| 104 | | Bread texture excessively dry or crumbly or excessively moist or gummy. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

TABLE I. Product defects 1/ 2/ - Continued

| Category | | Defect |
|---|---|---|
| Major | Minor | |
| | 202 | Bread not slightly dense or not a uniform cell structure. |
| | 203 | Bread shows evidence of compression streaks. |
| | | Crust |
| | 204 | Crust color not a uniform medium golden-brown. |
| | 205 | Crust shows evidence of excessive flour dusting. |
| | | Filling |
| | 206 | Filling excessively thin or runny. |
| 105 | | Leakage of filling from the bread portion of the product. 4/ |
| | | Type I |
| 106 | | Product does not have a sweet maple or not a French toast odor or flavor. |
| | 207 | Product does not have a light to medium golden-brown colored gel matrix. |
| | 208 | Crust does not have dark brown maple flakes. |
| | | Type II |
| 107 | | Product does not have a sweet cinnamon odor or flavor. |
| | 209 | Product does not have a medium to dark brown colored gel matrix. |
| | 210 | Crust does not have dark brown cinnamon flakes. |
| | | Type III |
| 108 | | Product does not have a sweet or not a cooked apple pie odor or flavor. |
| | 211 | Crust does not have dark brown cinnamon flakes. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

TABLE I. Product defects 1/ 2/ - Continued

| Category | | Defect |
|---|---|---|
| Major | Minor | |
| | 212 | Product does not have apple pieces throughout or not a tan to pale yellow colored gel matrix. |
| | | Type IV |
| 109 | | Product does not have a sweet or not a cooked blueberry odor or flavor. |
| | 213 | Product does not have blueberry pieces throughout or not a dark blue to purple colored gel matrix. |
| | | Net weight |
| | 216 | For Types I or II, net weight of an individual pouch less than 3.5 ounces (99 grams). 5/ |
| | 217 | For Types III or IV net weight of an individual pouch less than 3.1 ounces (88 grams). 5/ |

1/ Presence of any foreign materials such as, but not limited to dirt, insect parts, hair, glass, wood, or metal, or any foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, stale, musty or moldy shall be cause for rejection of the lot.

2/ Finished product not equal to or better than the approved product standard in palatability and overall appearance shall be cause for rejection of the lot (see 3.5.1).

3/ Construction of the oxygen scavenger and compliance with FDA regulations shall be verified by CoC.

4/ Filling leaking from an opening less than 1/2 inch is acceptable.

5/ The net weight of the filled and sealed pouches shall be determined by weighing each sample on a suitable scale tared with a representative empty pouch and one oxygen scavenger. Results shall be reported to the nearest 0.1 ounce or to the nearest 1 gram.

4.4 Tests. A CoA for the filling mixture $a_w$ is required (see 3.3.2). A CoC for filling storage time and temperature is required (see 3.3.2).



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

4.4.1 Water activity ($a_w$) testing. Eight filled and sealed pouches shall be randomly selected from one production lot and tested for $a_w$ in accordance with the latest edition of the Official Methods of Analysis (OMA) of AOAC International, method 978.18, using an electric hygrometer system self-temperature controlled at 77°F (25°C) or an equivalent instrument. Water activity shall be determined not less than 4 days but not more than 14 days after baking to allow moisture equilibration in the product. The sample unit shall be a specimen from the center of the product. Test results shall be reported to the nearest 0.01. Government verification will be conducted through actual testing by a Government laboratory. Any nonconforming $a_w$ result shall be cause for rejection of the lot (see 3.5).

4.4.2 Oxygen testing. Eight filled and sealed pouches shall be randomly selected from one production lot and individually tested for oxygen content. Testing shall be accomplished after the filled and sealed pouches have been allowed to equilibrate at room temperature for not less than 48 hours from the time of sealing. Test results shall be reported to the nearest 0.01 percent. Any individual result not conforming to the oxygen content requirement in 3.5 shall be classified as a major defect and shall be cause for rejection of the lot.

## 5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.1). When actual packaging of material is to be performed by DoD personnel, these personnel need to contact the responsible packaging activity to ascertain requisite packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activity within the Military Department or Defense Agency, or within the Military Department's System Command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files or by contacting the responsible packaging activity.

## 6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number, and date of this specification.
b. Type of product required (see 1.2).
c. When other than first article or product demonstration model is required (see 3.1).
d. Provisions for approved product standard samples (see 3.5.1).
e. Packaging requirements (see 5.1).



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

6.2 Source information for bread ingredients.

6.2.1 Maple flakes. SensoryEffects Maple NT - 2471 mini flakes manufactured by Loders Croklaan, 24708 West Durkee Rd, Channahon, IL 60410 meets the requirements of 3.2.1.5 and performs satisfactorily in this product.

6.2.2 Cinnamon flakes. SensoryEffects Cinnamon NT - 20259 mini flakes manufactured by Loders Croklaan, 24708 West Durkee Rd, Channahon, IL 60410 meets the requirements of 3.2.1.6 and performs satisfactorily in this product.

6.2.3 French toast flavor. Michaelok Artificial French Toast Flavor # 1466 manufactured by David Michael & Co, 10801 Decatur Road, Philadelphia, PA 19154 meets the requirements of 3.2.1.11 and performs satisfactorily in this product.

6.2.4 Sorbic acid, encapsulated. Encapsulated sorbic acid manufactured by Balchem Corporation, Slate Hill, NY 10973 meets the requirements of 3.2.1.15 and performs satisfactorily in this product.

6.2.5 FD&C Yellow #5 Alum Lake. No. 09609 FD&C Yellow #5 Alum Lake 35 to 42 percent manufactured by Sensient Colors, 2526 Baldwin Street, St. Louis, MO 63106 meets the requirements of 3.2.1.16 and performs satisfactorily in this product.

6.2.6 Oxidizer/conditioner/mix reducer. Im-Prove 200 manufactured by CARAVAN, Totowa, NJ 07512, meets the requirements of 3.2.1.18 and performs satisfactorily in this product.

6.2.7 Butter flavor. Butter flavor 4425-28 manufactured by Edlong, Elk Grove Village, IL 60007 meets the requirements of 3.2.1.20 and performs satisfactorily in this product.

6.2.8 Blueberry flavor. Blueberry flavor number 3535 manufactured by David Michael & Co., Inc., 10801 Decatur Road, Philadelphia, PA 19154 meets the requirements of 3.2.1.21 and performs satisfactorily in this product.

6.2.9 Blueberry flakes. Mini No Color Blueberry Chips manufactured by SensoryEffects, 24 North Clinton Street, Defiance, OH 43512 meets the requirements of 3.2.1.22 and performs satisfactorily in this product.

6.3 Filling formulas and ingredients. The following filling formulas and ingredients have been successfully made at the Combat Capabilities Development Command Soldier Center and a commercial manufacturer to produce end items meeting the requirements. Ingredient suppliers and available specific ingredients may change (companies bought out, part numbers



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

change, ingredients no longer supplied, etc.). The following filling formulations are recommendations and have been proven successful.

6.3.1 Preparation of type I filling. The maple filling may be formulated and prepared from the following ingredients in the proportions specified:

| Ingredient | Percent by weight |
|---|---|
| High fructose corn syrup | 32.7 |
| Water | 23.4 |
| Crystalline dextrose | 14.0 |
| Imitation maple syrup | 9.5 |
| Corn syrup | 9.3 |
| Glycerol | 4.7 |
| Tapioca starch | 2.8 |
| Waxy maize starch | 2.8 |
| Imitation maple flavor | 0.77 |
| Moisture migration inhibitor | 0.03 |

The following procedural steps have been shown to produce end items meeting the requirements:

a. Premix starches, gum and dextrose to eliminate clumping.
b. Mix syrups to blend completely.
c. Add dry ingredients to syrup mixture slowly, stirring constantly.
d. Mix in flavor and water.
e. Heat mixture, add glycerol after mixture reaches at least 100°F (38°C).
f. Cook filling mixture to a water activity ($a_w$) of 0.84.

6.3.2 Preparation of type II filling. The cinnamon filling may be formulated and prepared from the following ingredients in the proportions specified:

| Ingredient | Percent by weight |
|---|---|
| High fructose corn syrup | 36.3 |
| Water | 23.4 |
| Crystalline dextrose | 14.0 |
| Corn syrup | 12.0 |
| Glycerol | 5.0 |
| Ground cinnamon | 3.3 |
| Tapioca starch | 2.5 |
| Waxy maize starch | 2.5 |
| Imitation vanilla flavor | 0.97 |
| Moisture migration inhibitor | 0.03 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

The following procedural steps have been shown to produce end items meeting the requirements:

a. Premix starches, gum and dextrose to eliminate clumping.
b. Mix syrups to blend completely.
c. Add dry ingredients to syrup mixture slowly, stirring constantly.
d. Mix in flavor and water.
e. Heat mixture, add glycerol after the mixture reaches at least 100°F (38°C).
f. Cook filling mixture to a water activity ($a_w$) of 0.84.

6.3.3 Preparation of type III filling. The apple filling may be formulated and prepared from the following ingredients in the proportions specified:

| Ingredient | Percent by weight |
|---|---|
| High fructose corn syrup | 21.0 |
| Water | 20.9 |
| Dried infused apple pieces | 20.9 |
| Apple juice concentrate | 11.0 |
| Crystalline dextrose | 10.7 |
| Corn syrup | 7.1 |
| Glycerol | 3.6 |
| Tapioca starch | 2.1 |
| Waxy maize starch | 2.1 |
| Vanilla extract | 0.56 |
| Moisture migration inhibitor | 0.02 |
| Ground cinnamon | 0.01 |
| Apple flavor | 0.01 |

The following procedural steps have been shown to produce end items meeting the requirements:

a. Premix starches, gum and dextrose to eliminate clumping.
b. Mix syrups and fruit concentrate to blend completely.
c. Add dry ingredients to syrup mixture slowly, stirring constantly.
d. Mix in flavor and water.
e. Heat mixture, add glycerol after the mixture reaches at least 100°F (38°C).
f. Cook filling mixture to a water activity ($a_w$) of 0.84.
g. Stir in dried apple pieces and cinnamon.

6.3.4 Preparation of type IV filling. The blueberry filling may be formulated and prepared from the following ingredients in the proportions specified:



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

| Ingredient | Percent by weight |
|---|---|
| High fructose corn syrup | 21.1 |
| Water | 20.9 |
| Blueberry juice concentrate | 11.1 |
| Crystalline dextrose | 10.7 |
| Infused dried cultivated blueberries | 10.5 |
| Infused dried cranberries, blueberry flavored | 10.5 |
| Corn syrup | 7.1 |
| Glycerol | 3.6 |
| Tapioca starch | 2.14 |
| Waxy maize starch | 2.14 |
| Blueberry flavor | 0.19 |
| Moisture migration inhibitor | 0.02 |
| Natural blue coloring agent 1/ | 0.01 |

The following procedural steps have been shown to produce end items meeting the requirements:

a. Premix starches, gum and dextrose to eliminate clumping.
b. Mix syrups and fruit concentrate to blend completely.
c. Add dry ingredients to syrup mixture slowly, stirring constantly.
d. Mix in flavor and water.
e. Heat mixture, add glycerol after the mixture reaches at least 100°F (38°C).
f. Cook filling mixture to a water activity ($a_w$) of 0.84.
g. Stir in blueberry flavored infused dried cranberries and infused dried cultivated blueberries.

1/ Artificial blueberry color has been shown to change to a green color during extended storage time, therefore, it is not recommended to be used in this filling.

6.4 Oxygen scavenger. Oxygen scavenger suitable for the purpose may be obtained from the Multiform Desiccants, Inc., Buffalo, NY 14224. Other approved oxygen scavengers may be used.

6.5 Shelf life. This specification covers items where shelf life is a consideration. Specific shelf-life requirements should be specified in the contract or purchase order. The shelf-life codes are contained in the Federal Logistics Information System Total Item Record. Additive information for shelf-life management may be obtained from DoD 4140.27-M; Shelf-life Management Manual, or the designated shelf-life Points of Contact (POC). The POC should be contacted in the following order: (1) the Inventory Control Points (ICPs), and (2) the DoD Service and Agency administrators for the DoD Shelf-Life Program. Appropriate POCs for



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.

the DoD Shelf-Life Program can be contacted through the DoD Shelf-Life Management website: http://www.shelflife.hq.dla.mil/.

6.6 Subject term (key word) listing.

Combat field feeding

6.7 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:

Army - GL
Navy - SA
Air Force - 35

Preparing activity:

Army - GL

(Project 8920-2025-002)

Review activities:

Army - MD, QM
Navy - MC
DLA - SS

Civil agency:

USDA - SCP

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T05:18Z
Check the source to verify that this is the current version before use.