GGG-C-746G
Interim Amendment 1
July 15, 1986

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

CUTLERY, GALLEY AND KITCHEN (CLEAVER, FORKS, KNIVES, SPATULAS, STEEL AND SERVER)

This interim amendment was developed by the General Services Administration, Federal Supply Service, Washington, DC 20406, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to Federal Specification GGG-C-746G dated July 26, 1979.

PAGE 20

Attached figures 1-19 are incorporated as an integral part of the specification.

PREPARING ACTIVITY:
GSA - FSS

FSC 7340



BLADE	A	B	C		D		E	F	G	H	I	J	K	L
LENGTH	MAX	MIN	MAX	MIN	MAX	MIN	MIN	MIN	MIN	MIN	MIN	MIN	MIN	MIN
10	.060	.120	15 3/4	15 1/4	11 1/4	9 3/4	5 1/4	11/16	1/2	9/32	1 1/16	5/8	2 1/4	1/4
12	.060	.120	18 5/8	17	12 3/4	11 3/4	5 1/4	3/4	1/2	9/32	1 1/16	5/8	2 1/4	1/4

KNIFE, COOK'S, FORGED, 10" & 12" BLADE
FIG 4

FORK, FOOD PREPARATION, COOK'S
FIG 2

KNIFE, SLICING, 12" BLADE
FIG 6

KNIFE, BONING, 6" BLADE
FIG 3

CLEAVER, BUTCHER'S, 8" BLADE
FIG 1

KNIFE, PARING, 3 1/4 BLADE
FIG 5

DWG. NO. 5-11:100



KNIFE, GRAPEFRUIT, 3½" BLADE
FIG 9





KNIFE, STEAK, SCIMITAR 10" BLADE
FIG 7



KNIFE, STEAK, SCIMITAR 12" BLADE
FIG 8



STEEL, BUTCHER'S, SMOOTH, 10" BLADE
FIG 12



SPATULA, METAL, 8" AND 10" BLADE
FIG 10



SPATULA, METAL, 14" BLADE
FIG 11

UNLESS OTHERWISE STATED, FABRICATING TOLERANCES ARE:
DECIMALS ±.005"; WHOLE NUMBERS AND FRACTIONS ±1/16" ; ANGLES ±° —

5-11-102 DRAWING NO. 5-11-102

REVISIONS						
SYM	ECO NO.	DR	CK	DESCRIPTION	DATE	APPR
A	DR 76-79	G A		IN FIG 17, .75 WAS .838 & 11 1/16 WAS 10 15/16, FIG 15, 17 7/16 WAS 17 1/4 & 5 1/16 WAS 5 1/4, ADDED MIN TO COL "A", MAX TO COL "B", COL "C" 13 1/16 WAS 12 [illegible] & 15 1/2 WAS 12 1/4. COL "N" 1/16 TO 1/4 WAS 1/8 DELETED 1/8 ROLL GRIND	5 JUNE 79	[illegible] A.L.



KNIFE, BUTCHER, 8, 10 & 14 INCH BLADE

BLADE LENGTH	A	B	C	D	E	F	G	H	J	K	L	M	N	P
8	.060 MIN	.109 MAX	12 1/2 TO 13 1/4	7 3/8 TO 8 1/8	4 1/2	3/4	1 1/8	1 1/2 TO 2	7/8	1 1/8	5/16 +1/8 −1/8	1 1/2	1/8 TO 1/4	1/2
10	.062 MIN	.109 MAX	14 1/2 TO 15 1/4	9 3/8 TO 10 1/8	4 3/4	3/4	1 1/4	1 1/2 TO 2	1 1/8	1 3/8	5/16 +1/8 −1/8	1 3/4	1/16 TO 1/4	1/2
14	.062	.093	19 1/2 TO 19 3/4	13 3/4 TO 14 1/2	5 1/2	7/8	1 3/8 TO 1 1/2	1 3/8 TO 2 1/4	1 3/16	1 1/2 TO 1 3/4	7/16 +1/8 −1/8	2 1/8 +1/8 −1/8	1/8 TO 1/2	1/2

FIGURE 14



KNIFE, SLICING, (SCALLOPED) 12 INCH BLADE

FIGURE 15



KNIFE, SLICING, 6 INCH BLADE

FIG 17



SPATULA, METAL, OFFSET, 8 INCH BLADE

FIGURE 16



DWG NO. 5-11-1159



KNIFE, COOKS', STAMPED, 10 INCH BLADE
FIGURE 18

BLADE LENGTH	A	B	C		D		E	F	G	H	I
	MAX	MIN	MAX	MIN	MAX	MIN	MIN	MIN	MIN	MIN	MIN
10	.048	.105	15⅛	14⅞	10⅛	9⅞	4⅞	5/16	1⅛	2⅛	1/16



A		B		C		D		E		F		G		H		J		K		L		M	
MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX
9 13/16	10 7/8	2	2 1/4	4 5/8	4 3/4	1	[illegible]	7/16	11/16	4 5/8	4 7/8	.013	.028	.027	.040	3/4	15/16	11/16	13/16	13/16	15/16	5/16 R	1/2 R

FIGURE 19 SERVER, PIE AND CAKE

5-11-1158