[INCH - POUND]

UU-P-546D
Amendment-1
June 10, 1993

AMENDMENT

TO

FEDERAL SPECIFICATION
PAPER, TABULATING MACHINE
CONTINUOUS FLAT FOLD

This amendment was developed by the General Services Administration, Federal Supply Service, New York, NY 10278, based upon currently available technical information. The General Services Administration has authorized this amendment as a part of UU-P-546D (GSA-FSS), dated July 11, 1990.

PAGE 4

At the end of paragraph 2.2, add the following paragraph:

"Title 40, Code of Federal Regulation, Protection of Environment:

Part 250, Guideline for Federal Procurement of Paper and Paper Products containing Recovered Materials. Copies of the U.S. Code of Federal Regulations may be purchased with a VISA, Master Card, or prepaid check through:

Government Printing Office
Washington, D.C.
Phone: (202) 783-3238

When ordering, ask for:

Title 40, Parts 190-250
Stock Number: 869-013-00-146-0

Distribution Statement A:
Approved for public release;
distribution is unlimited.

FSC 7530

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

Public Law 94-580

Public Law 94-580 Resource Conservation and Recovery Act (Part of U.S. Code, Title 42)

Copies of the U.S. Code may be obtained through the Congressional Sales Office, U.S. Government Printing Office, Washington D.C. 20402."

Delete paragraph 3.1 and substitute: "3.1 performance and capability of being copied. Unless otherwise specified (6.2), tabulating paper in accordance with this specification, shall be constructed to provide satisfactory processing on all properly adjusted printers (sprocket feed type), decollators, and other forms handling equipment. All parts of multipart forms shall produce legible copies immediately after printing, and be capable of being copied (type II, only) when tested as specified in 4.4.1".

Delete paragraph 3.2.1.1 in its entirety and substitute the following:

"3.2.1.1 Regulatory requirements. For single and carbon interleaved forms, the contractor shall certify that the paper shall contain the minimum of 50% waste paper. The contractor shall also certify that these forms offered shall include a minimum of 10% postconsumer recovered material. The postconsumer recovered material shall be considered as part of the overall minimum total of 50% waste paper in accordance with 40 CFR, Part 250. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract. For carbonless forms, the offeror/contractor is encourage to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable."

In paragraph 3.2.1.5, add at the end of the sentence, "Conformance shall ..." the words, "and 4.2.4".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

Delete paragraph 3.2.1.6 in its entirety and substitute with the following:

"3.2.1.6 Brightness The brightness shall be 75% minimum for single and carbon interleaved forms and 78% minimum for carbonless forms, unless otherwise specified (see 6.2). Conformance shall be determined in accordance with para. 4.2.5 for Type I and para. 4.4.4 for Type II."

PAGE 6

In paragraph 3.3.2.1, in the first sentence, after "3/16 inch +/- 1/64 inch", add, "or 5/32 +/- 1/64 inch".

PAGE 12

After paragraph 3.9, add the following:

"3.10 Bleaching: To obtain an acceptable brightness, a chemical bleaching process may be used. When specified, (See Section 6), the bleaching process shall not include the use of chlorine, chlorine dioxide, or hypochlorite. Certification of compliance shall be made available upon request by the Government."

After paragraph 4.2.3, add the following:

"4.2.4 Color (For Type I only), The color conformance with 3.2.1.5 shall be determined in accordance with TAPPI T524.

4.2.5 Brightness (For Type I only), The brightness, in accordance with 3.2.1.6, applicable, shall be determined in accordance with TAPPI T452."

PAGE 14

Delete paragraph 4.4.1 and substitute:

"4.4.1 Performance and Capability of being copied (applies to all types).

(A) Feed 100 complete sets of the tabulating paper through any printer designed to accommodate the paper type. The printer shall be maintained in accordance with the manufacturer's

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

instructions. The printer shall be adjusted in accordance with the manufacturer's instructions to accommodate the applicable number of parts in the papers. To be considered acceptable:

1) There shall be no paper caused jams or interruptions;
2) The printing on each part of the paper shall be immediate and clearly legible.

(B) Applies to type II only. Randomly select 2 complete sets from those subjected to the test procedure in 4.4.1 (A). Remove the first sheet of each set, and put aside. The remaining sheets of each set shall be copied on any copier listed under Federal Supply Schedule Group 36 Part IV. The selected copier shall be maintained and operated in accordance with the manufacturer's instructions. To be considered acceptable, each copy shall be legible without strain.

(C) The government reserves the right to direct the supplier to perform testing in accordance with 4.4.1 (A), using any commonly available printer rated at a designated speed. Further, the government reserves the right to require the test to be performed on commonly available printers with different designated speed ratings during the contract period. If so directed, the supplier shall be provided reasonable time to make suitable test arrangements, consistent with the timely performance of delivery requirements."

PAGE 15

Delete paragraphs 4.4.3 and 4.4.4. in its entirety and substitute with:

"4.4.3 Color (For Type II only), The color conformance with 3.2.1.5 shall be determined in accordance with TAPPI T524 with the exception that the diameter of the orifice is small enough to read between the printed areas.

4.4.4 Brightness (For Type II only), The brightness, in accordance with 3.2.1.6, applicable, shall be determined in accordance with TAPPI T452."

In Table 1, delete the following: "tolerance +3/-1 set" and substitute with: "tolerance -1 set".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

PAGE 17

After 6.2(r), add the following:

"(s) Whether bleaching without use of chlorine, chlorine dioxide, or hypochlorite is required. (see 3.10)."

Military Coordinating Activity:
Army - GL

Preparing Activity:
GSA - FSS

Military Custodians:
Army - GL
Air Force - 99

Civil Agency Coordinating Activities:
COM - NIST
VA - OSS
HHS - SSA
VA - OSS

User Activity:
Navy - SA

Review Activity:
Army - MD
Air Force - 84

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.