[INCH - POUND]

UU-P-546D
Amendment-2
April 4, 1994
SUPERSEDING
Amendment-1
June 10, 1993

FEDERAL SPECIFICATION

PAPER, TABULATING MACHINE
CONTINUOUS FLAT FOLD

This amendment which forms a part of UU-P-546D, dated July 11,1990 is approved by the Commissioner, Federal Supply Service, General Services Administration for the use of all Federal agencies.

PAGE 4

At the end of paragraph 2.2, add the following paragraph:

"2.3 Executive Order. Copies of Executive Order 12873, dated October 20, 1993 may be obtained from:

The White House Publications Office
New Executive Office Building
White House
Att:, Publications
Washington, DC. 20500
(202) 395-7332"

Beneficial comments, recommendations, additions, deletions, clarification's, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278

Distribution Statement A:
Approved for public release;
distribution is unlimited.

FSC 7530

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

Delete paragraph 3.1 and substitute: "3.1 performance and capability of being copied. Unless otherwise specified (6.2), tabulating paper in accordance with this specification, shall be constructed to provide satisfactory processing on all properly adjusted printers (sprocket feed type), decollators, and other forms handling equipment. All parts of multipart forms shall produce legible copies immediately after printing, and be capable of being copied (type II, only) when tested as specified in 4.4.1".

Page 5

Delete paragraph 3.2.1.1 in its entirety and substitute the following:

"3.2.1.1 Regulatory requirements. The contractor shall certify that the minimum content standard of the paper shall be no less than 20% postconsumer materials in accordance with Executive Order 12873, section 504 (a), dated October 20, 1993 (See definitions of postconsumer materials and recovered materials in sections 203 and 205). As an alternative to meeting the standards of section 504(a) for all printing and writing papers, the minimum content standard shall be no less than 50% recovered materials that are a waste material byproduct of a finished product other than a paper or textile product which would otherwise be disposed of in a landfill, as determined by the State in which the facility is located, in accordance with Executive Order 12873, section 504 (c), dated October 20, 1993. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2.1.1.1 Labeling of Recycled Content. The recycled content shall be marked on the product or unit pack."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

In paragraph 3.2.1.5, add at the end of the sentence, "Conformance shall ..." the words, "and 4.2.4".

Delete paragraph 3.2.1.6 in its entirety and substitute with the following:

"3.2.1.6 Brightness The brightness shall be 75% minimum for single and carbon interleaved forms and 78% minimum for carbonless forms, unless otherwise specified (see 6.2). Conformance shall be determined in accordance with para. 4.2.5 for Type I and para. 4.4.4 for Type II."

PAGE 6

In paragraph 3.3.2.1, in the first sentence, after "3/16 inch +/- 1/64 inch", add, "or 5/32 +/- 1/64 inch".

PAGE 12

After paragraph 3.9, add the following:

"3.10 Bleaching: To obtain an acceptable brightness, a chemical bleaching process may be used. When specified, (See Section 6), the bleaching process shall not include the use of chlorine, chlorine dioxide, or hypochlorite. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract."

After paragraph 4.2.3, add the following:

"4.2.4 Color (For Type I only), The color conformance with 3.2.1.5 shall be determined in accordance with TAPPI T524.

4.2.5 Brightness (For Type I only), The brightness, in accordance with 3.2.1.6, applicable, shall be determined in accordance with TAPPI T452."

PAGE 14

Delete paragraph 4.4.1 and substitute:

"4.4.1 Performance and Capability of being copied (applies to all types).

(A) Feed 100 complete sets of the tabulating paper through any printer designed to accommodate the paper type. The printer shall be maintained in accordance with the manufacturer's

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

instructions. The printer shall be adjusted in accordance with the manufacturer's instructions to accommodate the applicable number of parts in the papers. To be considered acceptable:

1) There shall be no paper caused jams or interruptions;
2) The printing on each part of the paper shall be immediate and clearly legible.

(B) Applies to type II only. Randomly select 2 complete sets from those subjected to the test procedure in 4.4.1 (A). Remove the first sheet of each set, and put aside. The remaining sheets of each set shall be copied on any copier listed under Federal Supply Schedule Group 36 Part IV. The selected copier shall be maintained and operated in accordance with the manufacturer's instructions. To be considered acceptable, each copy shall be legible without strain.

(C) The government reserves the right to direct the supplier to perform testing in accordance with 4.4.1 (A), using any commonly available printer rated at a designated speed. Further, the government reserves the right to require the test to be performed on commonly available printers with different designated speed ratings during the contract period. If so directed, the supplier shall be provided reasonable time to make suitable test arrangements, consistent with the timely performance of delivery requirements."

PAGE 15

Delete paragraphs 4.4.3 and 4.4.4. in its entirety and substitute with:

"4.4.3 Color (For Type II only), The color conformance with 3.2.1.5 shall be determined in accordance with TAPPI T524 with the exception that the diameter of the orifice is small enough to read between the printed areas.

4.4.4 Brightness (For Type II only), The brightness, in accordance with 3.2.1.6, applicable, shall be determined in accordance with TAPPI T452."

In Table 1, delete the following: "tolerance +3/-1 set" and substitute with: "tolerance -1 set".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

After 6.2(r), add the following:

"(s) Whether bleaching without use of chlorine, chlorine dioxide, or hypochlorite is required. (see 3.10)."

Military Coordinating Activity:
Army - GL

Preparing Activity:
GSA - FSS

Military Custodians:
Army - GL
Air Force - 99

Civil Agency Coordinating Activities:
COM - NIST
VA - OSS
HHS - SSA
VA - OSS

User Activity:
Navy - SA

Review Activity:
Army - MD
Air Force - 84

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.