
MILITARY SPECIFICATION SHEET

JACKS, TELEPHONE,


TYPE JJ-133

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the jacks described herein shall consist of this specification and the latest issue of MIL-J-641.



INCHES	MM	INCHES	MM	INCHES	MM
.002	.05	.210	5.33	.687	17.45
.005	.13	.264	6.71	.728	18.49
.0065	.17	.337	8.56	.828	21.03
.010	.25	.375	9.53	.987	25.07
.016	.41	.391	9.93	1.000	25.40
.020	.51	.424	10.77	1.062	26.97
.031	.79	.500	12.70	1.250	31.75
.094	2.39	.625	15.88	1.688	42.88
.1085	2.76				



SCHEMATIC J2
JJ-133

NOTES:
1. Dimensions are in inches. Unless otherwise specified, tolerance on dimensions is ±.020 inch.
2. Metric equivalents are given for general information only and are based upon 1 inch = 25.4 mm.
3. Multiple mounting. Jacks may be multiple mounted on a panel, with a 1.062 inch minimum distance allowed from center-to-center in a circular direction.

FIGURE 1. Dimensions and configuration.

(D) denotes changes

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:05Z
Check the source to verify that this is the current version before use.

FSC 5935

REQUIREMENTS:

Physical dimensions. Jacks shall be cut open for measurement of dimensions 0.987 ±0.020 and 0.728 ±0.020. For qualification inspection, two additional specimens shall be submitted for measurement of these dimensions. For quality conformance inspection, measurement of these dimensions shall be made on 2 of every 100 jacks produced. These jacks shall not be delivered on the contract or order. (See figure 1 and table I.)

Insertion and withdrawal forces: The insertion and withdrawal forces shall be as follows:

Insertion force: 7 pounds maximum.

Withdrawal force. 1.5 pounds minimum, 7 pounds maximum.

Test plug TP68, conforming to MIL-J-641, shall be used.

Spring life: Test plug TP68, conforming to MIL-J-641, shall be used.

Water seal: Water-seal test is applicable.

(D) (This is not a sealed unit - The seal is applicable between the bulkhead and the jack only.)

Part number: M641/17-1.

TABLE I. Type of telephone jack.

Type	Connection	Mounting	Switching action upon insertion of plug
JJ-133	Tip, ring, and sleeve	Bushing	None

(D) Quality assurance provisions:

Qualification inspection: Not applicable for this specification.

Quality conformance inspection: Group A and B tests of MIL-J-641 shall be applicable.

Custodians:
Army - CR
Navy - EC
Air Force - 85

Review activities:
Army - CR, MI, ME, AR
Navy - AS
Air Force - 80, 11
DLA - ES

User activities:
Army - AR, MI, , AV
Navy - OS, MC, SH, YD
Air Force - 17, 19

Agent:
DLA - ES

Preparing activity:
Army - CR

(Project 5935-3290-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:05Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Communications-Electronics Command
ATTN:DRSEL-ED-TO
Fort Monmouth, NJ 07703

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:05Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2 DOCUMENT TITLE
MIL-J-641/17D	JACKS, TELEPHONE, TYPE JJ-133

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8 DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:05Z
Check the source to verify that this is the current version before use.