MILITARY SPECIFICATION SHEET

CHASSIS, TRAILER, SIZE 6, CCE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the size 6 trailer chassis described herein shall consist of this document and the latest issue of specification MIL-C-52437.

REQUIREMENTS:

1. The trailer chassis is intended for towing by light and medium trucks and off-road equipment.
2. The trailer chassis characteristics shall be in accordance with table I and as shown in figure 1.

TABLE I. Size 6 Chassis.

GVWR per DOT	Minimum	6500 – lb.
Payload capacity	Minimum	5000 – lb.
Trailer curb weight	Maximum	1500 – lb.
Tow eye weight	Range	5 to 15 – Percent
OAL	Maximum	216 – in.
OAH	Minimum	Practical
OAW	Maximum	96 – in.
Drawbar length	Minimum	72 – in.
Suspension travel, single axle	Minimum	4 – in.
Suspension travel, multi-axle	Minimum	8 – in.
Running gear, standard		
No. of axles		1 – ea.
- GAWR, ea. axle at hubs	Minimum	8000 – lb.
- No. trailer tires,		2 – ea.
No. spare tires		1 – ea.
Tire size		9.50-16.5
Load range	Minimum	LR D (8 PR)
Tire inf. press.	Maximum	65 – psi
Running gear options		
Option-A:		
No. of axles		2 – ea.
- GAWR, ea. axle at hubs	Minimum	5000 – lb.

FSC 2330

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:18Z
Check the source to verify that this is the current version before use.

TABLE I. Size 6 chassis. (Cont'd)

- No. trailer tires.	4 – ea.
No. spare tires	1 – ea.
Tire size	9.50-16.5
Load range	Minimum LR D (8 PR)
Option B:	
No. of axles	2 – ea.
- GAWR ea. axle at hubs	Minimm. 5000 – lb.
- No. trailer tires	4 – ea.
No. spare tires	1 – ea.
Tire size	12 – 16.5
Load range	LR E (10 PR)
Tire inf. press	Maximum 35 – psi
Bed length, A	Minimum 144 – in.
Bed width, B & C	Minimum 48 – in.
Bed height, D	Maximum 30 – in.
Top, of fender height, E	Maximum 50 – in.
Fender length, F	
Single axle	Maximum 50 – in.
Tandem axle	Maximum 108 – in.

Custodians:
Army - ME
Air Force - 99

Preparing Activity:
Army - ME

Review activity:
Army - AT

Project 2330-0786-4

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:18Z
Check the source to verify that this is the current version before use.



FIGURE 1. CCE size 6 trailer chassis, min. 6500 lb. GVWR.

X-4063

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:18Z
Check the source to verify that this is the current version before use.