INCH-POUND

MIL-P-15064G
AMENDMENT 1
5 September 1991

MILITARY SPECIFICATION

PADS, SHOULDER AND SLEEVE-HEAD

This amendment forms a part of MIL-P-15064G, dated 31 March 1987, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.2, under Type I: Add "Class 4 - Air Force".

PAGE 3

2.1, lines 6 and 7: Delete "MIL-STD-731 - Quality ..... Pallets".

PAGE 4

3.2.2.1, line 2, after "class 1": Add "or class 2".

3.2.2.2, line 2, after "unbleached": Add "or bleached".

PAGE 7

Add the following paragraph:

"3.5.3.1 Type I, class 4. Type I, class 4 pads shall measure 4-3/4 inches (± 1/4 inch) at the point of widest dimension and 10-1/2 to 11 inches straight across the bottom. Length along the outside curved edge shall be 17 inches (± 1/4 inch). The finished pad shall measure 7/8 ± 1/8 inch thick at the vertical center of the pad (see figure 1a)."

PAGE 28

4.2.6, under "Defect": Delete "Interlocking of loads not as specified".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-18T05:27Z
Check the source to verify that this is the current version before use.

PAGE 30

5.3, lines 4 and 5: Delete "Pallets shall be fabricated from wood groups I, II, III or IV of MIL-STD-731".

Line 6: Delete "K and L" and "O or P" and substitute "C and D" and "F or G", respectively.

Lines 8 and 9: Delete "Interlocking of loads shall be effected by reversing the pattern of each course".

PAGE 32

Figure 1, in title: Add "(except class 4)".

Add new figure 1a (attached).

Custodians:

Army - GL
Navy - NU
Air Force - 11

Review activities:

Air Force - 82, 99
DLA - CT

User activities:

Navy - CG, MC

Preparing activity:

Army - GL

(Project 8315-0357)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:27Z
Check the source to verify that this is the current version before use.




FIGURE 1a. Man's, Type I, Class 4 (Air Force) Shoulder Pad

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:27Z
Check the source to verify that this is the current version before use.