MIL-C-11569D
3 July 1979
SUPERSEDING
MIL-C-11569C
20 May 1974

MILITARY SPECIFICATION

CLAMPS, HOSE, WATER, UNIVERSAL

3/8- TO 1-INCH AND 1- TO 3-INCH

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers two sizes of adjustable, band-type hose clamps.

1.2 Classification. The hose clamps shall be of the following sizes, as specified (see 6.2):

Size A - For 3/8- to 1-inch diameter hose, inclusive.
Size B - For 1- to 3-inch diameter hose, inclusive.

* 2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein.

FSC 4730

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Mobility Equipment Research and Development Command, ATTN: DRDME-DS, Fort Belvoir, VA 22060 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:20Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

QQ-P-416	- Plating, Cadmium (Electrodeposited).
QQ-Z-325	- Zinc Coating, Electrodeposited, Requirements for.

MILITARY

MIL-P-775	- Packaging of Hose, Hose Assemblies; Rubber, Plastic, Fabric or Metal (Including Tubing); and Fittings, Nozzles, and Strainers.

STANDARDS

FEDERAL

FED-STD H28	- Screw-Thread Standards for Federal Services.

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-130	- Identification Marking of US Military Property.
MIL-STD-1188	- Commercial Packaging of Supplies and Equipment.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Description. Each hose clamp shall consist of a clamping band, machine screw, and nut as shown in Figure 1 (see 6.3), and as specified herein. All components shall be attached to the clamp band in such a manner as to assure a satisfactory integral clamp assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:20Z
Check the source to verify that this is the current version before use.

* 3.2 Material. Material shall be as specified herein. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification (see 6.4).

* 3.2.1 Clamps. Clamps shall be zinc-plated in accordance with QQ-Z-325, Type I, Class 2.

3.2.2 Nuts and screws. Nuts and screws shall be cadmium-plated in accordance with QQ-P-416, Type I, Class 2 or zinc-plated in accordance with QQ-Z-325, Type I, Class 2.

* 3.3 Design. Clamps shall be fabricated from zinc-plated steel, tempered to form easily. The width of each clamp shall be 0.625 inch, plus or minus 0.125 inch, and the nominal thickness shall be not less than 0.025 inch. The Size A clamp shall be designed for clamping 3/8- to 1-inch diameter hose, inclusive; and the Size B clamp shall be designed for clamping 1- to 3-inch diameter hose inclusive. Nuts and screws shall be not less than 0.187 inch diameter for Size A clamp and not less than 0.250 inch diameter for Size B clamp.

* 3.4 Bending. The clamp shall not crack or break, and the zinc coating shall not separate from the base metal when the clamp is subjected to 180-degree bending over a 0.187-inch arbor.

* 3.5 Threads. Screw threads shall conform to FED-STD H28.

3.6 Identification marking. Each clamp shall be identified in accordance with MIL-STD-130.

3.7 Workmanship. The clamp shall be free from defects such as rust, cracks, and other defects that could impair the operation and serviceability of the clamp. Surfaces shall be free from burrs, sharp edges, and corners except when sharp edges and corners are required.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:20Z
Check the source to verify that this is the current version before use.

reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Component and material inspection. The contractor is responsible for insuring that components and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards, as applicable.

4.2 Classification of inspections. Inspection requirements specified herein are classified as follows:

(a) Quality conformance inspection (see 4.3).
(b) Inspection of packaging (see 4.5).

4.3 Quality conformance inspection.

4.3.1 Sampling. Sampling for examination and test shall be in accordance with MIL-STD-105.

4.3.2 Examination. Samples selected in accordance with 4.3.1 shall be examined for the major and minor defects specified in 4.4.1. AQL shall be 2.5 percent defective for major defects and 6.5 percent defective for minor defects.

4.3.3 Tests. Samples in accordance with 4.3.1 shall be tested as specified in 4.4.2. AQL shall be 4.0 percent defective.

4.4 Inspection procedure.

4.4.1 Examination. The hose clamp shall be examined as specified herein for the following defects:

Major

101. Material not as specified.
102. Dimensions not as specified.
103. Zinc-plating not as specified.
104. Nuts and screws not cadmium-plated or zinc-plated.
105. Design not as specified.
106. Workmanship not as specified.

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:20Z
Check the source to verify that this is the current version before use.

Minor

201. Identification marking missing, incomplete, or illegible.

4.4.2 Test.

* 4.4.2.1 Bending. Subject the clamp to 180-degree bending over a 0.187-inch mandrel. Nonconformance to 3.4 shall constitute failure of this test.

* 4.5 Inspection of packaging. Inspection of Level A preservation and marking, and Level A and Level B packing and marking, shall be in accordance with the quality assurance provisions of MIL-P-775. Commercial preservation, packing, and marking shall be examined for conformance to MIL-STD-1188.

5. PACKAGING

* 5.1 Preservation, packing, and marking. Preservation and preservation marking shall be Level A or Commercial, and packing and packing marking shall be Level A, Level B, or Commercial as specified (see 6.2). Level A preservation and marking, and Level A, and Level B packing and marking shall be in accordance with MIL-P-775. Commercial preservation, packing, and marking shall be in accordance with MIL-STD-1188.

6. NOTES

6.1 Intended use. The clamps are intended for use in clamping low-pressure water hose.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Size of clamp required (see 1.2).
(c) Degree of preservation and degree of packing required (see 5.1).

Source: https://assist.dla.mil -- Downloaded: 202640-17T18:20Z
Check the source to verify that this is the currentversion before use.

6.3 Figure 1. Figure 1 shows a type of clamp which has been found to be acceptable; it is not, however, intended to preclude the furnishing of other designs which conform to this specification.

* 6.4 Recycled material. It is encouraged that recycled material be used, when practical, as long as it meets the requirements of this specification (see 3.2).

* 6.5 Changes from previous issue. The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - ME
Air Force - 99

Review activity:
DLA - CS

User activity:
Army - AR

Preparing activity:
Army - ME

Project 4730-0942

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:20Z
Check the source to verify that this is the current version before use.




FIGURE 1. Clamp, hose, water; universal.

X-3492

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:20Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:20Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-C-11569D Clamps, Hose, Water, Universal 3/8- to 1-Inch and 1- to 3-Inch

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:20Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research
and Development Command
ATTN: DRDME-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:20Z
Check the source to verify that this is the current version before use.