INCH-POUND

MIL-F-52618/5C(ME)
29 June 1990
SUPERSEDING
MIL-F-52618/5B(ME)
20 August 1980

MILITARY SPECIFICATION SHEET

# FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED)

## 150-POUND


## 90-DEGREE AND 45-DEGREE STREET ELBOWS

This specification is approved for use within the USA Belvoir Research, Development and Engineering Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the fittings described herein shall consist of this document and the latest issue of specification MIL-F-52618.

REQUIREMENTS:

The fittings shall be as shown in figure 1.




A-90° STREET ELBOW B-45° STREET ELBOW

FIGURE 1. Street elbows.

X-3533

AMSC N/A

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

Part or identifying numbers. The military specification sheet number, configuration code letter, size code numbers, thread direction code letter and finish code letter are combined to form the part or identifying numbers. PIN numbers are assigned as follows:





TABLE I. Configuration code letter for fittings.

| Configuration code | Description |
|---|---|
| J | 90 Street elbow |
| K | 45 Street elbow |

TABLE II. Size code numbers for street elbows.

| Size code numbers | Nominal pipe size (inch) |
|---|---|
| 01 | 1/8 |
| 02 | 1/4 |
| 03 | 3/8 |
| 04 | 1/2 |
| 05 | 3/4 |
| 06 | 1 |
| 07 | 1-1/4 |
| 08 | 1-1/2 |
| 09 | 2 |

NOTE: All dimensions and tolerances for 90-degree and 45-degree street elbows shall be as specified in ANSI B16.15, class 125.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

TABLE III. Thread direction code letter.

| Code letter | Thread direction |
|---|---|
| X | Right-hand |
| Y | Left-hand |
| Z | Right- and left-hand |

TABLE IV. Finish code letter.

| Code letter | Finish |
|---|---|
| A | As cast |
| B | As extruded |
| C | Anodized |

Custodian:
Army - ME

Review activity:
DLA - CS

User activity:
Army - CE

Preparing activity:
Army - ME

Project 4730-A734



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.