MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

SCREWS

TO ALL HOLDERS OF DOD-STD-35-17A(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-17A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
v	30 JUNE 1992	v	26 JULY 1978
1	17 MARCH 1980	(Reprinted without change)	
2	30 JUNE 1992	2	26 JULY 1978
3	26 JULY 1978	(Reprinted without change)	
4	30 JUNE 1992	4	26 JULY 1978
5	30 JUNE 1992	5	26 JULY 1978
6	30 JUNE 1992	6	26 JULY 1978
7	30 JUNE 1992	7	26 JULY 1978
8	26 JULY 1978	(Reprinted without change)	
9	26 JULY 1978	(Reprinted without change)	
10	30 JUNE 1992	10	26 JULY 1978
11	30 JUNE 1992	11	26 JULY 1978
12	30 JUNE 1992	12	26 JULY 1978
17	17 MARCH 1980	(Reprinted without change)	
18	30 JUNE 1992	18	26 JULY 1978
19	30 JUNE 1992	19	26 JULY 1978
20	30 JUNE 1992	20	26 JULY 1978
21	17 MARCH 1980	(Reprinted without change)	
22	30 JUNE 1992	22	26 JULY 1978
27	30 JUNE 1992	27	26 JULY 1978
28	30 JUNE 1992	28	26 JULY 1978

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the currentversion before use.

3. Holders of DOD-STD-35-17A(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SC
Army-CR

User activity:
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A401)

AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	21
	2.1	Issues of documents	21
	2.2	Other publications	21
	3.	DEFINITIONS	23
	4.	GENERAL REQUIREMENTS	25
	4.1	Introduction	25
	4.2	Specification Requirement Sheet (SRS)	25
	4.3	Configuration	25
	4.3.1	Dimensions	25
	4.3.2	Illustrations	25
	4.4	Units of measure	25
	5	DETAILED REQUIREMENTS	27
	5.1	Introduction	27
	5.2	MSE Formats	27
	5.3	Referenced documents	27
	5.4	Deleted	27
	5.5	Tabulation	28
	5.6	Keyword Code Index (KCI) and Standard Paragraphs	31
	5.6.1	Interrelationship of Codes	31
	5.6.2	Automatic MSE Data	31
	5.6.3	DOD-STD-35 Tables	31

TABLES

Table	I.	Title Index	2
	II.	Deleted	28
	III.	Tabulation candidates	29

APPENDICES

Appendix	A.	Illustrations	91
	B.	Characteristic Code Index	101
		Index	105

Supersedes page v of 26 JULY 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Screws.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate an MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects that are applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. It is recommended that MIL-STD-1251, Screws and Bolts Preferred for use in Military Materiel be reviewed prior to using that dash-numbered part book.

The title code for an MSE shall be selected from one of the MSE titles listed in the Title Index, (see table I). Data bases have been established for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index, entered on an SRS, will specify that the title of the MSE will be the title shown in the Title Index.

Each MSE title listed in the Title Index is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user°s reference; when more than one document is listed for an MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

Reprinted without change.
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIGG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, BONE	150002	A-A-51534	82 DEG CTSK HD PILOT POINT
SCREW, CAP, SLOTTED AND HEXAGON HEAD	150003	FF-S-85	SLTD AND PLAIN
		ANSIB.18.2.1	HEX HEAD, DR, GRADE 8, CAD PLATE, UNF-2A
		ANSIB.18.2.1	HEX HEAD, DR, GRADE 8, CAD PLATE, UNC-2A
		MS35295	HEX HEAD, MED CARBON STEEL, PLAIN, UNC-2A
		MS35307	HEX HEAD, CRES-PSVT, UNC-2A
		MS35308	HEX HEAD, CRES-PSVT, UNF-2A
		MS35309	HEX HEAD, NAVAL BRASS, PLAIN FINISH, UNC-2A
		MS35310	HEX HEAD, NAVAL BRASS, PLAIN FINISH, UNF-2A
		MS35311	HEX HEAD, NI-CU ALLOY, PLAIN FINISH, UNC-2A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, CAP, SLOTTED AND HEXAGON HEAD	150003 (CONT)	MS51095	HEX HEAD, DR, STEEL, GRADE 5, CAD PLD, UNC-2A
		MS51096	HEX HEAD, DR, STEEL, GRADE 5, CAD PLD, UNF-2A
		MS51099	HEX HEAD, DR, STEEL, CRES-PSVT, UNC-2A
		MS51100	HEX HEAD, DR, STEEL, CRES-PSVT, UNF-2A
		MS51105	HEX HEAD, SHK DR, STEEL, GR 5 CAD PL, UNC-2A
		MS51106	HEX HEAD, SHK DR, STEEL, GR 5 CAD PL, UNF-2A
		MS51107	HEX HEAD, SHK DR, ALY STL, GR 8, PHOS CTD, UNC-2A
		MS51108	HEX HEAD, SHK DR, ALY STL, GR 8, PHOS CTD, UNF-2A
		MS51109	HEX HEAD, SHK DR, STEEL, CRES PSVT, UNC-2A
		MS51110	HEX HEAD, SHK DR, STEEL, CRES PSVT, UNF-2A

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, CAP, SLOTTED AND HEXAGON HEAD	150003 (CONT)	MS90725	HEX HEAD, MED CL, CAD PL, UNC-2A
		MS90726	HEX HEAD, MED CS, CAD PL, UNF-2A
		ANSIB18.2.1	HEX HEAD, ALLOY STEEL, CAD PL, UNF-2A
		ANSIB18.2.1	HEX HEAD, ALLOY STEEL, CAD PL, UNC-2A
SCREW, CAP, SOCKET HEAD	150004	FF-S-86	CYL, CTSK, AND BUTTON HEAD
		MS16995	CRES, UNC-3A
		MS16996	CRES, UNF-3A
		MS16997	ALY STL, CD PL, UNC-3A
		MS16998	ALY STL, CD PL, UNF-3A
		MS24667	FLAT, CTSK, CD PL, UNC-3A
		MS24671	CRES, CTSK, UNC-3A
		MS24673	CRES, DRILLED HEAD, UNF-3A
		MS24674	CRES, DRILLED HEAD, UNC-3A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, CAP, SOCKET HEAD	150004 (CONT)	NAS1351	UNDRILLED AND DRILLED, PL AND SLFLKG, ALY STL AND CRES UNF-3A
		NAS1352	UNDRILLED AND DRILLED, PL AND SLFLKG, ALY STL AND CRES UNC-3A ND UNC-3A
		MS24677	ALLOY STEEL, CD PL, UNC-3A
		MS24678	ALLOY STEEL, CD PL, UNF-3A
SCREW, CAPTIVE	150005	MS90402	
		MS25332	RELAY, SOCKET MOUNTING
SCREW, CAPTIVE WASHER	150006	ANSIB18.13	ASSEMBLIES
SCREW, COLLAR, 12-POINT	150007	SAE J 58	EXT WRENCHING
		MS9183	6-40, CD PL
		MS9184	8-36, CD PL
SCREW, DRIVE	150008	FF-S-107	TAPPING AND DRIVE
		MS90399	DRIVE
		MS21318	TYPE U CARBON STEEL
SCREW EXTERNALLY RELIEVED BODY	150009	MS17184	(SYNCHRO) CRES STEEL
		MS25087	ROUND HD, CS
SCREW, EYE	150010	FF-S-88	WOOD SCREW THD

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, INSTRUMENT	150011	MS21268	FILLISTER HEAD
		MS21270	100 DEG FLAT HD
		MS21271	BINDING HEAD
SCREW, MACHINE	150012	AN502	FILH, FINE THD
		AN503	FILH, CRS THD
		AN505	FLH, 82 DEG CRS
		AN508	ROUND HEAD
		MS9122	SLOTTED, HEX HD
		MS9123	SLOTTED, HEX HD
		MS9215	AMS6304 .138-40 UNJF-3A
		MS9292	1 HOLE, BLACK OXIDE, .138-40 UNJF-3A
		MS9316	SLOTTED, HEX HD NI-CAD, .190-32
		MS9317	SLOTTED, HEX HD NI-CAD, .250-28
		MS9449	AMS6304, NI-CAD .138-40 UNJF-3A
		MS9450	HEX, NI-CAD PL, .164-36 UNJF-3A
		MS9487	HEX, AMS5731, .138-40 UNJF-3A
		MS9488	HEX HD,AMS5731, .164-36 UNJF-3A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, MACHINE	150012 (CONT)	MS9498	HEX HD, 1-HOLE .138-40 UNJF-3A
		MS9499	HEX HD, 1-HOLE .164-36
		MS9516	HEX HD, CAD PL, .138-40
		MS9517	HEX HD, CAD PL, .164-36
		MS9527	HEX HD, 1-HOLE .138-40
		MS9528	HEX HD, 1-HOLE .164-36, STEEL
		MS9623	HEX HD, PD SHK, TI, AMS4967 .164-36 UNJF-3A
		MS9631	HEX HD, PD SHK, TI, AMS4967, .138-40 UNJF-3A
		MS9632	HEX HD, PD SHK TI AMS4967 .164-36 UNJF-3A
		MS9640	HEX HD, FULL SHK, TI, AMS4967 .138-40 UNJF-3A
		MS9641	HEX HD, FULL SHK, TI, AMS4967 .164-36 UNJF-3A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, MACHINE	150012 (CONT)	MS9649	HEX HD, FULL SHK, TI AMS4967 .138-40 UNJF-3A
		MS9650	HEX HD, FULL SHK, TI, AMS4967 .164-36 UNJF-3A
		FF-S-92	SLOTTED, CROSS RECESSED OR HEXAGON HEAD
		MS16218	SLOTTED, FLAT CU-SI, UNC-2A
		MS16219	SLOTTED, FLAT, CRES
		MS24693	FLAT, 100 DEG, UNC-2A, UNF-2A
		MS35190	FLAT, CARBON, CD PL, UNC-2A
		MS35191	FLAT, CARBON, CD PL, UNF-2A
		MS35198	FLAT, BRASS, 82 DEG, REC, BLACK OXIDE, UNC-2A
		MS35199	FLAT, BRASS, 82 DEG, REC, BLACK OXIDE, UNF-2A
		MS35202	FLAT, AL ALY 82 DEG, REC, ANDZ, UNC-2A
		MS35203	FLAT, AL ALY 82 DEG, REC, ANDZ, UNF-2A

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, MACHINE	150012 (CONT)	MS35206	PAN HD, CS, REC CD PL, UNC-2A
		MS35207	PAN HD, CS, REC CD PL, UNF-2A
		MS35214	PAN HD, BRASS REC, BLK OXIDE, UNC-2A
		MS35215	PAN HD, BRASS, REC, BLK OXIDE, UNF-2A
		MS35218	PAN HD, AL ALY ANDZ, REC, UNC-2A
		MS35219	PAN HD, AL ALY, ANDZ, REC, UNF-2A
		MS35265	FILH, SLTD, CS, CD PL, UNC-2A
		MS35266	FILH. SLTD, CS, CD PL, UNF-2A
		MS35273	FILH, BRASS, BLACK OXIDE, UNC-2A
		MS35274	FILH, BRASS, BLACK OXIDE UNF-2A
		MS35275	FILH, CRES, UNC-2A
		MS35276	FILH, SLTD, CRES, UNF-2A
		MS35277	FILH, AL ALY, NC-2A, UNC-2A

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, MACHINE	150012 (CONT)	MS35278	FILH, AL ALY, NF-2A, UNF-2A
		MS51957	PAN HEAD, CRES UNC-2A
		MS51958	PAN HEAD, CRES, UNF-2A
		MS51959	FLAT, 82 DEG, CRES, UNC-2A
		MS51960	FLAT, 82 DEG, CRES, UNF-2A
		NAS662	100 DEG FLHD PL AND SLFLKG
		MIL-S-7839	AIRCRAFT
		MS24694	FLAT, 100 DEG STRUCTURAL
		MS27039	PAN HEAD, CROSS RECESSED
		NAS517	100 DEG, CL TOL FLAT, 160 KSI
		NAS600	ACFT, PAN HD, FULL THD, ALY STL, PHILLIPS
		NAS1121	FLAT, FILH, CL TOL, SHT THD TRQSET
		NAS1131	PAN HD, CL TOL, SHT THD, TRQSET

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, MACHINE	150012 (CONT)	NAS1141	PAN HD MOD, CL-TOL, SHT THD, TRQSET
		NAS1151	100 DEG HD, CL-TOL, SHT THD, TRQSET
		NAS1216	PAN HD, HTRQ, REC, FULL THD
		NAS1218	PAN HD, HTRQ, REC, LONG THD
		NAS1219	100 DEG CSK HD, HTRQ, REC, FTHD
		NAS1221	100 DEG CSK HD, HTRQ, REC, LTHD
SCREW, SELF-LOCKING	150013	MIL-F-18240	ELEMENT, 250 DEG F
		MS21090	PAN HEAD, 250 DEG F, 55 KSI FTU
		MS21093	FLAT HEAD, 100 DEG, CROSS
		MS21262	WRENCHING SCH, 160 KSI FTU

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, SELF-LOCKING	150013 (CONT)	MS21295	HEX SOCKET CRES, 80 KSI
		NAS1161	FLAT 100 DEG HD SHEAR, TRQSET
		NAS1171	PAN HD, SHEAR, TRQSET
		NAS1181	FILH, CL TOL, TRQSET
		NAS1189	FLAT, 100 DEG, FULL THD
		NAS1190	PAN HD, FULL THD
		NAS1191	FLAT, FILH, FULL THD
SCREW, SELF-SEALING	150014	MIL-S-82496	MACHINE, O-RING INTEGRAL
		MS3212	PAN HEAD, CROSS REC, PLAIN AND SELF-LOCKING
		MS3213	PAN HEAD, CROSS REC, PLAIN AND SELF-LOCKING
SCREW, SELF-TAPPING, STEEL AIRCRAFT	150017	FF-S-107	TAPPING AND DRIVE
		MS24625	PAN HD, TYPE BF OR BT

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, SHOULDERED, SLOTTED	150024	MIL-S-21472	HEXAGON, ALLOY STEEL
		MS51975	SOCKET HEAD, HEX, ALY STL, CAD PL, UNC-3A
SCREW, STRUCTURAL, AIRCRAFT	150001	MIL-S-7839	AIRCRAFT
SCREW, TAPPING, THREAD FORMING	150018	FF-S-107	DRIVE, CUTTING
		MS51861	PAN HD TYPE AB
		MS51862	FLAT HD, 82 DEG TYPE AB
		AN530	ROUND HEAD, SPACED THREAD
		AN531	FLAT HEAD, 82 DEG, SPACED THREAD
SCREW, TAPPING, THREAD ROLLING	150019	MS51863	PAN HEAD CROSS RECESSED
		MS21207	FLAT, 100 DEG, SPACED THREAD
SCREW, THUMB	150020	FF-T-305	SHOULDERED
		AN254	THUMB, NECKED
		MS21316	FLAT POINT CAD PLATED, UNC-2A
SCREW, WASHER HEAD	150021	MS9206	STEEL,.138-40 AMS6304 UNJF-3A
		MS9207	STEEL,.164-36 AMS6304 UNJF-3A
		MS9216	STEEL,.164-36 AMS6304 UNJF-3A

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, WASHER HEAD	150021 (CONT)	MS9563	PD SHK,.138-40 AMS5731
		MS9564	DRILLED,.164-36
		MS9572	PD SHK, SILVER PLATED, UNJF-3A
		MS9573	PD SHK, SILVER PLATED,.164-36. UNJF-3A
		MS9694	AMS5708,.138-40 UNJF-3A
		MS9695	AMS5708,.164-36 UNJF-3A
		MS9712	DRILLED, SIL PL AMS5708 .138-40
		MS9713	DRILLED, SIL PL AMS5708,.164-36
		MS9730	PD SHK, CRES, AMS5643 .138-40

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, WASHER HEAD	150021 (CONT)	MS9892	DRILLED,AMS5616 .138-40
		MS9893	DRILLED,AMS5616 .164-40
		MS21277	.138-40, MIL-S-8879 THD
		MS21278	.164-36, MIL-S-8879 THD
		MS21286	DRILLED, DOUBLE HEX, UNJF-3A
		MS21287	DRILLED,.164-36 UNJF-3A
SCREW, WOOD	150022	FF-S-111	
		MS16198	ROUND HD, CRES, SLOTTED

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SCREW, WOOD	150022 (CONT)	MS16199	FLAT 82 DEG, CU-SI, NMAG
		MS16215	OVAL, 82 DEG CRES, SLTD
		MS16216	ROUND, SLTD, CU-SI NMAG
		MS16217	FLAT, 82 DEG, CRES. SLOTTED
		MS35492	FLAT HEAD, STEEL OR BRASS
		MS35493	ROUND HEAD STEEL OR BRASS
		MS35494	FLAT HEAD, SLTD
		MS35495	ROUND HEAD,SLTD
		MS35795	ROUND HEAD NO 14 2 INCH

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Issues of Documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this standard to the extent specified herein.

SPECIFICATIONS

FEDERAL

FF-S-85	Screw, Cap, Slotted and Hexagon Head
FF-S-92	Screw, Machine, Slotted, Cross Recessed or Hexagon Head
FF-S-107	Screw, Tapping and Drive

MILITARY

MIL-I-17214	Indicator, Permeability, Low MU(Go-No-Go)

STANDARDS

FEDERAL

FED-STD-151	Metal, Test Methods

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of Military Property
MIL-STD-1251	Screws and Bolts Preferred for use in Military Materiel
MIL-STD-1312	Fasteners, Test Methods

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this standard to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

ANSIB46.1	Surface Texture
ANSIB18.6.4	Slotted and Recessed Head Tapping Screws and Metallic Drive Screws

(Application for copies should be addressed to American National Standards Institute (ANSI), 1430 Broadway, New York, N.Y. 10018.)

ASTMA370	Method and Definitions for Mechanical Testing of Steel Products
ASTME8	Tension Testing of Metallic Materials, Methods of
ASTME10	Method of Test for Brinell Hardness of Metallic Materials
ASTME18	Rockwell Hardness and Rockwell Superficial Hardness of Metallic Materials, Test for
ASTME21	Standard Practice for Elevated Temperature Tension Tests of Metallic Materials
ASTME338	Standard Method of Sharp - Notch Tension Testing of High-Strength Sheet Materials
ASTME380	Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphis, Pa. 19103.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE formats. AEDPS has the capability to prepare a six-section or a single-section document. The six-section document appears similar to a six-section military specification. The single-section document appears similar to a military specification sheet. Specification requirements described in DOD-STD-35 are applicable to either of the formats selected. It is mandatory that one of the two following codes and an "X" be entered on the SRS to create the desired MSE format:

a. 0700 for a six-section format

b. 0800 for a single-section format

5.3 Referenced documents. Section 2 of the MSE may contain a list of all referenced documents within Sections 3, 4, and 5 of the MSE. Instructions for referencing documents to appear in Section 2 of the forthcoming MSE are contained in DOD-STD-35.

5.4 Deleted

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

5.5 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table III provides codes for additional specific column headings which may be used for Screw characteristics. When different units of measure within one system (U.S. or SI) are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.