INCH-POUND
MS27796E
7 AUGUST 2020
SUPERSEDING
MS27796D
26 OCTOBER 1983

DETAIL SPECIFICATION SHEET
CONNECTOR-BAYONET, THREE PIN, OXYGEN MASK

This specification is approved for use by all Departments and Agencies of the Department of Defense.

Part or Identifying Number (PIN):

MS27796 – Connector, Bayonet, Three Pin, Oxygen Mask.

Dimensions and tolerances shall be in accordance with ASME Y14.5. Dimensions in inches.

Tolerances are decimals ±.015 unless otherwise specified.

Remove all burrs and break sharp edges (.010 max).

For design feature purposes, this military specification sheet takes precedence over procurement documents referenced herein.

Referenced documents shall be of the issue in effect on date of invitations for bid.

CAUTION: All parts of the oxygen system shall be free from oil, grease, or other combustible material.

AMSC N/A FSC 1660

DISTRIBUTION STATEMENT A: Approved for public release; distribution unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:52Z
Check the source to verify that this is the current version before use.






FIGURE 1. MS Part No. 27796.



NOTES:
1. Material: Stainless steel per ASTM A313/A313M, Type 302, Class 1.
2. Finish: Passivate in accordance with SAE AMS2700.
3. Heat Spring to 800 + 50 °F for 30 minutes after forming.
4. Total No. of coils 5, active coils 3, load 10 ±1.0 LBS when compressed to .375 inches (Total number of coils is a reference value).


FIGURE 2A. -3 Spring.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:52Z
Check the source to verify that this is the current version before use.



NOTES:
1. Material: Stainless steel per ASTM A555/A555M or ASTM A581/A581M, Class 416, Cond. A (Hot Finish).
2. Finish: All surfaces 63 in accordance with ASME B46.1.


FIGURE 2B. -4 Pin.



NOTES:
1. Material: Aluminum alloy spec SAE-AMS-QQ-A-225/6, Temper T4.
2. Finish: All over 63, in accordance with ASME B46.1.
3. Anodize per MIL-A-8625. Type II, Class 2, Black.

FIGURE 2C. -5 Basket.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:52Z
Check the source to verify that this is the current version before use.



NOTES:

1. Material: Aluminum alloy, SAE-AMS-QQ-225/6 Temper T4.
2. Finish: All over 63, in accordance with ASME B46.1 (UNLESS OTHERWISE SPECIFIED).
3. Anodize in accordance with MIL-A-8625, Type II, Class 2, Black.

FIGURE 2D. -2 Shell.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:52Z
Check the source to verify that this is the current version before use.

Document source information:

MIL-A-8625	Anodic Coatings for Aluminum and Aluminum Alloys
MIL-STD-130	Identification Marking of U.S. Military Property

(Copies of military documents are available online at https://quicksearch.dla.mil/.)

ASME-B46.1	Surface Texture (Surface Roughness, Waviness, and Lay)
ASME Y14.5	Dimensioning and Tolerancing

(Copies of ASME document are available online at http://www.asme.org.)

ASTM A313/A313M	Standard Specification for Stainless Steel Spring Wire
ASTM A555/A558M	Standard Specification for General Requirements for Stainless Steel Wire and Wire Rods
ASTM A581/A581M	Standard Specification for Free-Machining Stainless Steel Wire and Wire Rods

(Copies of ASTM documents are available online at http://www.astm.org.)

NASM171401-171900	Pin – Spring, Corrosion Resistant Steel

(Copies of AIA/NAS documents are available online at http://www.aia-aerospace.org/.)

SAE AMS2700	Passivation of Corrosion Resistant Steels
SAE-AMS-QQ-A-225/6	Aluminum Alloy, 2024, Bar, Rod, and Wire; Rolled, Drawn, or Cold Finished - UNS A92024

(Copies of SAE documents are available online at http://www.sae.org.)

Changes from previous issue.
Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:52Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:

Navy - AS

Air Force - 11

Preparing activity:

Air Force - 11

(Project 1660-2016-001)

Review activities:

Army - AV

Air Force - 71

DLA - GS

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:52Z
Check the source to verify that this is the current version before use.