

MS9772

FED SUP CLASS
5330





SECTION A-A

PART NUMBER	ID IN.		ID (mm)		T IN		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9772-001	0.025	0.033	0.635	0.838	0.037	0.043	0.940	1.092	001	0005
MS9772-002	0.038	0.046	0.965	1.168	0.047	0.053	1.194	1.346	003	001
MS9772-003	0.052	0.060	1.321	1.524	0.057	0.063	1.448	1.600	004	002
MS9772-004	0.065	0.075	1.65	1.90	0.067	0.073	1.702	1.854	007	003
MS9772-005	0.096	0.106	2.44	2.69	0.067	0.073	1.702	1.854	009	004
MS9772-006	0.109	0.119	2.77	3.02	0.067	0.073	1.702	1.854	009	004
MS9772-007	0.140	0.150	3.56	3.81	0.067	0.073	1.702	1.854	011	005
MS9772-008	0.171	0.181	4.34	4.60	0.067	0.073	1.702	1.854	013	006
MS9772-009	0.203	0.213	5.16	5.41	0.067	0.073	1.702	1.854	014	006
MS9772-010	0.234	0.244	5.94	6.20	0.067	0.073	1.702	1.854	016	007
MS9772-011	0.296	0.306	7.52	7.77	0.067	0.073	1.702	1.854	019	009
MS9772-012	0.359	0.369	9.12	9.37	0.067	0.073	1.702	1.854	022	010
MS9772-013	0.421	0.431	10.69	10.95	0.067	0.073	1.702	1.854	025	011
MS9772-014	0.484	0.494	12.29	12.55	0.067	0.073	1.702	1.854	029	013
MS9772-015	0.546	0.556	13.87	14.12	0.067	0.073	1.702	1.854	032	015
MS9772-016	0.609	0.619	15.47	15.72	0.067	0.073	1.702	1.854	035	016
MS9772-017	0.671	0.681	17.04	17.30	0.067	0.073	1.702	1.854	038	017
MS9772-018	0.734	0.744	18.64	18.90	0.067	0.073	1.702	1.854	041	019
MS9772-019	0.795	0.807	20.19	20.50	0.067	0.073	1.702	1.854	044	020
MS9772-020	0.858	0.870	21.79	22.10	0.067	0.073	1.702	1.854	047	021
MS9772-021	0.920	0.932	23.37	23.67	0.067	0.073	1.702	1.854	050	023
MS9772-022	0.983	0.995	24.97	25.27	0.067	0.073	1.702	1.854	054	024
MS9772-023	1.045	1.057	26.54	26.85	0.067	0.073	1.702	1.854	057	026
MS9772-024	1.108	1.120	28.14	28.45	0.067	0.073	1.702	1.854	060	027
MS9772-025	1.170	1.182	29.72	30.02	0.067	0.073	1.702	1.854	.063	029
MS9772-026	1.233	1.245	31.32	31.62	0.067	0.073	1.702	1.854	066	030
MS9772-027	1.295	1.307	32.89	33.20	0.067	0.073	1.702	1.854	070	032
MS9772-028	1.358	1.370	34.49	34.80	0.067	0.073	1.702	1.854	073	033
MS9772-029	1.479	1.499	37.57	38.07	0.067	0.073	1.702	1.854	079	036
MS9772-030	1.604	1.624	40.74	41.25	0.067	0.073	1.702	1.854	086	039
MS9772-031	1.729	1.749	43.92	44.42	0.067	0.073	1.702	1.854	092	042
MS9772-032	1.854	1.874	47.09	47.60	0.067	0.073	1.702	1.854	098	044
MS9772-033	1.979	1.999	50.27	50.77	0.067	0.073	1.702	1.854	105	048
MS9772-034	2.104	2.124	53.44	53.95	0.067	0.073	1.702	1.854	111	050
MS9772-035	2.229	2.249	56.62	57.12	0.067	0.073	1.702	1.854	117	053
MS9772-036	2.354	2.374	59.79	60.30	0.067	0.073	1.702	1.854	123	056
MS9772-037	2.479	2.499	62.97	63.47	0.067	0.073	1.702	1.854	130	059
MS9772-038	2.604	2.624	66.14	66.65	0.067	0.073	1.702	1.854	136	062
MS9772-039	2.724	2.754	69.19	69.95	0.067	0.073	1.702	1.854	143	065
MS9772-040	2.849	2.879	72.36	73.13	0.067	0.073	1.702	1.854	149	068
MS9772-041	2.974	3.004	75.54	76.30	0.067	0.073	1.702	1.854	155	070
MS9772-042	3.224	3.254	81.89	82.65	0.067	0.073	1.702	1.854	168	076
MS9772-043	3.474	3.504	88.24	89.00	0.067	0.073	1.702	1.854	181	082
MS9772-044	3.724	3.754	94.59	95.35	0.067	0.073	1.702	1.854	194	038
MS9772-045	3.974	4.004	100.94	101.70	0.067	0.073	1.702	1.854	206	093
MS9772-046	4.224	4.254	107.29	108.05	0.067	0.073	1.702	1.854	219	099
MS9772-047	4.474	4.504	113.64	114.40	0.067	0.073	1.702	1.854	231	105
MS9772-048	4.724	4.754	119.99	120.75	0.067	0.073	1.702	1.854	.244	111
MS9772-049	4.966	5.012	126.14	127.30	0.067	0.073	1.702	1.854	257	117
MS9772-050	5.216	5.262	132.49	133.65	0.067	0.073	1.702	1.854	270	122
MS9772-102	0.044	0.054	1.12	1.37	0.100	0.106	2.540	2.692	017	008
MS9772-103	0.076	0.086	1.93	2.18	0.100	0.106	2.540	2.692	020	009
MS9772-104	0.107	0.117	2.72	2.97	0.100	0.106	2.540	2.692	024	011
MS9772-105	0.138	0.148	3.51	3.76	0.100	0.106	2.540	2.692	027	012

APPROVED 22 Dec 71 REVISED

P.A. Air Force - 11 Other Cust Navy - AS	INTERNATIONAL INTEREST ASCC 17/27	TITLE PACKING PREFORMED - AMS 3617 'O' RING	MILITARY STANDARD MS9772
PROCUREMENT SPECIFICATION NONE	SUPERSEDES		SHEET 1 OF 7

DD FORM 1 SEP 65 672-1 (Limited coordination) EDITION OF 1 SEP 57 MAY BE USED

This standard has been approved by the Dept of the Air Force (11) and the Dept of the Navy(AS) and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

Navy - AS
Air Force - 82

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:25Z
Check the source to verify that this is the current version before use.

MS9772

FED SUP CLASS
5330

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9772-106	0.169	0.179	4.29	4.55	0.100	0.106	2.540	2.692	031	014
MS9772-107	0.201	0.211	5.11	5.36	0.100	0.106	2.540	2.692	034	015
MS9772-108	0.232	0.242	5.89	6.15	0.100	0.106	2.540	2.692	037	017
MS9772-109	0.294	0.304	7.47	7.72	0.100	0.106	2.540	2.692	044	020
MS9772-110	0.357	0.367	9.07	9.32	0.100	0.106	2.540	2.692	051	023
MS9772-111	0.419	0.429	10.64	10.90	0.100	0.106	2.540	2.692	058	026
MS9772-112	0.482	0.492	12.24	12.50	0.100	0.106	2.540	2.692	065	029
MS9772-113	0.544	0.554	13.82	14.07	0.100	0.106	2.540	2.692	072	033
MS9772-114	0.607	0.617	15.42	15.67	0.100	0.106	2.540	2.692	079	036
MS9772-115	0.669	0.679	16.99	17.25	0.100	0.106	2.540	2.692	085	039
MS9772-116	0.732	0.742	18.59	18.85	0.100	0.106	2.540	2.692	092	042
MS9772-117	0.793	0.805	20.14	20.45	0.100	0.106	2.540	2.692	099	045
MS9772-118	0.856	0.868	21.74	22.05	0.100	0.106	2.540	2.692	106	048
MS9772-119	0.918	0.930	23.32	23.62	0.100	0.106	2.540	2.692	113	051
MS9772-120	0.981	0.993	24.92	25.22	0.100	0.106	2.540	2.692	120	054
MS9772-121	1.043	1.055	26.49	26.80	0.100	0.106	2.540	2.692	127	058
MS9772-122	1.106	1.118	28.09	28.40	0.100	0.106	2.540	2.692	134	061
MS9772-123	1.168	1.180	29.67	29.97	0.100	0.106	2.540	2.692	140	064
MS9772-124	1.231	1.243	31.27	31.57	0.100	0.106	2.540	2.692	147	067
MS9772-125	1.293	1.305	32.84	33.15	0.100	0.106	2.540	2.692	154	070
MS9772-126	1.356	1.368	34.44	34.75	0.100	0.106	2.540	2.692	161	073
MS9772-127	1.418	1.430	36.02	36.32	0.100	0.106	2.540	2.692	168	076
MS9772-128	1.481	1.493	37.62	37.92	0.100	0.106	2.540	2.692	175	.079
MS9772-129	1.539	1.559	39.09	39.60	0.100	0.106	2.540	2.692	181	082
MS9772-130	1.602	1.622	40.69	41.20	0.100	0.106	2.540	2.692	189	086
MS9772-131	1.664	1.684	42.27	42.77	0.100	0.106	2.540	2.692	195	088
MS9772-132	1.727	1.747	43.87	44.37	0.100	0.106	2.540	2.692	202	092
MS9772-133	1.789	1.809	45.44	45.95	0.100	0.106	2.540	2.692	209	095
MS9772-134	1.852	1.872	47.04	47.55	0.100	0.106	2.540	2.692	216	098
MS9772-135	1.915	1.935	48.64	49.15	0.100	0.106	2.540	2.692	223	101
MS9772-136	1.977	1.997	50.22	50.72	0.100	0.106	2.540	2.692	230	104
MS9772-137	2.040	2.060	51.82	52.32	0.100	0.106	2.540	2.692	237	108
MS9772-138	2.102	2.122	53.39	53.90	0.100	0.106	2.540	2.692	244	111
MS9772-139	2.165	2.185	54.99	55.50	0.100	0.106	2.540	2.692	250	113
MS9772-140	2.227	2.247	56.57	57.07	0.100	0.106	2.540	2.692	257	117
MS9772-141	2.290	2.310	58.17	58.67	0.100	0.106	2.540	2.692	264	120
MS9772-142	2.352	2.372	59.74	60.25	0.100	0.106	2.540	2.692	271	123
MS9772-143	2.415	2.435	61.34	61.85	0.100	0.106	2.540	2.692	278	126
MS9772-144	2.477	2.497	62.92	63.42	0.100	0.106	2.540	2.692	285	129
MS9772-145	2.540	2.560	64.52	65.02	0.100	0.106	2.540	2.692	291	132
MS9772-146	2.602	2.622	66.09	66.60	0.100	0.106	2.540	2.692	299	136
MS9772-147	2.660	2.690	67.56	68.33	0.100	0.106	2.540	2.692	305	138
MS9772-148	2.722	2.752	69.14	69.90	0.100	0.106	2.540	2.692	312	142
MS9772-149	2.785	2.815	70.74	71.50	0.100	0.106	2.540	2.692	319	145
MS9772-150	2.847	2.877	72.31	73.08	0.100	0.106	2.540	2.692	326	148
MS9772-151	2.972	3.002	75.49	76.25	0.100	0.106	2.540	2.692	340	154
MS9772-152	3.222	3.252	81.84	82.60	0.100	0.106	2.540	2.692	367	166
MS9772-153	3.472	3.502	88.19	88.95	0.100	0.106	2.540	2.692	395	179
MS9772-154	3.722	3.752	94.54	95.30	0.100	0.106	2.540	2.692	422	191
MS9772-155	3.972	4.002	100.89	101.65	0.100	0.106	2.540	2.692	450	204
MS9772-156	4.222	4.252	107.24	108.00	0.100	0.106	2.540	2.692	477	216
MS9772-157	4.472	4.502	113.59	114.35	0.100	0.106	2.540	2.692	505	229
MS9772-158	4.722	4.752	119.94	120.70	0.100	0.106	2.540	2.692	532	241
MS9772-159	4.972	5.002	126.29	127.05	0.100	0.106	2.540	2.692	559	254
MS9772-160	5.214	5.260	132.44	133.60	0.100	0.106	2.540	2.692	587	266

APPROVED 22 Dec 71 REVISED

Review activities
Navy - AS
Air Force - 82

This standard has been approved by the Dept of the Air Force (11) and the Department of the Navy (AS) and is mandatory for use by their activity. All other military activities are required to employ this standard where suitable.

P.A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Air Force-11 Other Cust Navy - AS	ASCC 17/27	PACKING, PREFORMED - AMS 3617, 'O' RING	MS9772
PROCUREMENT SPECIFICATION NONE	SUPERSEDES		SHEET 2 OF 7

DD FORM 1 SEP 65 672-1 (Limited coordination)

EDITION OF 1 SEP 57 MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:25Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5330

PART NUMBER	ID IN		ID (mm)		T IN		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	Kg/100
MS9772-161	5 464	5 510	138 79	139 95	0 100	0 106	2 540	2 692	614	278
MS9772-162	5 714	5 760	145 14	146 30	0 100	0 106	2 540	2 692	642	291
MS9772-163	5 964	6 010	151 49	152 65	0 100	0 106	2 540	2.692	669	.303
MS9772-164	6 214	6 260	157. 84	159 00	0 100	0 106	2 540	2 692	697	.316
MS9772-165	6 464	6.510	164,19	165 35	0 100	0 106	2 540	2 692	724	328
MS9772-166	6 714	6 760	170 54	171 70	0 100	0 106	2 540	2 692	752	341
MS9772-167	6 964	7 010	176 89	178 05	0 100	0 106	2 540	2 692	780	354
MS9772-168	7 207	7 267	183 06	184.58	0 100	0.106	2 540	2 692	807	366
MS9772-169	7 457	7 517	189 41	190 93	0 100	0 106	2 540	2 692	.835	379
MS9772-170	7 707	7 767	195 76	197.28	0 100	0.106	2 540	2 692	862	:391
MS9772-171	7 957	8 017	202 11	203 63	0 100	0 106	2,540	2 692	890	404
MS9772-172	8 207	8 267	208 46	209 98	0 100	0 106	2 540	2 692	,917	416
MS9772-173	8 457	8 517	214 81	216 33	0 100	0 106	2 540	2 692	945	429
MS9772-174	8 707	8 767	221 16	222 68	0 100	0 106	2 540	2 692	972	441
MS9772-175	8 957	9 ,017	227 51	229.03	0 100	0.106	2 540	2 692	999	453
MS9772-176	9,207	9 267	233.86	235 38	0 100	0 106	2 540	2 692	1 027	466
MS9772-177	9 457	9 ,517	240.21	241 73	0 100	0 106	2 540	2 692	1 054	478
MS9772-178	9 707	9 767	246.56	248 08	0 100	0,106	2 540	2 692	1 082	491
MS9772-201	0 166	0.176	4.22	4.47	0.135	0.143	3.429	3.632	062	028
MS9772-202	0 229	0.239	5.82	6.07	0.135	0.143	3.429	3.632	075	034
MS9772-203	0 291	0.301	7.39	7.65	0.135	0.143	3.429	3.632	087	039
MS9772-204	0 354	0.364	8.99	9.25	0.135	0.143	3.429	3.632	100	045
MS9772-205	0 416	0.426	10.57	10.82	0.135	0.143	3.429	3.632	112	051
MS9772-206	0.479	0.489	12.17	12.42	0.135	0.143	3.429	3.632	125	057
MS9772-207	0.541	0.551	13.74	14.00	0.135	0.143	3.429	3.632	137	062
MS9772-208	0.604	0.614	15.34	15.60	0.135	0.143	3.429	3.632	150	068
MS9772-209	0.666	0.676	16.92	17.17	0.135	0.143	3.429	3.632	162	073
MS9772-210	0.728	0.740	18.49	18.80	0.135	0.143	3.429	3.632	175	079
MS9772-211	0.790	0.802	20.07	20.37	0.135	0.143	3.429	3.632	187	085
MS9772-212	0.853	0.865	21.67	21.97	0.135	0.143	3.429	3.632	200	091
MS9772-213	0.915	0.927	23.24	23.55	0.135	0.143	3.429	3.632	212	.096
MS9772-214	0.978	0.990	24.84	25.15	0.135	0.143	3.429	3.632	225	102
MS9772-215	1.040	1.052	26.42	26.72	0.135	0.143	3.429	3.632	237	108
MS9772-216	1.103	1.115	28.02	28.32	0.135	0.143	3.429	3.632	250	113
MS9772-217	1.165	1.177	29.59	29.90	0.135	0.143	3.429	3.632	262	119
MS9772-218	1.228	1.240	31.19	31.50	0.135	0.143	3.429	3.632	275	125
MS9772-219	1.290	1.302	32.77	33.07	0.135	0.143	3.429	3.632	287	130
MS9772-220	1.353	1.365	34.37	34.67	0.135	0.143	3.429	3.632	300	136
MS9772-221	1.415	1.427	35.94	36.25	0.135	0.143	3.429	3.632	312	142
MS9772-222	1.478	1.490	37.54	37.85	0.135	0.143	3.429	3.632	325	147
MS9772-223	1.599	1.619	40.61	41.12	0.135	0.143	3.429	3.632	350	159
MS9772-224	1.724	1.744	43.79	44.30	0.135	0.143	3.429	3.632	375	170
MS9772-225	1.849	1.869	46.96	47.47	0.135	0.143	3.429	3.632	400	181
MS9772-226	1.974	1.994	50.14	50.65	0.135	0.143	3.429	3.632	425	193
MS9772-227	2.099	2.119	53.31	53.82	0.135	0.143	3.429	3.632	450	204
MS9772-228	2.224	2.244	56.49	57.00	0.135	0.143	3.429	3.632	475	215
MS9772-229	2.349	2.369	59.66	60.17	0.135	0.143	3.429	3.632	500	227
MS9772-230	2.474	2.494	62.84	63.35	0.135	0.143	3.429	3.632	525	238
MS9772-231	2.599	2.619	66.01	66.52	0.135	0.143	3.429	3.632	550	249
MS9772-232	2.719	2.749	69.06	69.82	0.135	0.143	3.429	3.632	575	261
MS9772-233	2.844	2.874	72.24	73.00	0.135	0.143	3.429	3.632	600	272
MS9772-234	2.969	2.999	75.41	76.17	0.135	0.143	3.429	3.632	625	283
MS9772-235	3.094	3.124	78.59	79.35	0.135	0.143	3.429	3.632	650	295

APPROVED 22 Dec 71 REVISED

...has been approved by the Dept of the Air Force (III) and the ...of the Navy(AS) and is mandatory for use by ...their activity. All other military activities are required ...to employ this standard where suitable

...ctivities
Navy - AS
Air Force - 82

P A	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Air Force - II Other Cust Navy - AS	ASCC 17/27	PACKING, PREFORMED - AMS 3617 'O' RING	MS9772
PROCUREMENT SPECIFICATION NONE	SUPERSEDES		SHEET 3 OF 7

DD FORM 1 SEP 63 672-1 (Limited coordination)

EDITION OF 1 SEP 57 MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:25Z
Check the source to verify that this is the current version before use.

MS9772

FED SUP CLASS
5330

PART NUMBER	ID IN.		ID (mm)		T IN		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9772-236	3.219	3.249	81.76	82.52	0.135	0.143	3.429	3.632	675	306
MS9772-237	3.344	3.374	84.94	85.70	0.135	0.143	3.429	3.632	701	318
MS9772-238	3.469	3.499	88.11	88.87	0.135	0.143	3.429	3.632	725	329
MS9772-239	3.594	3.624	91.29	92.05	0.135	0.143	3.429	3.632	751	341
MS9772-240	3.719	3.749	94.46	95.22	0.135	0.143	3.429	3.632	775	352
MS9772-241	3.844	3.874	97.64	98.40	0.135	0.143	3.429	3.632	801	363
MS9772-242	3.969	3.999	100.81	101.57	0.135	0.143	3.429	3.632	826	375
MS9772-243	4.094	4.124	103.99	104.75	0.135	0.143	3.429	3.632	851	386
MS9772-244	4.219	4.249	107.16	107.92	0.135	0.143	3.429	3.632	876	397
MS9772-245	4.344	4.374	110.34	111.10	0.135	0.143	3.429	3.632	900	408
MS9772-246	4.469	4.499	113.51	114.27	0.135	0.143	3.429	3.632	926	420
MS9772-247	4.594	4.624	116.69	117.45	0.135	0.143	3.429	3.632	950	431
MS9772-248	4.719	4.749	119.86	120.62	0.135	0.143	3.429	3.632	976	443
MS9772-249	4.844	4.874	123.04	123.80	0.135	0.143	3.429	3.632	1 001	454
MS9772-250	4.969	4.999	126.21	126.97	0.135	0.143	3.429	3.632	1 026	465
MS9772-251	5.086	5.132	129.18	130.35	0.135	0.143	3.429	3.632	1 051	477
MS9772-252	5.211	5.257	132.36	133.53	0.135	0.143	3.429	3.632	1 076	488
MS9772-253	5.336	5.382	135.53	136.70	0.135	0.143	3.429	3.632	1 101	499
MS9772-254	5.461	5.507	138.71	139.88	0.135	0.143	3.429	3.632	1 126	511
MS9772-255	5.586	5.632	141.88	143.05	0.135	0.143	3.429	3.632	1 151	522
MS9772-256	5.711	5.757	145.06	146.23	0.135	0.143	3.429	3.632	1 176	533
MS9772-257	5.836	5.882	148.23	149.40	0.135	0.143	3.429	3.632	1 201	545
MS9772-258	5.961	6.007	151.41	152.58	0.135	0.143	3.429	3.632	1 226	556
MS9772-259	6.211	6.257	157.76	158.93	0.135	0.143	3.429	3.632	1 276	579
MS9772-260	6.461	6.507	164.11	165.28	0.135	0.143	3.429	3.632	1 326	601
MS9772-261	6.711	6.757	170.46	171.63	0.135	0.143	3.429	3.632	1 376	624
MS9772-262	6.961	7.007	176.81	177.98	0.135	0.143	3.429	3.632	1 426	647
MS9772-263	7.204	7.264	182.98	184.51	0.135	0.143	3.429	3.632	1 476	670
MS9772-264	7.454	7.514	189.33	190.86	0.135	0.143	3.429	3.632	1 526	692
MS9772-265	7.704	7.764	195.68	197.21	0.135	0.143	3.429	3.632	1 576	.715
MS9772-266	7.954	8.014	202.03	203.56	0.135	0.143	3.429	3.632	1 626	738
MS9772-267	8.204	8.264	208.38	209.91	0.135	0.143	3.429	3.632	1 677	761
MS9772-268	8.454	8.514	214.73	216.26	0.135	0.143	3.429	3.632	1 727	783
MS9772-269	8.704	8.764	221.08	222.61	0.135	0.143	3.429	3.632	1 777	806
MS9772-270	8.954	9.014	227.43	228.96	0.135	0.143	3.429	3.632	1 827	829
MS9772-271	9.204	9.264	233.78	235.31	0.135	0.143	3.429	3.632	1 877	851
MS9772-272	9.454	9.514	240.13	241.66	0.135	0.143	3.429	3.632	1 927	874
MS9772-273	9.704	9.764	246.48	248.01	0.135	0.143	3.429	3.632	1 977	897
MS9772-274	9.954	10.014	252.83	254.36	0.135	0.143	3.429	3.632	2 027	.919
MS9772-275	10.454	10.514	265.53	267.06	0.135	0.143	3.429	3.632	2 127	965
MS9772-276	10.954	11.014	278.23	279.76	0.135	0.143	3.429	3.632	2 227	1 010
MS9772-277	11.454	11.514	290.93	292.46	0.135	0.143	3.429	3.632	2 327	1 056
MS9772-278	11.954	12.014	303.63	305.16	0.135	0.143	3.429	3.632	2 427	1 101
MS9772-279	12.954	13.014	329.03	330.56	0.135	0.143	3.429	3.632	2 628	1 192
MS9772-280	13.954	14.014	354.43	355.96	0.135	0.143	3.429	3.632	2 828	1 283
MS9772-281	14.954	15.014	379.83	381.36	0.135	0.143	3.429	3.632	3 028	1 373
MS9772-282	15.910	16.000	404.11	406.40	0.135	0.143	3.429	3.632	3 222	1 461
MS9772-283	16.910	17.000	429.51	431.80	0.135	0.143	3.429	3.632	3 423	1 553
MS9772-284	17.910	18.000	454.91	457.20	0.135	0.143	3.429	3.632	3 623	1 643
MS9772-309	0.407	0.417	10.34	10.59	0.205	0.215	5.21	5.46	284	129
MS9772-310	0.470	0.480	11.94	12.19	0.205	0.215	5.21	5.46	313	142
MS9772-311	0.532	0.542	13.51	13.77	0.205	0.215	5.21	5.46	341	155
MS9772-312	0.595	0.605	15.11	15.37	0.205	0.215	5.21	5.46	370	168
MS9772-313	0.657	0.667	16.69	16.94	0.205	0.215	5.21	5.46	399	181

APPROVED 22 Dec 71 REVISED

Review activities
Navy AS
Air Force - 82

This standard has been approved by the Dept of the Air Force (11) and the Department of the Navy (AS) and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

P.A. Air Force-11 Other Cust Navy-AS	INTERNATIONAL INTEREST ASCC 17/27	TITLE PACKING PREFORMED - AMS 3617 'O' RING	MILITARY STANDARD MS9772
PROCUREMENT SPECIFICATION NONE	SUPERSEDES		SHEET 4 OF 7

DD FORM 1 SEP 65 672-1 (Limited coordination)

EDITION OF 1 SEP 57 MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:25Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5330

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9772-314	0.719	0.731	18.26	18.57	0.205	0.215	5.21	5.46	427	194
MS9772-315	0.781	0.793	19.84	20.14	0.205	0.215	5.21	5.46	456	207
MS9772-316	0.844	0.856	21.44	21.74	0.205	0.215	5.21	5.46	484	220
MS9772-317	0.906	0.918	23.01	23.32	0.205	0.215	5.21	5.46	513	233
MS9772-318	0.969	0.981	24.61	24.92	0.205	0.215	5.21	5.46	.541	245
MS9772-319	1.031	1.043	26.19	26.49	0.205	0.215	5.21	5.46	570	.259
MS9772-320	1.094	1.106	27.79	28.09	0.205	0.215	5.21	5.46	.598	271
MS9772-321	1.156	1.168	29.36	29.67	0.205	0.215	5.21	5.46	627	284
MS9772-322	1.219	1.231	30.96	31.27	0.205	0.215	5.21	5.46	656	298
MS9772-323	1.281	1.293	32.54	32.84	0.205	0.215	5.21	5.46	684	310
MS9772-324	1.344	1.356	34.14	34.44	0.205	0.215	5.21	5.46	.713	323
MS9772-325	1.465	1.485	37.21	37.72	0.205	0.215	5.21	5.46	770	349
MS9772-326	1.590	1.610	40.39	40.89	0.205	0.215	5.21	5.46	827	375
MS9772-327	1.715	1.735	43.56	44.07	0.205	0.215	5.21	5.46	885	401
MS9772-328	1.840	1.860	46.74	47.24	0.205	0.215	5.21	5.46	.942	427
MS9772-329	1.965	1.985	49.91	50.42	0.205	0.215	5.21	5.46	999	453
MS9772-330	2.090	2.110	53.09	53.59	0.205	0.215	5.21	5.46	1 056	479
MS9772-331	2.215	2.235	56.26	56.77	0.205	0.215	5.21	5.46	1 113	505
MS9772-332	2.340	2.360	59.44	59.94	0.205	0.215	5.21	5.46	1 170	531
MS9772-333	2.465	2.485	62.61	63.12	0.205	0.215	5.21	5.46	1 227	557
MS9772-334	2.590	2.610	65.79	66.29	0.205	0.215	5.21	5.46	1 284	582
MS9772-335	2.710	2.740	68.83	69.60	0.205	0.215	5.21	5.46	1 341	.608
MS9772-336	2.835	2.865	72.01	72.77	0.205	0.215	5.21	5.46	1 399	.635
MS9772-337	2.960	2.990	75.18	75.95	0.205	0.215	5.21	5.46	1 456	660
MS9772-338	3.085	3.115	78.36	79.12	0.205	0.215	5.21	5.46	1 513	686
MS9772-339	3.210	3.240	81.53	82.30	0.205	0.215	5.21	5.46	1 570	.712
MS9772-340	3.335	3.365	84.71	85.47	0.205	0.215	5.21	5.46	1.627	738
MS9772-341	3.460	3.490	87.88	88.65	0.205	0.215	5.21	5.46	1 684	764
MS9772-342	3.585	3.615	91.06	91.82	0.205	0.215	5.21	5.46	1 741	790
MS9772-343	3.710	3.740	94.23	95.00	0.205	0.215	5.21	5.46	1 798	816
MS9772-344	3.835	3.865	97.41	98.17	0.205	0.215	5.21	5.46	1.856	842
MS9772-345	3.960	3.990	100.58	101.35	0.205	0.215	5.21	5.46	1.913	868
MS9772-346	4.085	4.115	103.76	104.52	0.205	0.215	5.21	5.46	1 970	894
MS9772-347	4.210	4.240	106.93	107.70	0.205	0.215	5.21	5.46	2 027	919
MS9772-348	4.335	4.365	110.11	110.87	0.205	0.215	5.21	5.46	2 084	945
MS9772-349	4.460	4.490	113.28	114.05	0.205	0.215	5.21	5.46	2 141	971
MS9772-350	4.585	4.615	116.46	117.22	0.205	0.215	5.21	5.46	2 198	997
MS9772-351	4.710	4.740	119.63	120.40	0.205	0.215	5.21	5.46	2 255	1 023
MS9772-352	4.835	4.865	122.81	123.57	0.205	0.215	5.21	5.46	2.313	1 049
MS9772-353	4.960	4.990	125.98	126.75	0.205	0.215	5.21	5.46	2 370	1 075
MS9772-354	5.077	5.123	128.96	130.12	0.205	0.215	5.21	5.46	2 427	1 101
MS9772-355	5.202	5.248	132.13	133.30	0.205	0.215	5.21	5.46	2.484	1 127
MS9772-356	5.327	5.373	135.31	136.47	0.205	0.215	5.21	5.46	2 541	1 153
MS9772-357	5.452	5.498	138.48	139.65	0.205	0.215	5.21	5.46	2 598	1 178
MS9772-358	5.577	5.623	141.66	142.82	0.205	0.215	5.21	5.46	2 655	1 204
MS9772-359	5.702	5.748	144.83	146.00	0.205	0.215	5.21	5.46	2.712	1 230
MS9772-360	5.827	5.873	148.01	149.17	0.205	0.215	5.21	5.46	2 769	1 256
MS9772-361	5.952	5.998	151.18	152.35	0.205	0.215	5.21	5.46	2.827	1 282
MS9772-362	6.202	6.248	157.53	158.70	0.205	0.215	5.21	5.46	2 941	1 334
MS9772-363	6.452	6.498	163.88	165.05	0.205	0.215	5.21	5.46	3 055	1 386
MS9772-364	6.702	6.748	170.23	171.40	0.205	0.215	5.21	5.46	3 169	1 437
MS9772-365	6.952	6.998	176.58	177.75	0.205	0.215	5.21	5.46	3 284	1 490
MS9772-366	7.195	7.255	182.75	184.28	0.205	0.215	5.21	5.46	3 398	1 541
MS9772-367	7.445	7.505	189.10	190.63	0.205	0.215	5.21	5.46	3 512	1 593
MS9772-368	7.695	7.755	195.45	196.98	0.205	0.215	5.21	5.46	3 626	1 645

APPROVED 22 Dec 71 REVISED

Navy - AS
Air Force - 82

This standard has been approved by the Dept of the Air Force (III) and the Department of the Navy(AS) and is mandatory for use by that activity. All other military activities are required to apply this standard where suitable.

P A	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Air Force-II Other Cust Navy-AS	ASCC 17/27	PACKING, PREFORMED - AMS 3617 'O' RING	MS9772
PROCUREMENT SPECIFICATION NONE	SUPERSEDES		SHEET 5 OF 7

DD FORM 1 SEP 68 672-1 (Limited coordination)

EDITION OF 1 SEP 67 MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:25Z
Check the source to verify that this is the current version before use.

MS9772

FED. SUP CLASS

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9772-369	7.945	8.005	201.80	203.33	0.205	0.215	5.21	5.46	3 741	1 697
MS9772-370	8.195	8.255	208.15	209.68	0.205	0.215	5.21	5.46	3.855	1.749
MS9772-371	8.445	8.505	214.50	216.03	0.205	0.215	5.21	5.46	3 969	1 800
MS9772-372	8.695	8.755	220.85	222.38	0.205	0.215	5.21	5.46	4.083	1 852
MS9772-373	8.945	9.005	227.20	228.73	0.205	0.215	5.21	5.46	4 197	1 904
MS9772-374	9.195	9.255	233.55	235.08	0.205	0.215	5.21	5.46	4.312	1 956
MS9772-375	9.445	9.505	239.90	241.43	0.205	0.215	5.21	5.46	4 426	2 008
MS9772-376	9.695	9.755	246.25	247.78	0.205	0.215	5.21	5.46	4 541	2 060
MS9772-377	9.945	10.005	252.60	254.13	0.205	0.215	5.21	5.46	4 655	2.111
MS9772-378	10.445	10.505	265.30	266.83	0.205	0.215	5.21	5.46	4 883	2 215
MS9772-379	10.945	11.005	278.00	279.53	0.205	0.215	5.21	5.46	5 112	2.319
MS9772-380	11.445	11.505	290.70	292.23	0.205	0.215	5.21	5.46	5 340	2 422
MS9772-381	11.945	12.005	303.40	304.93	0.205	0.215	5.21	5.46	5.569	2 526
MS9772-382	12.945	13.005	328.80	330.33	0.205	0.215	5.21	5.46	6 026	2.733
MS9772-383	13.945	14.005	354.20	355.73	0.205	0.215	5.21	5.46	6 483	2.941
MS9772-384	14.945	15.005	379.60	381.13	0.205	0.215	5.21	5.46	6.940	3 148
MS9772-385	15.910	16.000	404.11	406.40	0.205	0.215	5.21	5.46	7.388	3.351
MS9772-386	16.910	17.000	429.51	431.80	0.205	0.215	5.21	5.46	7 845	3 558
MS9772-387	17.910	18.000	454.91	457.20	0.205	0.215	5.21	5.46	8 302	3.766
MS9772-388	18.910	19.000	480.31	482.60	0.205	0.215	5.21	5.46	8.759	3 973
MS9772-389	19.910	20.000	505.71	508.00	0.205	0.215	5.21	5.46	9 216	4.180
MS9772-390	20.910	21.000	531.11	533.40	0.205	0.215	5.21	5.46	9.673	4.388
MS9772-391	21.910	22.000	556.51	558.80	0.205	0.215	5.21	5.46	10 130	4.595
MS9772-392	22.880	23.000	581.2	584.2	0.205	0.215	5.21	5.46	10 580	4.799
MS9772-393	23.880	24.000	606.6	609.6	0.205	0.215	5.21	5.46	11.037	5.006
MS9772-394	24.880	25.000	632.0	635.0	0.205	0.215	5.21	5.46	11 494	5.214
MS9772-395	25.880	26.000	657.4	660.4	0.205	0.215	5.21	5.46	11.951	5.421
MS9772-425	4.460	4.490	113.28	114.05	0.269	0.281	6.83	7.14	3.722	1.688
MS9772-426	4.585	4.615	116.46	117.22	0.269	0.281	6.83	7.14	3 821	1.733
MS9772-427	4.710	4.740	119.63	120.40	0.269	0.281	6.83	7.14	3.919	1 778
MS9772-428	4.835	4.865	122.81	123.57	0.269	0.281	6.83	7.14	4.016	1 822
MS9772-429	4.960	4.990	125.98	126.75	0.269	0.281	6.83	7.14	4 114	1.866
MS9772-430	5.077	5.123	128.96	130.12	0.269	0.281	6.83	7.14	4 213	1 911
MS9772-431	5.202	5.248	132.13	133.30	0.269	0.281	6.83	7.14	4 310	1 955
MS9772-432	5.327	5.373	135.31	136.47	0.269	0.281	6.83	7.14	4.408	1.999
MS9772-433	5.452	5.498	138.48	139.65	0.269	0.281	6.83	7.14	4.506	2 044
MS9772-434	5.577	5.623	141.66	142.82	0.269	0.281	6.83	7.14	4 604	2.088
MS9772-435	5.702	5.748	144.83	146.00	0.269	0.281	6.83	7.14	4 702	2 133
MS9772-436	5.827	5.873	148.01	149.17	0.269	0.281	6.83	7.14	4 800	2 177
MS9772-437	5.952	5.998	151.18	152.35	0.269	0.281	6.83	7.14	4 898	2.222
MS9772-438	6.202	6.248	157.53	158.70	0.269	0.281	6.83	7.14	5.094	2.311
MS9772-439	6.452	6.498	163.88	165.05	0.269	0.281	6.83	7.14	5 290	2 400
MS9772-440	6.702	6.748	170.23	171.40	0.269	0.281	6.83	7.14	5.486	2 488
MS9772-441	6.952	6.998	176.58	177.75	0.269	0.281	6.83	7.14	5 682	2 577
MS9772-442	7.195	7.255	182.75	184.28	0.269	0.281	6.83	7.14	5.878	2 666
MS9772-443	7.445	7.505	189.10	190.63	0.269	0.281	6.83	7.14	6.074	2.755
MS9772-444	7.695	7.755	195.45	196.98	0.269	0.281	6.83	7.14	6 270	2 844
MS9772-445	7.945	8.005	201.80	203.33	0.269	0.281	6.83	7.14	6 465	2 932
MS9772-446	8.445	8.505	214.50	216.03	0.269	0.281	6.83	7.14	6.857	3.110
MS9772-447	8.945	9.005	227.20	228.73	0.269	0.281	6.83	7.14	7 249	3.288
MS9772-448	9.445	9.505	239.90	241.43	0.269	0.281	6.83	7.14	7 641	3 466

APPROVED 22 Dec 71 REVISED

Review activities
Navy - AS
Air Force - 82

Department of the Navy (AS) and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

P.A. Air Force - 11 Other Cust Navy - AS	INTERNATIONAL INTEREST ASCC 17/27	TITLE PACKING, PREFORMED - AMS 3617, 'O' RING	MILITARY STANDARD MS9772
PROCUREMENT SPECIFICATION	SUPERSEDES		SHEET 6 OF

DD FORM 1 SEP 61 672-1 (Limited coordination)

EDITION OF 1 SEP 57 MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:25Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5330

MS9772

PART NUMBER	ID IN		ID (mm)		T IN		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	Lb/100	kg/100
MS9772-449	9.945	10.005	252.50	254.13	0.269	0.281	6.83	7.14	8 033	3 644
MS9772-450	10.445	10.505	265.30	266.83	0.269	0.281	6.83	7.14	8 425	3 822
MS9772-451	10.945	11.005	278.03	279.53	0.269	0.281	6.83	7.14	8 817	3 999
MS9772-452	11.445	11.505	290.70	292.23	0.269	0.291	6.83	7.14	9 208	4 177
MS9772-453	11.945	12.005	303.40	304.93	0.269	0.281	6.83	7.14	9 600	4 354
MS9772-454	12.445	12.505	316.10	317.63	0.269	0.281	6.83	7.14	9 992	4 532
MS9772-455	12.945	13.005	328.80	330.33	0.269	0.281	6.83	7.14	10 384	4 710
MS9772-456	13.445	13.505	341.50	343.03	0.269	0.281	6.83	7.14	10 776	4 888
MS9772-457	13.945	14.005	354.20	355.73	0.269	0.281	6.83	7.14	11 168	5 066
MS9772-458	14.445	14.505	366.90	368.43	0.269	0.281	6.83	7.14	11 560	5 244
MS9772-459	14.945	15.005	379.60	381.13	0.269	0.281	6.83	7.14	11 952	5 421
MS9772-460	15.445	15.505	392.30	393.83	0.269	0.281	6.83	7.14	12 343	5 599
MS9772-461	15.910	16.000	404.11	406.40	0.269	0.281	6.83	7.14	12 720	5 770
MS9772-462	16.410	16.500	416.81	419.10	0.269	0.281	6.83	7.14	13 112	5 947
MS9772-463	16.910	17.000	429.51	431.80	0.269	0.281	6.83	7.14	13 503	6 125
MS9772-464	17.410	17.500	442.21	444.50	0.269	0.281	6.83	7.14	13 895	6 303
MS9772-465	17.910	18.000	454.91	457.20	0.269	0.281	6.83	7.14	14 287	6 480
MS9772-466	18.410	18.500	467.61	469.90	0.269	0.281	6.83	7.14	14 679	6 658
MS9772-467	18.910	19.000	480.31	482.60	0.269	0.281	6.83	7.14	15 071	6 836
MS9772-468	19.410	19.500	493.01	495.30	0.269	0.281	6.83	7.14	15 463	7 014
MS9772-469	19.910	20.000	505.71	508.00	0.269	0.281	6.83	7.14	15 855	7 192
MS9772-470	20.910	21.000	531.11	533.40	0.269	0.281	6.83	7.14	16 638	7 547
MS9772-471	21.910	22.000	556.51	558.80	0.269	0.281	6.83	7.14	17 422	7 902
MS9772-472	22.880	23.000	581.2	584.2	0.269	0.281	6.83	7.14	18 194	8 253
MS9772-473	23.880	24.000	606.6	609.6	0.269	0.281	6.83	7.14	18 977	8 608
MS9772-474	24.880	25.000	632.0	635.0	0.269	0.281	6.83	7.14	19.761	8 963
MS9772-475	25.880	26.000	657.4	660.4	0.269	0.281	6.83	7.14	20 545	9 319

1. MATERIAL POLYAMIDE AMS 3617
2. DIMENSIONS IN INCHES METRIC CONVERSIONS ARE IN PARENTHESES INTERNATIONAL SYSTEM UNITS (SI) SHOWN ARE FOR REFERENCE ONLY.
3. IDENTIFICATION AND PACKAGING PER AMS 2817 PACKING SHALL NOT BE COILED OR LOOPED
4. DIMENSIONAL INSPECTION PER AS871
5. DO NOT USE UNASSIGNED PART NUMBERS.

AS AND AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC. PUBLICATIONS
THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE MILITARY SERVICES BY THE SAE AEROSPACE PART STANDARDS DIVISION.

APPROVED 22 Dec 71 REVISED

P.A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Air Force - II Other Cust Navy - AS	ASCC 17/27	PACKING, PREFORMED - AMS 3617, 'O' RING	MS9772
PROCUREMENT SPECIFICATION NONE	SUPERSEDES		SHEET 7 OF

DD FORM 1 SEP 67 672-1 (Limited coordination) EDITION OF 1 SEP 67 MAY BE USED

Revised by Activities Navy - AS Air Force - 82

This standard has been approved by the Dept of the Air Force (II) and the Department of the Navy(AS) and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:25Z
Check the source to verify that this is the current version before use.