MILITARY SPECIFICATION SHEET

CONNECTOR SHIELD, ELECTRICAL

(COAXIAL, SERIES TWIN), TYPE UG-106/U

This specification is approved for use by all Departments and Agencies of the Department of Defense

The complete requirements for procuring the shield described herein shall consist of this document and the latest issue of Specification MIL-C-3655

INACTIVE FOR NEW DESIGN




FIGURE 1. Type UG-106/U electrical connector shield.

(B) denotes changes

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:43Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM	INCHES	MM
.003	.08	.188	4.78	.630	16.00
.008	.20	.345	8.76	.719	18.26
.020	.51	.359	9.12	.750	19.05
.047	1.19	.500	12.70	1.000	25.40
.125	3.18				

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).
4. Material shall be brass.

FIGURE 1. Type UG-106/U electrical connector shield - Continued.

REQUIREMENTS.

Dimensions and configuration See figure 1.

Gage test: Not required.

Marking: In accordance with MIL-C-3655.
Part number: M3655/11-0106.

Qualification: Not required.

(B) Intended use: Type M3655/11-0106 electrical connector is designed for use with radio-frequency connector M3655/2-0422.

Custodians
Army - CR
Navy - EC
Air Force - 85

Review activities.
Army - MI
Navy - OS
Air Force - 11, 17, 99
DLA - ES

User activities.
Army - AT
Navy - AS, MC, SH
Air Force - 19

Preparing activity
Army - CR

Agent
DLA - ES

(Project 5935-3086-10)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-C-3655/11B

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

HQ. USA CORADCOM
ATTN DRDCO-CM-DM
Fort Monmouth, NJ 07703

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:43Z
Check the source to verify that this is the current version before use.

FOLD

HQ. USA CORADCOM
ATTN. DRDCO-CM-DM
Fort Monmouth, NJ 07703

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID



HQ. USA CORADCOM
ATTN DRDCO-CM-DM
Fort Monmouth, NJ 07703

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:43Z
Check the source to verify that this is the current version before use.