[METRIC]

A-A-2792A
May 11, 1994
SUPERSEDING
A-A-2792
April 1, 1992

COMMERCIAL ITEM DESCRIPTION

CLIP, PAPER

The General Services Administration has authorized the use of this Commercial Item Description.

1. SCOPE: This commercial item description covers the clam type paper clips used for clipping paper. The clips shall be of the following Sizes, as specified.

Size 1 - Small; 20 sheet clipping capacity
Size 2 - Medium; 40 sheet clipping capacity
Size 3 - Large; 60 sheet clipping capacity

2. SALIENT CHARACTERISTICS:

A. Construction. Clips shall be of a CLAM CLIP design as illustrated in Fig. 1 on page 3, with dimensions specified in Table I. Clips shall be made of stainless steel and be capable of securing up to 20 sheets for Size 1, 40 sheets for Size 2, and 60 sheets for Size 3, of 75 g/m^2 (20-lb$_m$, 17" x 22" - 500 sheets) paper. Clips shall be reusable and shall be designed so that they can be fed automatically into position in the dispenser as the preceding clip is used. Clips shall fit the clip dispensers specified in Commercial Item Description A-A-2791A, CLIP SYSTEM, PAPER.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document, should be sent to: General Services Administration, Federal Supply Service, 26 Federal Plaza, New York N.Y. 10278 ATTN: Engineering Branch (2FYEE).

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:26Z
Check the source to verify that this is the current version before use.

B. Physical characteristics.

1). The clips shall pass through the dispenser without jamming, falling out or failing to feed smoothly when tested as specified in paragraph (3.D.1) herein.

2). The clip shall hold the paper securely, without the paper slipping out from the clip when tested as specified in paragraph (3.D.2) herein.

C. Workmanship. The clips shall be clean, have smooth face and edges. The clips shall be free of any defects which may constitute a hazard to the end user, affect its function or impair its serviceability.


TABLE I

Dimension	Measurements - mm (inches)			Tolerance mm (inches)
	Size 1 Small Clip	Size 2 Medium Clip	Size 3 Large Clip	
A	9 (0.35")	11 (0.43")	13.2 (0.52")	± 1 mm (0.04")
B	13 (0.51")	16 (0.63")	18 (0.71")	± 1 mm (0.04")
C	10 (0.39")	13 (0.51")	15 (0.59")	± 1 mm (0.04")
D	1.8 (0.07")	1.8 (0.07")	1.8 (0.07")	± 0.5 mm (0.02")
E	3 (0.12")	5 (0.20")	6.5 (0.25")	± 0.5 mm (0.02")


Source: https://assist.dla.mil -- Downloaded: 202610-26T08:26Z
Check the source to verify that this is the current version before use.

Fig. 1 (NOT DRAWN TO SCALE)


FRONT VIEW



TOP VIEW



SIDE VIEW



Source: https://assist.dla.mil -- Downloaded: 202610-26T08:26Z
Check the source to verify that this is the current version before use.

3. QUALITY ASSURANCE:

A. Responsibility for Inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

B. Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices.

C. Sampling. Samples shall be selected for inspection in accordance with MIL-STD-105, using the plans described in Table II. A lot shall consist of all items of the same type, as applicable, offered for delivery at one time. Random samples shall be drawn from each lot for the end item inspection.

TABLE II

Inspection Type	AQL (%) defective	Inspection Level	Sample Unit	Requirement Paragraph
Construction & Workmanship	4.0	S-2	one clip	2.A 2.C
Physical Characteristics	2.5	S-1	one clip	2.B

D. Testing.

1). Dispensing Test. A minimum of 20 clips for Type I dispenser and 16 clips for Type II dispenser shall be propelled through the dispenser.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:26Z
Check the source to verify that this is the current version before use.

2). Tightness Test. Insert a stack of forty (20) sheets for Size 1, (40) sheets for Size 2, and 60 sheets for Size 3, of 75 g/m^2 (20-lb, 17" x 22" - 500 sheets) paper into the appropriate size clip dispenser and apply a clip. Hold the clip by the edges and let the paper hang down in the vertical position for 5 seconds. Then, reuse the same clip on the five (5) sheets of paper and repeat the procedure.

4. REGULATORY REQUIREMENTS: The offeror/contractor is encouraged to use recovered materials in accordance with Paragraph 23.403 of the Federal Acquisition Regulation.

5. PACKAGING, PACKING, AND MARKING: Shall be as specified in the contract or purchase order.

6. REFERENCED DOCUMENTS: The issue of the referenced documents in effect on the date of the solicitation for offers or request for proposals shall be used to determine conformance with the requirements of this Commercial Item Description.

7. REFERENCED DOCUMENTS: The issue of the referenced documents in effect on the date of the solicitation for offers or request for proposals shall be used to determine conformance with the requirements of this Commercial Item Description.

A. Federal Regulations.

Federal Acquisition Regulation. Paragraph 23.403

Copies of the U.S. Code may be obtained through the Congressional Sales Office, U.S. Government Printing Office, Washington D.C. 20402.

B. Military Standard.

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes

Available from: Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, or as directed by the contracting officer.

C. Commercial Item Description: A-A-2791A CLIP SYSTEM, PAPER

Available from: GSA Business Service Centers and GSA Specification Unit (3FBP-W), 7th and D Streets S.W., Washington, D.C. 20407.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

Single copies of this document and other Federal Specifications, Federal Standards or Commercial Item Descriptions required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, MO., Fort Worth, Denver, San Francisco, Los Angeles, and Auburn, Washington.

8. NOTES: Purchasers shall specify the following in the contract or purchase order.

a). Title, number, and date of this commercial item description.
b). Quantity required.
c). Packaging, packing, and marking required.
d). Item Identifiers/Reference Part Number System (for cataloging use only)

AA2792 - 1 This example describes a small, 20 sheet clipping capacity clip.

Size 1 - Small; 20 sheet clipping capacity
Size 2 - Medium; 40 sheet clipping capacity
Size 3 - Large; 60 sheet clipping capacity

MILITARY INTERESTS:

DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice.

PREPARING ACTIVITY:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.