INCH-POUND

MIL-C-63342B (AR)
AMENDMENT 2
09 MARCH 1990
SUPERSEDING
AMENDMENT 1
14 December 1987

MILITARY SPECIFICATION

CHARGE, PROPELLING, 8 INCH, M188A1
LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-C-63342B (AR) dated 20 August 1987, and is approved for use within the US Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 3

3.4.2 Charge, propelling assembly weight. Add the following paragraph:

"3.4.2.1 Increment 8 loading assembly weight. The weight of the increment 8 loading assembly shall not differ by more than 0.8 oz from the amount specified in the loading authorization, plus the average weight of the empty increment. See 4.5.2."

* 4.4.1 Delete in its entirety and substitute the following:

"4.4.1 Inspection lot formation. Inspection lots shall comply with the lot formation provisions of MIL-A-48078. In addition, inspection lots of propelling charge assemblies shall contain:

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:40Z
Check the source to verify that this is the current version before use.

a. Propellant from not more than one lot number from one manufacturer.

b. Black powder from not more than two lot numbers with the same interfix number from one manufacturer (see 6.24).

c. Tubes from not more than one interfix number from one manufacturer."

PAGE 49

* 4.5.6.4 Safety phase test. Delete Table III in its entirety and substitute the following:

TABLE III. Safety phase first article inspection
(Semi-automated loading operation only)

Phase	No of Rds	Components Proj	Fuze	Charge	Pre-Firing Test Prop Chg	Pre-Firing Test Temp F	Temp of Firing Prop F(a)	Chamber Pressure PSI/100
1	10	M106	M577	M188A1	None	-	-50	Resultant
2	10	M106	M577	M188A1	None	-	+145	Resultant
3	20	M106	M577	M188A1	T-V	+145	+145	Resultant
4	20	M106	M577	M188A1	Hot cycle	+93 to +155	+145	Resultant
5	20	M106	M577	M188A1	T-V	-60	-50	Resultant
6	20	M106	M577	M188A1	Cold soak	-60	-50	Resultant
7	35	M106	M577	M188A1	Rough Handling	+145	+145	Resultant
8	35	M106	M577	M188A1	Rough Handling	-60	-50	Resultant
Total	170							

a. Propelling charge assembly temperature, remaining components fired at ambient temperature.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:40Z
Check the source to verify that this is the current version before use.

* Add paragraph 6.24 as follows:

"6.24 Lot formation. Allowance for two black powder lots is to facilitate LAP when a black powder lot is depleted and a new one is introduced."

NOTE: The margins of this amendment are marked with an asterisk or vertical line to indicated where changes (additions, modifications, corrects, deletions) from the previous amendment were made. This was done as a convenience only and the Government assume no liability whatsoever for any inaccurancies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1320 - AB92)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:40Z
Check the source to verify that this is the current version before use.