
MIL-C-81582/5A
[illegible] 1975
SUPERSEDING
MIL-C-81582/5(NAVY)
20 October 1969

MILITARY SPECIFICATION SHEET

CONNECTOR ADAPTER, RIGHT ANGLE, RFI SHIELDED, ELECTRIC
CONNECTOR TO ELECTRIC CONNECTOR

This specification is approved for use by all Departments and Agencies of the Department of Defense


The complete requirements for procuring the adapter described herein shall consist of this document and the latest issue of Specification MIL-C-81582



Shell size	A Dia. ±.005	B TP	C ±.005	D ± 015	E ±.015	F Thread	Superseded part
16	1 140	.4845	1.500	2.425	3.175	4-40 UNC-2B	M81582/05-01
18	1 250	531	1 500	2 425	3.175	4-40 UNC-2B	M81582/05-02
20	1 325	578	1.500	2.425	3 175	4-40 UNC-2B	M81582/05-03
22	1 500	625	1 812	2 517	3 420	4-40 UNC-2B	M81582/05-04
24	1.625	6875	1.812	2 517	3.420	6-32 UNC-2B	M81582/05-05
25	1 470	750	1 812	2 517	3 420	6-32 UNC-2B	M81582/05-06
61	1.505	718	1.812	2.517	3.420	4-40 UNC-2B	M81582/05-07

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.




DETAIL A

INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM
005	13	115	2 92	750	19 05	1 166	29 62	1 454	36 93
008	20	135	3 43	1 062	26 97	1 168	29 67	1 470	37.34
012	30	145	3 68	1 065	27 05	1 172	29 77	1 500	38 10
014	36	180	4 57	1 067	27 10	1 201	30 51	1 625	41 28
015	38	190	4 83	1 085	27 56	1 205	30 61	1.670	42 42
017	43	240	6 10	1 115	28 32	1 235	31 37	1 685	42 80
020	51	260	6 60	1 118	28 40	1 245	31 62	1 812	46 02
022	56	400	10 16	1 122	28 50	1 250	31 75	2 028	51 51
024	61	440	11 18	1 131	28 73	1 261	32 03	2 062	52 37
030	76	4845	12 31	1 134	28 80	1 264	32 11	2 425	61 60
035	89	531	13 49	1 140	28 96	1 312	33 32	2 517	63 93
075	1 91	578	14 68	1 153	29 29	1 325	33 66	3 175	80 65
085	2.16	625	15 88	1 155	29 34	1 450	36 83	3 420	86.87
100	2 54	6875	17 46	1 163	29 54				

NOTES
1 All dimensions are in inches
2 All dimensions are after plating
3 RFI sealing gasket supplied for this surface
4 Flange sizes M81582/05-01 thru -05 accepts MIL-C-81511 connector receptacles
5 Radius for removable retainer ring Diameter over ring, 1 198/1 194
6 MS16995-9 or MS16995-16 screws supplied for mounting connector
7 See MIL-C-81582 6, /7, /8 for assembly

Example of part number



Custodians
Army - EL
Navy - AS
Air Force - 80

Review activities
Army - MU
Navy - EC
Air Force - 11, 15, 80
DSA - ES

User activity
Navy - SH

Preparing activity
Navy - AS

Agent
DSA - ES

(Project 5935-1953-5)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Lakehurst, NJ 08733

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316



Engineering Specifications and Standards Department (Code 93)
Naval Air Engineering Center
Lakehurst, NJ 08733

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL	OMB Approval No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO (If "Yes", in what way?)

4 REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)	TELEPHONE NO

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.