
MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, CAPS, PROTECTIVE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the protective caps described herein shall consist of this document and the latest issue of Specification MIL-C-81582.



FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM
.002	.05	.225	5.71
.003	.08	.600	15.24
.004	.10	.730	18.54
.010	.25	1.382	35.10
.015	.38	1.388	35.25
.094	2.39	1.511	38.38
.125	3.18	1.600	40.64
.140	3.56	5.00	127.00
.215	5.46		

NOTES:
1. Dimensions are in inches and after plating.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Three grooves located 120° apart and held within .004 true position (TP). Groove diameter 1.478 minimum. Groove width .094 minimum.
4. Fastener-rivet terminal must be free to turn after riveting and chain shall move freely on protective cap after assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Fluid immersion: Gasket shall be immersed in JP-5 fuel for 5 minutes, wiped dry, and allowed to stand for 1 hour. The gasket shall show no deterioration nor fail to provide a seal between the connector and cap when mated.

Chain material: Passivated stainless steel and shall be within one link of length specified.

Temperature range: -55° to +95°C.

Gasket material: Silicone elastomer. The sealing gasket shall be bonded to cap body.

Marking: See figure.
Part number: As shown in following example:

M81582/09 - 1 with chain
- 2 without chain
Basic part number

NOTES:

1. The caps are used to protect connectors covered by MIL-C-81582/1.
2. This specification sheet to be used in lieu of BuWeps Drawing 66A5A26, dated 21 April 1972.
3. This specification sheet covers shell size 22 only.

Custodians:
Navy - AS
Army - EL

Review activities:
Navy - EC
Army - MU
DSA - ES

User activity:
Navy - SH

Preparing activity:
Navy - AS

Agent:
DSA - ES

(Project 5935-2007-1)

☆U S GOVERNMENT PRINTING OFFICE· 1976-603-766/4804

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Air Engineering Center
Attn: Code 9393 ESSD
Lakehusrt, NJ 08733

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:45Z
Check the source to verify that this is the current version before use.