MIL-H-53062(ME)
AMENDMENT 2
6 March 1987
MIL-H-53062
AMENDMENT 1
12 December 1986

MILITARY SPECIFICATION

HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, COLLAPSIBLE 6 INCH

FOR POL SERVICE

This amendment forms a part of MIL-H-53062(ME), dated 12 February 1986, and is approved for use within the USA Belvoir Research, Development, and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 2.1.1, under SPECIFICATIONS, MILITARY, delete MIL-E-52798 in its entirety.

* Under STANDARDS, MILITARY add:

"FED-STD-595 - Colors."

PAGE 3

* 3.1, delete in its entirety and substitute:

"3.1 Description. Unless otherwise specified (see 6.2), the hose assembly shall consist of one 500-foot section of hose. Each hose shall be fitted with grooved end adapters on each end, and a grooved end coupling on one end. Fifty percent of the hose (1 of every 2) shall be furnished with a swivel joint."

PAGE 5

* 3.4.2.2, delete last sentence in its entirety and substitute: "Color shall approximate 30277 of FED-STD-595, and shall be nonreflective."

* 3.5.1, line 3, delete from "The color . . .", until the end of the paragraph. Add the following: "Each hose shall be marked with a longitudinal black stripe not less than 0.125 inch high and extending the full length of the hose. The hose shall be labeled "POL only" at intervals no greater than every 30 feet. The label may be within the longitudinal stripe provided the stripe is not less than 0.20-inch greater than the letter height and the label is in contrasting color to the stripe. The label may substitute for the longitudinal stripe, provided it is continuous, extends the full length of the hose in a straight line, and is

AMSC N/A FSC 4720
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:56Z
Check the source to verify that this is the current version before use.

black in color, so as to give the effect of a color lay line. Stripe and lettering shall remain clear and legible for the life of the hose. Handling, bending, water, oil, or environmental effects shall not adversely affect the markings. Continuous branding shall be acceptable."

PAGE 5

3.5.2, line 5, delete "corrosion-resisting" and insert "carbon steel". Line 6, delete sentence "Use of continuous . . ." in its entirety and substitute, "Hose bands/clamps shall be non-reflective."

PAGE 6

* 3.5.5.1, line 2, delete "6000" and add "600".

PAGE 7

* 3.8, line 3, delete "sand matte as defined in MIL-T-704." and add "hose cover."

PAGE 8

4.4.1.1, line 2, delete "AQL 2.5 percent" and substitute "AQL 1.0 percent".

4.4.1.2.2, line 2, delete "2.5 percent" and substitute "1.0 percent".

4.4.1.2.3, line 2, delete "4.0 percent" and substitute "1.0 percent".

PAGE 11

4.5.2.5, line 5, delete "fuel D" and "fuel B".

PAGE 12

4.5.2.5, lines 1 and 3, delete "6000 " and add "600".

4.5.2.4.4, lines 2 and 4, delete "4.5.2.2.2" and add "4.5.2.4.3".

4.5.2.4.5, lines 2 and 4, delete "4.5.2.2.2" and add "4.5.2.4.3".

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:56Z
Check the source to verify that this is the current version before use.

Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - ME

Preparing activity:
Army - ME

Project 4720-A016

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:56Z
Check the source to verify that this is the current version before use.