INCH-POUND

MIL-L-81561/4(AS)
01 June 1994

MILITARY SPECIFICATION SHEET

LIFE PRESERVER, INFLATABLE, AIRCREWMEN, HEAT SEALED,
WITHOUT INFLATION DEVICE, TYPE LPU-23C/P

This specification is approved for use by the Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specification and Standards (DODISS) specified in the solicitation: MIL-L-81561

APPLICABLE DOCUMENTS:

SPECIFICATIONS

MILITARY

MIL-I-23145	-	Inflation Assemblies, Life Preserver
MIL-C-25369	-	Cylinders, Carbon Dioxide, for Inflation of Pneumatic Life Preservers
MIL-H-85478	-	Handle, Beaded, Inflation Assembly

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the DODSSP-Customer Service, Standardization Documents Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094).

REQUIREMENTS:

Design and construction. The design and construction of the heat sealed life preservers shall be in accordance with the following drawings. The life preservers shall not contain inflation devices.

NAVAL AIR SYSTEMS COMMAND

1106AS111	-	Tag, Warning, Inflatable Life Preservers and Life Rafts
1957AS100	-	Index for LPU-21D/P and LPU-23C/P Life Preservers

AMSC N/A FSC 4220
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:42Z
Check the source to verify that this is the current version before use.

NAVAL AIR SYSTEMS COMMAND (Continued)

1957AS101	-	Folding Procedure
1957AS103	-	Life Preserver Assembly, Type LPU-23C/P
1957AS104	-	Casing Assembly
1957AS105	-	Main Panel Subassembly
1957AS106	-	Back Panel Subassembly
1957AS107	-	Casing Details, Types LPU-21D/P and LPU-23C/P Life Preservers
1957AS108	-	Cover, Locking Pin
1957AS109	-	Floatation Assembly, Types LPU-21D/P and LPU-23/P Life Preservers
1957AS110	-	Bladder Assembly, Flotation, Types LPU-21D/P and LPU-23C/P Life Preservers
1957AS111	-	Bladder Assemblies, Flotation, Types LPU-21D/P and LPU-23C/P Life Preservers
1957AS112	-	Cover, Protective
1957AS113	-	Snap Hook Strap Subassembly
1957AS114	-	Baffle Assembly
1957AS115	-	Identification Patch, Types LPU-21D/P and LPU-23C/P Life Preservers
1957AS116	-	Patch, Inspection Record, Inflatable Life Preservers and Life Rafts
1957AS117	-	Pocket, Protective, Types LPU-21D/P and LPU-23C/P Life Preservers
1957AS190	-	Flotation Bladder Pattern
1957AS191	-	Casing Patterns, Types LPU-21D/P and LPU-23C/P Life Preservers

Buoyancy. When inspected as specified in MIL-L-81561, the life preserver shall support a 60 pound steel weight.

Weight. When inspected as specified in MIL-L-81561, the weight of the life preserver shall not be greater than 4.0 pounds.

EXAMINATION AND TESTS:

Operations testing. Operations testing of the life preservers shall be performed in an unpacked condition only. An inflation assembly conforming to MIL-I-23145, Type II, Style 3; carbon dioxide cylinders conforming to MIL-C-25369, Type III; and a beaded handle assembly conforming to MIL-H-85478 shall be installed on each compartment for this test.

Qualification inspection. Operations testing in a packed condition shall not be performed.

First article inspection. Operations testing in a packed condition shall not be performed.

Quality conformance inspection. Operations testing in a packed condition shall not be performed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:42Z
Check the source to verify that this is the current version before use.

NOTES:

Intended use. The LPU-23C/P life preserver is intended for use as emergency and life support equipment by personnel in ejection seat type aircraft forced down at sea.

Preparing activity:
Navy - AS

(Project: 4220-N398)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:42Z
Check the source to verify that this is the current version before use.