MILITARY SPECIFICATION

TOAST, FRENCH, POWDER
(FOR ORAL LIQUID FEEDING)

This specification is approved for use by the Natick Research and Development Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers French toast powder for oral liquid feeding. This product is one component of a meal that, when consumed with other components in three meals or supplementary nourishments, provides a nutritionally adequate, orally consumed diet.

2. APPLICABLE DOCUMENTS

2.1 Government documents. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this document to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-L-1497	- Labeling of Metal Cans for Subsistence Items
MIL-P-44151	- Packaging and Meal Assembly of Powder (For Oral Liquid Feeding)

Beneficial comments (recommendations, additions, deletions) and any pertinent data that may be of use in improving this document should be addressed to U.S. Army Natick Research and Development Center, Natick, MA 01760-5014, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 8940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes

(Copies of documents required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

OTHER GOVERNMENT DOCUMENTS

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder (21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

Grade A Pasteurized Milk Ordinance

(Application for copies should be addressed to the Department of Health and Human Services, U.S. Public Health Service, Food and Drug Administration, Milk Safety Branch, Code HFF-346, 200 C Street S.W., Washington, DC 20204.)

U.S. DEPARTMENT OF AGRICULTURE (USDA)

U.S. Standards for Grades of Maple Sirup

(Application for copies should be addressed to the Chief, Processed Products Branch, Fruit and Vegetable Division, Agricultural Marketing Service (AMS), U.S. Department of Agriculture, Washington, D.C. 20250).

Regulations Governing the Inspection of Eggs and Egg Products (7 CFR Part 59)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

Dairy Plants Surveyed and Approved for USDA Grading Service

(Application for copies should be addressed to the Dairy Standardization Section, Dairy Division, Room 2750-So., Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

ENVIRONMENTAL PROTECTION AGENCY (EPA)

National Interim Primary Drinking Water Regulations

(Application for copies should be addressed to the Office of Drinking Water, WH550, Environmental Protection Agency, Washington, DC 20460.)

2.2 Other publications. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this document to the extent specified herein.

NATIONAL ACADEMY OF SCIENCE

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, Washington, DC 20418.)

ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

THE UNITED STATES PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP) and the National Formulary (NF)

(Application for copies should be addressed to the United States Pharmacopeial Convention, Inc., 12601 Twinbrook Parkway, Rockville, MD 20852.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of precedence. In the event of conflict between the text of this document and the references cited herein, the text of this document shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article. When specified, a sample shall be subjected to first article inspection (see 4.3, 6.2, and 6.3).

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent and insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Milk. Milk shall be Grade A pasteurized, homogenized milk that complies with requirements of the Grade A Pasteurized Milk Ordinance of the U.S. Public Health Service and 21 CFR 131.110. The milk shall have a clean, pleasing flavor, but may have the following flavors to a slight degree: cooked (as appropriate for the pasteurization process), feed, or flat. It shall be free from all other objectionable flavors.

3.2.2 Eggs, whole. Whole eggs may be liquid or frozen. They shall be processed in accordance with the Regulations Governing the Inspection of Eggs and Egg Products (7 CFR Part 59). The whole eggs shall be egg yolks and egg whites in their natural proportions as broken directly from the shell as evidenced by a USDA Egg Products Inspection Certificate. The whole eggs shall contain no additives and shall be in satisfactory condition, free of objectionable odors, such as musty, sour, or fruity, and free from foreign material. Liquid egg products shall be held at a temperature of 40°F or lower and shall not be held for more than 72 hours from the time of pasteurization until the start of formulation of the eggs into product. Frozen whole eggs shall be held at 0°F or lower and used within 120 days. Previously frozen egg products shall be thawed and held at a temperature of 40°F or lower and shall be held for not more than 24 hours prior to use in product.

3.2.3 Bread crumbs, dry. Bread crumbs shall be made from fresh, white bread only. They shall be coarse ground, free flowing, and shall be free from burnt, rancid moldy odor or flavor.

3.2.4 Sugar, granulated. Sugar shall be clean, refined sucrose, granulated cane or beet, or a combination of both.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

3.2.5 Corn oil. Refined corn oil shall be clear and brilliant when held at 70°F to 80°F and shall have a light viscosity. The corn oil shall have a bland flavor and odor, be free from beany, rancid, painty, musty, soapy, fishy, metallic, putrid, and other undesirable odors and flavors. Heavy metal scavengers, antifoaming agents, and antioxidants may be added to improve the keeping quality and use performance of the oil provided that the levels of use are in accordance with edible oil products provisions of the Federal Food, Drug, and Cosmetic Act regulations.

3.2.6 Maple syrup, imitation. The syrup shall be made from not less than 3 7/8 pounds of sugar dissolved in one quart of boiling water and a flavoring characteristic of the flavor of maple. The imitation maple flavoring and coloring ingredients shall be stable products of such quality that the syrup shall not have a bitter, flat, weak, or medicinal flavor. The color of the syrup shall be not lighter than light amber nor darker than medium amber as specified by the color standards for maple syrup in the U.S. Standards for Grades of Maple Sirup. A comparable commercially produced product may be substituted.

3.2.7 Salt. Salt shall be iodized, clear white, refined sodium chloride, with or without anticaking agents.

3.2.8 Cinnamon, ground. Ground cinnamon shall be derived from the dried bark of cultivated varieties of cinnamon tree. The powder shall not be fortified and it shall have a volatile oil content of not less than 1.25 percent.

3.2.9 Vanillin. Vanillin shall be a white powder with a characteristic vanillin odor. It shall be the purity specified in the Food Chemicals Codex.

3.2.10 Methylcellulose. Methylcellulose shall be a white, free-flowing powder with no off odors and flavors. It shall have a viscosity of 4,000 centipoises in a 2 percent aqueous solution as measured at a temperature of 68°F by a Ubbelohde tube for viscosity measurements. The viscosity shall be certified by a certificate of conformance provided by the manufacturer. Methylcellulose shall comply with the requirements of the Food Chemicals Codex.

3.2.11 Water. Water for formulation and washing shall comply with the National Interim Primary Drinking Water Regulations.

3.3 Preparation and processing.

3.3.1 Product formulation. The formula for French toast powder for oral liquid feeding shall be as follows:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

Ingredients	Percent by weight
Water	28.793
Milk, whole, pasteurized	28.50
Eggs, whole	21.50
Bread crumbs	9.80
Sugar, granulated	2.60
Oil, corn	1.60
Maple, imitation	0.70
Salt	0.10
Cinnamon	0.10
Vanillin	0.007
Methylcellulose	0.30
Water, hot (176°-194°F) for methylcellulose	3.00
Water, cold (40°-50°F) for methylcellulose	3.00

3.3.1.1 Amount of water. The proportion of water is specified for cooking the product and dispersing the methylcellulose. The amounts may be increased or decreased to facilitate cooking, making dispersions, pumping or changing the viscosity before freeze dehydration.

3.3.2 Cooking. The water, milk, eggs, bread crumbs, sugar, oil, imitation maple syrup, salt, cinnamon, and vanillin shall be combined in a kettle and heated slowly to 180°F with constant mixing. The product shall be held at 180°F for 10 minutes. The heat shall be turned off and the mixture cooled rapidly to 120°F. Methylcellulose shall be prepared for addition by mixing with hot water (176°-194°F) until all particles are wetted and a smooth paste is obtained. The cold water (40°-50°F) shall be added and agitation continued until a smooth slurry is obtained. The methylcellulose slurry shall be combined with the other ingredients and stirred until the mixture is smooth. The mixture shall be frozen to 0°F or below within 12 hours after cooking is completed.

3.3.3 Freezing. The product shall be portioned onto freeze dryer trays immediately after cooling and shall be frozen to 0°F or below within 12 hours after cooking is completed. The product shall be freeze dehydrated within 48 hours after being frozen.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

3.3.4 Freeze dehydration. The product shall be freeze dehydrated at an absolute pressure not to exceed 1.5 millimeters of mercury. The product temperature, as indicated by a suitable instrument, shall be no more than 130°F, and the platen temperature shall be 135°F. After dehydration has been completed, the pressure shall be equalized to atmospheric level with nitrogen, and the product shall be pulverized. During the interim, the product shall be adequately protected from oxygen and moisture by being held either under a nitrogen atmosphere of 2.0 percent oxygen or less or under a vacuum of at least 27.0 inches of mercury for the entire period. If a vacuum is used, it shall be broken with nitrogen. The nitrogen shall comply with U.S. Pharmacopeia grade as specified in the United States Pharmacopeia.

3.3.5 Pulverization. After freeze dehydration, the product shall be pulverized through a U.S. Standard No. 10 screen (0.0787 inch).

3.3.6 Packaging. After pulverization, the product shall be packaged without delay in pouches as specified in MIL-P-44151. In no case shall more than 16 hours elapse from the time the freeze dehydration chamber is opened to the time the product is completely packaged, and at no time shall more than 3 hours elapse from the time the product is pulverized to the time it is completely packaged.

3.4 Finished product requirements.

3.4.1 Dehydrated, pulverized product. The dehydrated product shall comply with the following requirements:

a. The product shall contain no foreign or extraneous material.

b. The product shall be free from caking and hard lumps.

c. The product shall leave no particles remaining when passed through a U.S. Standard No. 10 sieve.

d. The moisture content shall not exceed 2.0 percent (see 4.5.1).

e. The aerobic plate count shall be not greater than 75,000 per gram in four of five samples and not greater than 150,000 per gram in any sample (see 4.5.2).

f. The Escherichia coli count shall be less than 3 per gram (no positives in the standard 3 tube MPN technique) in four of five samples and not greater than 20 per gram in any sample (see 4.5.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

g. The sample average net weight of the lot shall be not less than 45.0 grams of product.

h. The individual pouches shall contain not more than 50.0 grams nor less than 40.0 grams.

3.4.2 Rehydrated product. Rehydration of the dehydrated powder for oral liquid feeding shall be accomplished by mixing each pouch (45 grams) with 1 cup (8 ounces) of hot water in a high-speed food blender for 30 seconds. For a pureed diet, only 1/2 cup (4 ounces) of liquid should be used. The rehydrated product shall comply with the following requirements:

a. After rehydration for oral liquid feeding, no more than 0.5 gram of product shall remain when the product has passed through a U.S. Standard No. 40 sieve.

b. The rehydrated product shall have the flavor and odor characteristic of French toast with maple syrup.

c. The rehydrated product shall have a light tan color.

d. For oral liquid feeding, the rehydrated product shall have a consistency that allows it to be easily sipped through a straw. For a pureed diet, the viscosity shall be semisolid so as to be edible with a spoon.

3.4.3 Palatability. The rehydrated product shall be equal to or better than the approved preproduction sample in palatability and overall appearance (see 4.3, 6.2, and 6.3).

3.5 Plant qualifications. The product shall be prepared, processed, and packaged in establishments meeting the requirements of Title 21, Code of Federal Regulations, Part 110, "Current Good Manufacturing Practice in Manufacturing, Processing, Packaging, or Holding of Human Foods," and the plant sanitation requirements of the appropriate Government inspection agency.

3.6 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this document. The contractor shall ensure product compliance prior to submitting the product to the USDA for any inspection.

4.1.1 Inspection and certification. Product acceptability shall be determined by the USDA. The USDA will determine the degree of supervision necessary to assure compliance with the requirements of this document.

4.2 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).
b. Quality conformance inspection (see 4.4).

4.3. First article inspection. When a first article is required (see 6.2), it shall be inspected in accordance with the quality assurance provisions of MIL-P-44151 and this document and shall be evaluated for overall appearance and palatability. Any failure to conform to the required quality assurance provisions or any appearance or palatability failure shall be cause for rejection of the first article.

4.4 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall comply with MIL-STD-105. The finished product shall comply with the quality assurance provisions of MIL-P-44151 and this document.

4.4.1 Component and material examination. In accordance with 4.1, examination of components and materials shall comply with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase documents.

4.4.1.1 Ingredient and component examination. Conformance of ingredients and components to identity, condition, and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer, or compliance shall be evident by examination of pertinent labels, markings, U.S. Grade certificates, certificates of analyses, or other such supplier-furnished valid documents acceptable to the inspection agency. In addition, prior to use, each ingredient shall be examined organoleptically, as necessary, to determine conformance to the condition requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

4.4.1.2 Filled and sealed pouch examination. Inspection of filled and sealed pouches shall be in accordance with the quality assurance provisions of MIL-P-44151.

4.4.2 In-process examination. In-process examination shall be performed to determine conformance to preparation and processing requirements in 3.3. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.4.3 Net weight examination. The net weight of the filled and sealed pouch shall be determined by weighing each sample on a suitable scale tared with a representative empty pouch. Results shall be reported to the nearest 0.1 gram. Any individual net weight of less than 40.0 grams or more than 50.0 grams shall be scored as a minor defect. The lot size shall be expressed in pouches. The sample unit shall be one filled and sealed pouch. The inspection level shall be S-3, and the acceptable quality level (AQL) shall be 2.5, expressed in terms of percent defective. In addition, the lot shall be rejected if the sample average net weight is less than 45.0 grams.

4.4.4 Finished product examination. The finished product shall be inspected for the defects listed in table I. The lot size shall be expressed in pouches. The sample unit shall be the contents of one filled and sealed pouch. The inspection level shall be S-3, and the AQL shall be 1.5, expressed in terms of defects per hundred units.

TABLE I. Product characteristics 1/ 2/

Category	Defect
Major	Applicable to dehydrated product
101	Product is not free from caking and hard lumps.
102	Presence of particles remain on a U.S. Standard No. 10 sieve. 3/

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

TABLE I. Product characteristics - Continued

Category	Defect
Major	Applicable to rehydrated product 4/
103	More than 0.5 gram of product does not pass through a U.S. Standard No. 40 sieve. 5/
104	The rehydrated product does not have flavor or odor normal for French toast with maple syrup.
105	The rehydrated product is not light tan in color.
106	The viscosity is not acceptable for appropriate use of the product.

1/ The presence of any foreign material (e.g., glass, dirt, insect parts, hair, wood, metal, etc.), foreign odor or flavor (e.g., burnt, scorched, moldy, rancid, sour, stale, etc.), or foreign color shall be cause for the rejection of the whole lot.

2/ Product not equal to or better than the approved preproduction sample (see 6.2) in palatability or overall appearance shall be cause for rejection of the lot. (This comparison shall be performed only when deemed necessary by a USDA inspection agent.)

3/ The powder shall be poured onto a U.S. Standard No. 10 sieve, and compressed air shall be blown through the product. The presence of visible particles remaining on the sieve surface shall be considered a defect.

4/ Rehydration of the dehydrated powder for oral liquid feeding shall be accomplished by mixing each pouch (45 grams) with 1 cup (8 ounces) of hot water in a high-speed blender for 30 seconds. For a pureed diet, use 1/2 cup (4 ounces) of liquid.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

TABLE I. Product characteristics - Continued

5/ Particle size determination shall be made on the sample(s) after rehydration for oral liquid feeding (use a different sample for organoleptic examination). The rehydrated product shall be poured onto a U.S. Standard No. 40 screen. The product shall be washed for 1 1/2 minutes with water at a temperature of 96° to 100°F that is running at a flow of 90 to 100 mL/sec through 1/2-inch tubing (interior dimension). The sieve shall be allowed to drain for two minutes, then excess water may be wiped from bottom and sides of the sieve. The remaining solids shall be blown from the sieve with compressed air onto a tared weighing paper (see 3.4.2).

4.4.5 Packaging . Packaging shall be in accordance with the applicable requirements of MIL-P-44151.

4.5 Product testing. The dehydrated powder shall be tested for moisture content as specified in 4.5.1 and for microbiological requirements as specified in 4.5.2.

4.5.1 Moisture content testing. The product shall be tested for moisture content in accordance with the Moisture in Dried Fruits Method (vacuum drying) in the Fruit and Fruit Product Chapter in the Official Methods of Analysis of the Association of Official Analytical Chemists (AOAC) with the exception that the product shall be dried for 16 hours. The results shall be reported to the nearest 0.1 percent. Any result not conforming to the requirement in 3.4.1 shall be considered a defect. The lot size shall be expressed in pouches. The sample unit shall be one filled and sealed laminated pouch. The inspection level shall be S-2 and the AQL shall be 1.5, expressed in terms of percent defective.

4.5.2 Microbiological testing. Five filled and sealed pouches of the product shall be selected at random from the lot regardless of lot size. The contents of each sample pouch shall be microbiologically tested, as applicable, in accordance with the Microbiological Methods Chapter of the Official Methods of Analysis of the AOAC using the section on Examination of Frozen, Chilled, Precooked, or Prepared Foods-Official First Action. The diluent shall be added to each sample of dry product and allowed to stand for 15 minutes before the blending of that sample. Continue as directed by AOAC. Any test failure shall be cause for rejection of the lot. Any of the following results shall be considered a test failure:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

a. Any of the five samples has an aerobic plate count greater than 150,000 per gram.

b. Two of the five samples have an aerobic plate count greater than 75,000 per gram.

c. Any of the five samples has a confirmed E. coli count of greater than 20 per gram.

d. Two of the five samples have a confirmed E. coli count equal to or greater than 3 per gram.

5. PACKAGING

5.1 Packaging. Packaging shall comply with the applicable requirements of MIL-P-44151.

5.2 Labeling and marking.

5.2.1 Pouches. The pouches shall be labeled as follows and examined for compliance in accordance with MIL-P-44151.

a. TOAST, FRENCH, POWDER (FOR ORAL LIQUID FEEDING)

b. MENU NO. 1 (BREAKFAST)

c. List of ingredients in accordance with the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

d. Mixing instructions, as follows:
"Empty contents of pouch into a high-speed food blender.
Add 1 cup (8 ounces) hot water.
Blend for 30 seconds.
(For a pureed diet, use 1/2 cup (4 ounces) of liquid.)"

e. The net weight, as follows: "45 grams net."

f. Contractor's name and address.

g. USDA inspection marking (as required).

h. Date markings in accordance with MIL-L-1497.

i. Code.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. This product is intended to be used by patients requiring an oral liquid or pureed diet (e.g., those with maxillofacial injuries, wired jaws, oral surgery, dental disease, or swallowing difficulties).

6.2 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. When a first article is required (see 3.1, 4.3, and 6.3).
c. Provisions for preproduction samples (see 3.4.3 and 6.3).

6.3 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209. The first article should be a preproduction sample. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

Custodian:

Army - GL

Review activities:

Army - MD, TS
DP - SS

Preparing activity:

Army - GL

Project No. 8940-A488

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY
US Army Natick Research and Development Center
Natick, Massachusetts 01760

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300
STRNC-ES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development Center
ATTN: STRNC-ES
Natick, MA 01760

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-T-44184(GL)	Toast, French, Powder (For Oral Liquid Feeding)

3a. NAME OF SUBMITTING ORGANIZATION

b. ADDRESS *(Street, City, State, ZIP Code)*

4. TYPE OF ORGANIZATION *(Mark one)*

- ☐ VENDOR
- ☐ USER
- ☐ MANUFACTURER
- ☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK OR 1 Apr 84

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:26Z
Check the source to verify that this is the current version before use.