MILITARY SPECIFICATION

HEATERS, SPACE: MULTIFUEL, WITH BLOWER,

60,000 BTU/HR

This amendment forms a part of Military Specification MIL-H-11511G, dated 17 July 1980 and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, under SPECIFICATIONS, MILITARY, for MIL-B-7883, delete "Nickle" and substitute "Nickel".

PAGE 3

* 2.1, under STANDARDS, MILITARY, delete:

"MIL-STD-1188 = Commercial Packaging of Supplies and Equipment."

PAGE 4

2.2, under Other publications, delete:

"SOUTHERN CALIFORNIA - Air Pollution Control District

Rule 102 - Photochemically Reactive Solvents.

(Application for copies should be addressed to the Southern California Air Pollution Control District, 434 S. San Pedro Street, Los Angles, CA 90013.)"

and substitute:

"SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Rule 442 - Usage of Solvents.

(Application for copies should be addressed to the South Coast Air Quality Management District, 9150 Flair Drive, El Monte, CA 91731.)"

FSC 4520

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:17Z
Check the source to verify that this is the currentversion before use.

PAGE 5

* 2.2, add:

"AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 3951 - Standard Practice for Commercial Packaging.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103)."

PAGE 6

3.5, add new sentence:

"Materials selected shall not emit noxious or toxic fumes when heated to 50° F above the high temperature shut-off temperature (see 3.13.2.1)."

PAGE 9

3.11.3, lines 8 and 9, delete:

"The exhaust end of the heat exchanger shall heater housing not less than 1-1/4 inches."

and substitute:

"The exhaust end of the heat exchanger shall be fitted with a 2-inch IPS threaded nipple which shall extend through the heater housing not less than 1-1/4 inches."

3.12.1, line 4, delete:

"fitted with a 2-inch IPS threaded nipple which shall be extended through the ...."

PAGE 12

3.18, line 5, delete "65 MHz." and substitute "65 MHz (see 6.6)."

PAGE 14

3.25, line 2, delete: "in all type clothing", and substitute: "in all types of clothing".

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:17Z
Check the source to verify that this is the current version before use.

PAGE 15

3.27.5, line 11, delete: "subsituted" and substitute: "substituted".

PAGE 21

4.6.2.1.1, line 7, delete "therometer" and substitute "thermometer".

* 4.6.2.1.4, delete in its entirety and substitute.

"4.6.2.1.4 Temperatures. Temperatures shall be measured by appropriately located glass thermometers or thermocouples and potentiometers. All instruments for measuring air temperatures shall have a calibrated accuracy within 1° F and shall have scale divisions of 1° F or finer. All instruments for measuring flue gas temperatures shall have a calibrated accuracy within 10° F and shall have scale divisions of 10° F or finer."

PAGE 24

4.6.2.3.2, line 37, delete "DA-4" and substitute "DF-A".

PAGE 25

4.6.2.4.3, line 3, delete: "to the fuel".

PAGE 28

4.6.2.12, lines 1 thru 7, delete lines 1 through 7 and substitute:

"4.6.2.12 Individual performance. The individual performance test shall be conducted in any ambient temperature between 50° F and 80° F to verify that all controls are functioning properly and that the heater has been properly adjusted and is operating efficiently. Conduct the control tests specified in 4.6.2.4. Operate the heater using diesel fuel (DF-2) at zero static pressure until all adjustments have been completed and operation has been stable for not less than 5 minutes. After this period, continue to operate the heater under the same conditions for an additional period of not less than 15 minutes, during which time record not less than the following:"

PAGES 31 and 32

4.8.2.3, delete entire paragraph and table IV and substitute:

"4.8.2.3 Examination. Samples selected in accordance with 4.8.2.2 shall be examined for the defects listed herein. AQL shall be 2.5 percent defective.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:17Z
Check the source to verify that this is the current version before use.

130. Materials, methods, and containers not as specified for level A or B. Each incorrect material, method, or container shall constitute one defect.
131. Heater not completely drained of fuel as specified for level A or commercial.
132. Components not immobilized within the box as specified for level A.
133. Cover plates and deflector hood not wrapped and the wrap secured as specified for level A.
* 134. Remote fuel pump not preserved as specified for level A.
* 135. Tools, repair parts, and technical publications not preserved in accordance with referenced document as specified for level A.
136. Box not closed and sealed as specified for level A.
137. Preservation and packing not in accordance with the referenced document as specified for commercial.
138. Packing not as specified for level A or B.
139. Strapping not as specified for level A.
140. Marking missing, illegible, incorrect or incomplete for level A, B, or commercial."

PAGE 32

5.1, line 5, delete: "preparation for delivery", and substitute: "packaging".

PAGE 33

* 5.2.2, line e, delete "MIL-STD-1188" and substitute "ASTM D3951".

PAGE 34

* 5.3.3, line 2, delete "MIL-STD-1188" and substitute "ASTM D 3951".

* 5.4.2, line 2, delete "MIL-STD-1188" and substitute "ASTM D 3951".

Add new sentence "In addition, weight and cube data shall be marked on the shipping container."

PAGE 35

6.5, line 4, delete: "package".

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:17Z
Check the source to verify that this is the current version before use.

Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army - ME
Air Force - 99

Review activities:
Air Force - 84
DLA - CS

User activity:
Army - MI
Navy - MC

Preparing activity:
Army - ME

Project 4520-0298

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:17Z
Check the source to verify that this is the current version before use.