DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. TITLE	2. IDENTIFICATION NUMBER
Fragment Impact Test Data	DI-SAFT-81133

3. DESCRIPTION / PURPOSE

3.1 This data comprises the test and inspection conditions and results of the fragment impact test. It is used to evaluate the response of a test item being pelted by metallic particles.

4. APPROVAL DATE (YYMMDD)	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
910308	OS		

7. APPLICATION / INTERRELATIONSHIP

7.1 This Data Item Description (DID) contains the format and content preparation instructions for data generated by the fragment impact test of MIL-STD-2105.

7.2 The following DID is used in conjunction with this DID and applies only if Listed on the DD Form 1423 incorporated into the contract:

DI-SAFT-81126 Photographic Requirements

8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b AMSC NUMBER
		N6033

10. PREPARATION INSTRUCTIONS

10.1 Format. The fragment impact test data shall be formatted in accordance with figures 1, 2 and 3.

10.2 Content. The fragment impact test data shall include the information of figures 1, 2 and 3 and the following:

a. Location and identification of the post-test remains depicted on figure 2.
b. Description, location (linear and angular distance from original test position), dimensions and weight of the post-test remains tabulated onto figure 3.

11. DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:43Z
Check the source to verify that this is the current version before use.

DI-SAFT-81133

FRAGMENT IMPACT TEST
DATA SHEET

Item Tested: _____

Lot # _____ S/N _____

Ambient Conditions: _____

Test Facility: _____ Date: _____

Test Item Description: _____

Fragment Projector Description: _____

Test Setup (attach sketch): _____

_____

Test Results

Narrative Description: _____

_____

Explosive reaction level: _____

Post Test Description

Number and location of impact fragments: _____ Impact Velocity: _____

* Airblast overpressure _____ psi at _____ ft, time to peak _____ msec

_____ psi at _____ ft, time to peak _____ msec

_____ psi at _____ ft, time to peak _____ msec

* Airblast overpressure data shall be supplied if there is an explosive reaction.

Witness Plate Description: _____


Test Engineer: _____

Signature: _____

FIGURE 1. Fragment impact test data sheet.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:43Z
Check the source to verify that this is the current version before use.

POST TEST REMAINS MAP



NOTE: Identify shotline and test item orientation. Identify each fragment numerically (see figure 3).

FIGURE 2. Post-test remains map.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:43Z
Check the source to verify that this is the current version before use.

POST TEST REMAINS TABULATION

FRAGMENT NUMBER	DISTANCE	WEIGHT	ANGLE	DESCRIPTION

FIGURE 3. Post-test remains tabulation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:43Z
Check the source to verify that this is the current version before use.