W-C-421f
INTERIM AMENDMENT-3
April 13, 1966
SUPERSEDING
Interim Amendment-2
July 8, 1965

FEDERAL SPECIFICATION

CLEANER, VACUUM, (ELECTRIC, PORTABLE)

This Interim Amendment was developed by the Standardization Division, Federal Supply Service, General Services Administration, Washington, D.C., 20406, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above. The General Services Administration has authorized Federal agencies to use this Interim Amendment as a valid exception to Federal Specification W-C-421f, dated July 25, 1963.

PAGE 1

Paragraph 1.1.1- Delete and substitute:

"1.1.1 Federal specification coverage. Federal specifications do not include all varieties of the commodity as indicated by the title of the specification, or which are commercially available, but are intended to cover only those generally used by the Federal Government."

Paragraph 1.2.1, line 5- Delete the words "in the invitation to bid, contract or order."

Under Type I, Class B, Size 1: Delete "3/4" and substitute "5/8."

Paragraph 1.2.1- Under "Class D.-Household.", delete the text and substitute "Canister construction."

PAGE 2

Paragraph 1.2.1- Following "Size 3" under "Class F," add the following:

"Class G.- Floor model, upright.
1/2 horsepower (min.)."

Paragraph 2- Delete the section title and substitute "APPLICABLE DOCUMENTS."

Paragraph 2.1- Delete the paragraph title and text and substitute "The following documents of the issues in effect on date of invitation for bids, or request for proposal, form a part of the specification to the extent specified herein."

Paragraph 2.1 under "Federal Specifications" delete the following:

"PPP-B-585 - Boxes, Wood, Wirebound.
PPP-B-591 - Boxes; Fiberboard, Wood-Cleated.
PPP-B-601 - Boxes, Wood, Cleated Plywood.
PPP-B-621 - Boxes, Wood, Nailed and Lock Corner.
PPP-B-636 - Box, Fiber."

and add the following:

"PPP-P-600 - Porcelain Enamel Products and Household Appliances, Electrical and Mechanical - Requirements for Packing."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:2
Check the source to verify that this is the current version before

Paragraph 2.1 under "Federal Standards" delete the following:

"Fed. Std. No. 102 - Preservation, Packaging, and Packing Levels."

Paragraph 2.1 under "Military Specifications" delete the following:

"JAN-P-100 - Packaging and Packing for Overseas Shipment, General Specification.
MIL-C-104 - Crates, Wood, Lumber and Plywood Sheathed, Nailed and Bolted.
MIL-C-132 - Crates, Open, Wood, Maximum Capacity 2500 pounds.
MIL-L-10547 - Liners, Case, Waterproof.
MIL-I-11748 - Interference Reduction for Electrical and Electronic Equipment.
MIL-I-26600 - Interference Control Requirements Aeronautical Equipment."

and add the following:

"MIL-E-55301 - Electromagnetic Compatibility."

Paragraph 2.2- Under "Military Standards" add the following:

"MIL-STD-826- Electronic Interference Test Requirements and Test Methods."

PAGE 3

Paragraph 2.2- Delete the paragraph text and substitute "The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issues in effect on date of invitation for bids or request for proposal shall apply."

Paragraph 2.2: Add the following:

"American Standards Association Standard:
ASA-C50.4 - Direct Current Generators, Direct Current Motors, and Direct Current Commutating Machines in General.

(Copies may be obtained from the American Standards Association, 10 East 40th Street, New York, New York, 10016.)

Paragraph 3.2.1, line 1- Delete the word "bidder" and substitute "contractor."

Paragraph 3.2.2, line 2- Delete the word "bidder" and substitute "contractor."

Paragraph 3.4.1, lines 2 and 3- Delete the words "class B, size 2, and."

Paragraph 3.4.1, line 10- Delete "and D" and substitute "D, and G."

Paragraph 3.4.1, line 11- Delete and substitute "terms of volts and amperes."

PAGE 4

Paragraph 3.7.2- Last sentence, delete the words "Model 2"

Paragraph 3.7.3, line 10- Delete "and/or when specified" and substitute "and when specified (see 6.1)"

Paragraph 3.9- Delete the first sentence and substitute "Except as specified herein, direct current motors shall conform to ASA Standard C50.4, as applicable."

Paragraph 3.9, lines 19 and 26- Delete the words "invitation for bids" and "invitation to bid," respectively, and substitute "contract."

Paragraph 3.9- Delete the last sentence and substitute: "When specified (see 6.1), an explosion proof motor, explosion proof starter or switch, and an explosion proof overload device shall be furnished.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

PAGE 5

Paragraph 3.10- Delete.

Paragraph 3.10.1- Delete and substitute:
"3.10 Radio interference reduction. When specified (see 6.1), vacuum cleaners shall be equipped for radio interference reduction in accordance with MIL-E-55301, MIL-STD-826, or MIL-I-16910, as applicable."

Paragraph 3.11- Delete the last sentence and substitute;
"When specified (see 6.1), an explosion proof motor, explosion proof starter or switch, and an explosion proof overload device shall be furnished."

PAGES 6 AND 7

Table I- In line for type I, class B, size 1, style 1; in column 5, delete "3/4" and substitute "5/8"; in column 7, delete "9,000" and substitute "8,000"; in column 14, delete "22" and substitute "16"; in column 15, delete "1.6" and substitute "1.2"; in column 16, delete "33" and substitute "24"; in column 17, delete "2.5" and substitute "1.8"; in column 19, delete "37" and substitute "25"; in column 20, delete "190" and substitute "75"; and in column 21, delete "690" and substitute "1450".

In line for type I, class D; in column 6, delete "18,000" and substitute "20,000."

In line for type II, class B, size 2; in column 7, delete "SV or SVT" and substitute "SV, SVT, or SJ."

Following type II, class D add a new vacuum cleaner as follows:

In column 2 add "G"; in column 5 add "400/600"; in column 6 add "8600"; in column 7 add "SV, SVT, or SJT"; in column 8 add "18"; in column 12 add "35"; across columns 13, 14, 15, and 16 add "Suction- Fig. 1 at the box, 1 inch orifice"; in column 13 add "8"; in column 17 add "11"; in column 18 add "5 ft. 8 inches"; in column 19 add "26"; in column 20 add "900"; and in column 21 add "45".

PAGE 8

Paragraph 3.14, lines 1 and 2- Delete the words "classes A and B" and substitute "classes A, B, and G".

Paragraph 3.14- Delete the last sentence and substitute "Type II, class A and class B, size 1 cleaners shall be provided with interior throw-away dust bags."

Paragraph 3.15.1, lines 4 and 5- Delete the words "and D" and substitute "D, and G."

Paragraph 3.15.2- Delete and substitute:

"3.15.2 Bare floor tool. Bare floor tools shall comply with the requirements in table III. Except where the tool is an integral part of the cleaner, the tool shall be so constructed that when the floor handle is held stationary the tool head may be rotated at least 175 degrees about the swivel coupling on the floor handle."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

PAGE 9

Table III, second section:

In title of table, delete "A and B" and substitute "A, B, and G."

In column 1, following "carpet tool," add "combination floor tool 5/" and dimensions same as for the carpet tool.

Add the following footnote;
"5/ See 3.15.7.

In column 1, adjacent to the word "Hose," add a footnote indicator "6/".

Add the following footnote:
"6/ For the type II, class G cleaner the length of the hose shall be not less than 68 inches (relaxed length) and not less than 140 inches (stretched length)."

PAGE 10

Paragraph 3.15.3- Delete and substitute:

"3.15.3 Carpet tool. Carpet tools shall comply with the requirements in table III. Except where the tool is an integral part of the cleaner, the tool shall be so constructed that when the floor handle is held stationary the tool head may be rotated at least 175 degrees about the swivel coupling on the floor handle.

Add a new paragraph as follows:

"3.15.7 Combination floor tool. The comination floor tool shall be for use with type I, class D cleaners. The tool shall clean carpets or bare floors and shall be readily convertible from one use to the other. The tool shall be so constructed that when the floor handle is held stationary the tool head may be rotated at least 175 degrees about the swivel coupling on the floor handle."

Paragraph 3.16.1.1- Delete the second sentence and substitute "Style 1 machines shall be reversible as specified in 3.16.2."

Paragraph 3.16.1.1, lines 7 and 8- Delete the words "in the invitation to bid, contract, or order."

Paragraph 3.16.1.2- Delete and substitute:

"3.16.1.2 Class D. Type I, class D vacuum cleaners shall clean by suction only. The cleaners shall be self-contained canister construction. The cleaners shall use throw-away paper bag dirt receptacles. Unless otherwise specified (see 6.1), each cleaner shall be provided with not less than 12 paper bag receptacles."

PAGE 14

Figure 6- Delete "Model 1. - Horizontal cylinder" including the figure. Delete the words "Model 2. - Vertical canister."

Paragraph 3.16.1.2.1- Delete.

Paragraph 3.16.3.1- In fourth line, delete "government" and substitute "Government".

Paragraph 3.16.3.3- Delete the second sentence and substitute:

"Unless otherwise specified (see 6.1), type I, style 2 and type II, class F cleaners shall be provided with either arrangement 1 or arrangement 2 mounting."

PAGE 15

Paragraph 3.16.6- Delete the first sentence and substitute:

"The dirt shall be retained in a suitable receptacle which can be readily emptied and cleaned except in class D cleaners (see 3.16.1.2)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

PAGE 16

Paragraph 3.16.8- In second sentence, delete the words "in the invitation for bids".

Paragraph 3.16.8.7- Delete the second sentence and substitute:

"For type I, class D vacuum cleaners, the hose may have a swivel joint at the machine end or attach directly to the cleaner and shall have suitable means for applying attachments at the other end."

Paragraph 3.16.9- Delete and substitute:

"3.16.9 Attachment list. When attachments are specified for type I cleaners (see 3.16.8), they shall be furnished in accordance with the following list unless otherwise specified (see 6.1)."

In list of attachments for type I, class D cleaners, following "1 bare floor tool," insert "1 combination floor tool".

PAGE 17

Paragraph 3.17- Delete and substitute:

"3.17 Type II vacuum cleaners, exposed filter. Unless otherwise specified (see 6.1), the handle of classes A, B, and G cleaners shall be adjustable to an approximately horizontal position. The overall height of the cleaner housing shall not exceed 7 inches for class A and class B, size 1 cleaners nor 8 inches for class B, size 2 and class G cleaners. The dust bags for type II cleaners shall consist of an outer container and an inner throw-away paper bag except that the inner throw-away bag shall not be required for class B, size 2, class F and class G cleaners."

PAGE 18

Add a new paragraph as follows:

"3.17.1.6 Class G. The type II, class G shall clean by combined suction and a power driven agitator installed in the nozzle. The cleaner shall be an upright type similar in appearance to figure 9. The nozzle height shall be adjustable. The cleaner shall be suitable for continuous heavy duty commercial use."

PAGE 19

Add a new paragraph as follows:

"3.17.2. Class G. Each type II, class G vacuum cleaner shall be mounted as specified in 3.17.2. The cleaner shall be equipped with a metal handle. The motor switch shall be installed in the handle within easy reach of the operator. Means shall be provided on the vacuum producer housing for attaching the hose."

Paragraph 3.17.4, lines 1 and 2- Delete "B and D" and substitute "B, D, and G".

Paragraph 3.17.4- Delete the last sentence.

Paragraph 3.17.4.1- Delete the last two sentences.

PAGE 20

Paragraph 3.17.5.1, line 5- Delete and substitute "for class B, size 2 and classes F and G".

Paragraph 3.17.5.2, line 7- Delete "for class F" and substitute "for classes F and G,".

Paragraph 3.17.5.3, line 6- Delete "for class F" and substitute "for classes F and G,".

Paragraph 3.17.6- Delete the paragraph text and substitute "Type II, classes A, B, F, and G vacuum cleaners shall be furnished with or without attachments as specified (see 6.1)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

Paragraph 3.17.6.1, lines 2 and 3- Delete "classes A and B" and substitute "classes A, B, and G".

Paragraph 3.17.6.3, line 3- Delete the word "test" and substitute "requirement".

Paragraph 3.17.6.4- Delete the first sentence and substitute "For type II, classes A, B, and G cleaners, the hose shall have suitable means at one end for attaching to the cleaner and suitable means at the other end for applying attachments."

Paragraph 3.17 Delete and substitute:

"3.17.7 Attachment list. When attachments are specified for type II, classes A, B, F, and G cleaners (see 3.17.6), they shall be furnished in accordance with the following list unless otherwise specified (see 6.1)."

PAGE 21

Following the attachment list for type II, class F, add the following list:

"Type II, class G:

1 Hose.
1 Extension tube.
1 Floor brush.
1 Dusting brush.
1 Upholstery tool.
1 Crevice tool.
1 Converter (adapter)"

Paragraph 4.2.1, line 2- Delete "supplier" and substitute "contractor".

PAGE 21

Paragraph 4.2.2.1, lines 10 and 11- Delete the words "type, class, and size" and substitute "type, class, size, and style".

PAGE 22

Paragraph 4.2.2.3- In second column of table, delete "L4" and substitute "S-2".

Paragraph 4.3.2, line 5- Delete "L8" and substitute "S-4".

Paragraph 4.3.4- Delete and substitute:

"4.3.4 Radio interference reduction tests. Tests for radio interference reduction shall be conducted in accordance with MIL-E-55301, MIL-STD-826, or MIL-I-16910, as applicable (see 3.10)."

Paragraph 4.3.5, line 12- Delete "L4" and substitute "S-2".

PAGE 23

Paragraph 4.4.1, line 3- Delete "and/or" and substitute "or".

Paragraph 4.4.1, line 5- Following the word purchaser, insert "(see 6.1)".

PAGE 27

Paragraph 4.5, line 5- Following the word "specified," insert "(see 6.1)".

Paragraph 4.5- Delete the third sentence and substitute "at the end of the continuous run periods, the observable temperature rise of motor windings shall not exceed the temperatures specified in CC-M-636 or CC-M-641, as applicable."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

Paragraph 4.5- Delete the last sentence.

Paragraph 4.5.1- Delete.

Paragraph 4.6.3- Delete the first sentence and substitute "Unless otherwise specified (see 6.1), one of each type, class, size, and style of vacuum cleaner equipped for radio interference reduction in accordance with 3.10 shall be tested in accordance with 4.3.4."

PAGE 28

Paragraph 4.10.2, line 1- Delete "and D" and substitute "D, and G."

Paragraphs 4.13 and 4.13.1- Delete.

Paragraph 5- Delete the note under the section title.

Paragraph 5.1.1, line 1- Delete the words "Unless otherwise specified."

PAGES 28 AND 29

Paragraph 5.2, 5.2.1, 5.2.2 and 5.2.3- Delete and substitute:

"5.2 Packing. Packing shall be level A, B, or C as specified (see 6.1).

5.2.1 Level A. Vacuum cleaners shall be packed in accordance with the applicable requirements of PPP-P-600.

5.2.2 Level B. Vacuum cleaners shall be packed in accordance with the applicable requirements of PPP-P-600.

5.2.3 Level C. Vacuum cleaners preserved and packaged in accordance with 5.1 shall be packed in a manner to insure carrier acceptance and safe delivery at destination. Containers shall be in accordance with the rules and regulations of carrier as applicable to the mode of transportation."

PAGE 29

Paragraph 5.3.1, line 2- Following the word "order", insert " (see 6.1) ".

PAGES 29 AND 30

Paragraph 6.1-

Add new sub-paragraphs as follows:
"(u) When the wet method dirt separation is required (see 3.7.1).
(v) Size of motor if different from 3.9.1.
(w) When tanks of other than metal are required (see 3.17.2.6).
(x) Attachments required if different from 3.17.7.
(y) Current required for operating tests (see 4.4.1).
(z) Ambient temperature if different from 4.5.
(aa) Level of packing required (see 5.2)."

Sub-paragraph (f): Delete and substitute; "(f) When explosion proof components are required (see 3.9 and 3.11)."

Sub-paragraph (g): Delete.
Sub-paragraph (h): Delete and substitute:
"(h) When vacuum cleaners shall be equipped for reduction of radio interference and if so equipped whether reduction of radio interference shall be in accordance with MIL-E-55301, MIL-STD-826, or MIL-I-16910 (see 3.10)."

Sub-paragraph (m): Delete and substitute:
"(m) Number of paper bag receptacles to be provided if different from 3.16.1.2."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

Sub-paragraph (n): Delete.

Sub-paragraph (o): Delete and substitute:
"(o) Mounting arrangement if different from (3.16.3.3)."

Sub-paragraph (s): Delete and substitute:
"(s) Level of preservation and packaging required (see 5.1)."

Sub-paragraph (t): Delete and substitute:
"(t) Special marking when required (see 5.3.1 and 5.3.2)."

PAGE 31

Add a new paragraph as follows:

"6.9 Civil agency procurement. When level B packaging is specified for civil agency procurement the requirements in 5.1.1 shall apply."

Delete the "Notice."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.