MILITARY SPECIFICATION

WARHEAD, 2.75 INCH ROCKET, PRACTICE WTU-1/B

This specification is approved for use by all Departments and agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the quality assurance provisions and special requirements not covered by the drawings for this type of warhead to be used in the assembly of the 2.75 Inch Rocket practice round.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids, or request for proposals, form a part of this specification to the extent specified here in.

SPECIFICATIONS

MILITARY

MIL-A-48078	Ammunition, Standard Quality Assurance Provisions, General Specification for

DRAWINGS

PICATINNY ARSENAL

8837835	Pallet for Projectiles and Projectile Metal Parts
9284011	Warhead, 2.75 Inch Rocket, Practice, WTU-1/B

FSC : 1340

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Materials and parts shall be in accordance with applicable drawings and specifications.

3.2 Metal Parts. The metal parts shall be free from material defects, including all surface imperfections and all internal defects resulting from flaws or lack of soundness in the material, or resulting from improper processing of' the material into the finished component.

3.2.1 Surface Imperfections. Surface imperfections, include pits, seams, laps, tears, cracks, scale, blisters, cold shuts and other defects of similar type.

3.2.2 Internal Surface Defects. Internal defects include laminations, segregations, internal cracks, inclusions and other defects of similar type.

3.3 Weight. The total weight of the practice warhead shall be 9.3 ± 0.25 pounds.

3.4 First Article Inspection. This specification makes provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the contract.

3.5 Workmanship. All parts shall be fabricated and finished in a thorough, workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, metal shavings, dirt, grease, rust, corrosion products and other foreign matter. The cleaning method used shall not be injurious to any part, nor shall the parts be contaminated by the cleaning agent. All required markings shall be neat and sharply defined. Known item defects shall not be submitted with the lot.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection and Standard Quality Assurance Provisions. Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 (PA) shall apply and hereby made a part of this detail specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

4.2 Classification of Inspections. The following types of inspection shall be conducted on this item,

a. First Article Inspection

b. Quality Conformance Inspection

4.3 First Article Inspection

4.3.1 Submission. The contractor shall submit a first article sample as designated by the Contracting Officer for evaluation in accordance with provisions of 4.3.2. The first article sample shall consist of the following items in sample quantities as indicated.

Part Description	Drawings	Quantity
Warhead, 2.75 Inch Rocket Practice WTU-1/B	9284011	5

4.3.2 Inspections to be Performed. The First Article parts submitted in accordance with paragraph 4.3.1 will be subjected by the Government to any or all the requirements of the applicable drawings and to the inspections of Table I. All inspections listed in Table I shall be classified Major unless otherwise specified.

4.3.3 Rejection. See MIL-A-48078 (PA).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

TABLE I - FIRST ARTICLE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
	Warhead, 2.75 Inch Rocket, Practice, WTU-1/B				SEE BELOW
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Warhead, 2.75 Inch Rocket, Practice, WTU-1/B, Dwg. 9284011 Examination for Defects	5	---	3.1	4.4.2.1

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T19:22Z
Check the source to verify that this is the current version before use.

4.4 Quality Conformance Inspection

4.4.1 Inspection Lot Formation. Inspection lots shall comply with the lot formation provisions of MIL-A-48078 (PA).

4.4.2 Examination. See MIL-A-48078 (PA).

a. Sampling Plans. Unless otherwise specified in the Classification of Defects and Test Tables, sampling plans for Major and Minor Defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-W-48347 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 2		DRAWING NUMBER 9284011
4.4.2.1	Warhead, 2.75 Inch Rocket, Practice, WTU-1/B				NEXT HIGHER ASSEMBLY ----
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major A					
101	Pitch diameter of Acme Thread		0.40%	3.1	Gage
102	Major diameter of Acme Thread		0.40%	3.1	Gage
103	Location of center of gravity of warhead		0.40%	3.1	Gage
104	Diameter of bourrelet after paint, max.		0.40%	3.1	Gage
Major B					
131	Runout of warhead O.D. aft of Acme Thread with O.D. forward of bourrelet		0.40%	3.1	Gage
132	Diameter of base at rear of Acme Threads		0.40%	3.1	Gage
133	True position of base at rear of threads with Acme Threads		0.40%	3.1	Gage
134	Motor body seat not perpendicular to O.D. forward of bourrelet		0.40%	3.1	Gage
135	Length from motor housing seat to rear of base		0.40%	3.1	Gage

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 2 OF 2		DRAWING NUMBER 9284011
4.4.2.1	Warhead, 2.75 Inch Rocket Practice, WTU-1/B				NEXT HIGHER ASSEMBLY ------
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Major B					
136	Runout of diameter of bourrelet with O.D. forward of bourrelet		0.40%	3.1	Gage
137	Weight of warhead		0.40%	3.3	Gage
Minor					
201	Location of fuze wrench slots		0.65%	3.1	Gage
202	Width across fuze wrench slots		0.65%	3.1	Gage
203	Width of fuze wrench slots		0.65%	3.1	Gage
204	Overall length of warhead		0.65%	3.1	Gage
205	Warhead diameter		0.65%	3.1	Gage
206	Runout of simulated fuze O.D. to outside diameter of warhead		0.65%	3.1	Gage
207	Metal defective		0.65%	3.2	Visual
208	Evidence of poor workmanship		0.65%	3.5	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. None defined.

4.4.4 Inspection Equipment. The inspection equipment required to perform the examinations and tests prescribed herein is described in the "Paragraph Reference/Inspection Method" column in the tables starting with paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 (PA).

4.5 Test Methods and Procedures

None defined.

5. PREPARATION FOR DELIVERY

5.1 Packaging, Level C. Package in accordance with Picatinny Arsenal dwg. no. 8837835.

5.2 Packing and Marking. Packing and marking shall be in accordance with Picatinny Arsenal dwg. no. 8837835.

6. NOTES

6.1 Intended Use. The warhead covered by this specification is intended for use on the 2.75 Inch Rocket System.

6.2 Ordering Data. See MIL-A-48078 (PA).

6.3 Submission of Designs for Approval. See 6.2.3 of MIL-A-48078. Submit equipment designs, as required to:

Commander
Picatinny Arsenal
ATTN: SARPA-QA-A-R
Dover, New Jersey 07801

6.4 Definitions.

6.4.1 Contractor. Unless otherwise specified, the word "contractor" used throughout. this specification, shall mean any supplier or producer of items or material to the Government. This shall include commercial contractors, sub-contractors, Government-Owned, Contractor-Operated, (GOCO) and Government-Owned, Government-Operated (GOGO) plants.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1340-A424.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

FOLD

Department of the Army
Headquarters, Picatinny Arsenal
Dover, New Jersey 07801

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314



Commander
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:22Z
Check the source to verify that this is the current version before use.