INCH-POUND

MIL-P-60412C (AR)
15 February 1991
SUPERSEDING
MIL-P-60412B (PA)
20 December 1976

MILITARY SPECIFICATION

PACKAGING, PACKING AND MARKING FOR SHIPMENT OF ARTILLERY TYPE AND ROCKET FUZES: GENERAL SPECIFICATION FOR

This specification is approved for use by the US Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers general packaging, packing and marking instructions for shipment of artillery type and rocket fuzes (see 6.1).

1.2 Classification. The packaging, packing, marking and palletizing shall be of the following levels: (see 6.6).

Level A:

- Packaging
- Packing
- Marking
- Palletization

Level B:

- Packaging
- Packing
- Marking

Level C:

- Packaging
- Packing
- Marking
- Palletization

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, U.S. Army ARDEC, ATTN: SMCAR-BAC-S, Picatinny Arsenal, New Jersey 07806-5000 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8140

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards and handbooks. The following specifications, standards and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

SPECIFICATIONS

FEDERAL

NN-P-71	- Pallet, Material, Handling, Wood, Stringer Construction, 2-way and 4-way (partial)
QQ-S-781	- Strapping, Steel and Seals

MILITARY

MIL-P-15011	- Pallet, Material, Handling, Wood, Post Construction, 4-way Entry
MIL-A-48078	- Ammunition, Standard Quality Assurance Provisions, General Specification for
MIL-A-70625	- Auto Material Acceptance Inspection Equipment for Non-Electronic Components, Design, Testing and Approval for

STANDARDS

MILITARY

MIL-STD-1169	- Packaging, Packing and Marking for Shipment of Inert Ammunition Components

(Unless otherwise indicated, copies of federal and military specifications, standards and handbooks are available from Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.1.2 Other Government documents, drawings and publications. The following other Government documents, drawings and publications form a part of this specification to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

DRAWINGS (See 6.3)

U.S. ARMY ARMAMENT, RESEARCH, DEVELOPMENT AND ENGINEERING CENTER (ARDEC)

8861213	- Box, Wirebound, Packing Ammunition for Artillery or Rocket Fuzes
8864492	- Box, Ammo Metal, For Artillery Type and Rocket Fuzes
8886458	- Box, Pallet Type, Wirebound, Packing, Ammunition for Artillery Type and Rocket Fuzes (within M2A1 Box)
9214704	- Box, Wirebound, Packing for Artillery Type or Rocket Fuzes
9214705	- Carton, Packing, Ammunition, for Artillery Type and Rocket Fuzes
9215019	- Box, Wirebound, Packing Ammunition for Fuze Rocket, M423 and M427
9215020	- Carton, Packing, Ammunition for Fuze, Rocket, M423 and M427
9216394	- Box, Ammo, Metal, for Fuze, CP, M78A1 and Booster, M25
9246386	- Inspection Equipment for Measuring Leakage of Metal Ammunition Containers
9247276	- Box, Wirebound, Packing, Ammunition for Fuze, PD, 567
9247277	- Carton, Packing, Ammunition, for Fuze, PD, M567
9259253	- Box, Ammunition, Metal, for Proximity Fuze, M732
9272193	- Packing and Marking for Box, Fiberboard, Inner, for Fuze, PD, M935
9272194	- Packing and Marking for Box, Fiberboard, Outer, for Fuze, PD, M935
9328329	- Tube
9381686	- Packing and Marking of Container, M548 For Fuze, M935

(Copies of other Government documents, drawings, and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM-D644 - Moisture Content of Paper and Paperboard by Oven Drying, Standard Test Method for

(Application for copies of ASTM publications should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.)

2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence. Nothing in this specification, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Material. Materials and parts shall be in accordance with applicable drawings and specifications.

3.2 Packaging, packing and marking. The lot of fuzes shall meet the packaging, packing and marking requirements of the level specified in Table I.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

TABLE I. Packaging of fuzes

FUZE DESIGNATION	LEVEL A (Overseas Shipment) PACKAGING DRAWING NUMBER	LEVEL A (Overseas Shipment) PACKING DRAWING NUMBER	LEVEL B (Long Term Shipment) PACKAGING DRAWING NUMBER	LEVEL B (Long Term Shipment) PACKING DRAWING NUMBER	LEVEL C (Interplant Shipment) PACKAGING DWG NO. SPEC NO.	LEVEL C (Interplant Shipment) PACKING DWG NO. SPEC NO.
Fuze, PD, M48A3	F8864492 sh 1,2,3	C8861213 sh 1,2	F8864492 sh 1,2,3	C8886458 sh 1,2	C9214705	C9214704
Fuze, PD, M51A5	"	"	"	"	"	"
Fuze, PD, M81A1	"	"	"	"	"	"
Fuze, PD, T212E6	"	"	"	"	"	"
Fuze, PD, M508A1	"	"	"	"	"	"
Fuze, PD, M519	"	"	"	"	Level B	Level B
Fuze, PD, M524 M524A5 M524A6	"	"	"	"	C9214705	C9214704
Fuze, PD, M526 M526A1 M526A2E1	"	"	"	"	"	"
Fuze, PD, M535	"	"	"	"	"	"
Fuze, PD, M557	F8864492 sh 1,2,3,4	"	Level A	Level A	Level A	Level A
Fuze, PD, M567	F8864492 sh 1,2,4	"	"	"	C9247277	C9247276
Fuze, PD, M935	N/A	9381686	"	"	C9272193	C9272194

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

TABLE I. Packaging of fuzes (cont'd)

FUZE DESIGNATION	LEVEL A (Overseas Shipment) PACKAGING DRAWING NUMBER	LEVEL A (Overseas Shipment) PACKING DRAWING NUMBER	LEVEL B (Long Term Shipment) PACKAGING DRAWING NUMBER	LEVEL B (Long Term Shipment) PACKING DRAWING NUMBER	LEVEL C (Interplant Shipment) PACKAGING DWG NO. SPEC NO.	LEVEL C (Interplant Shipment) PACKING DWG NO. SPEC NO.
Fuze, PD, M936	N/A	9381686	Level A	Level A	N/A	N/A
Fuze, PD, M572	F8864492 sh 1,2,3	C8861213 sh 1,2	"	Level A	Level A	Level A
Fuze, PD, XM716	"	"	F8864492 sh 1,2,3	C8886458 sh 1,2	Level B	Level B
Fuze, PD, M739 M739A1	F8864492 sh 1,2,3,4	"	Level A	"	Level B	Level B
Fuze,MTSQ M520A1	F8864492 sh 1,2,3	"	F8864492 sh 1,2,3	C8886458 sh 1,2	C9214705	C9214704
Fuze,MTSQ M520A1	"	"	"	"	"	"
Fuze,MTSQ M518	"	"	"	"	"	"
Fuze,MTSQ M520	"	"	"	"	"	"
Fuze,MTSQ M548	"	"	"	"	Level B	Level B
Fuze, PD, M739 Fuze Body Assy	N/A	N/A	N/A	N/A	F8864492 sh 1,2,3	C8886458 sh 1,2

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

TABLE I. Packaging of fuzes (cont'd)

FUZE DESIGNATION	LEVEL A (Overseas Shipment) PACKAGING DRAWING NUMBER	LEVEL A (Overseas Shipment) PACKING DRAWING NUMBER	LEVEL B (Long Term Shipment) PACKAGING DRAWING NUMBER	LEVEL B (Long Term Shipment) PACKING DRAWING NUMBER	LEVEL C (Interplant Shipment) PACKAGING DWG NO. SPEC NO.	LEVEL C (Interplant Shipment) PACKING DWG NO. SPEC NO.
Fuze, MTSQ, M564	F8864492 sh 1,2,3,4	C8861213 sh 1,2	Level A	C8886458 sh 1,2	C9214705	C9214704
Fuze, Proximity, M532	F8864492 sh 1,2,3	"	"	"	"	"
Fuze, Proximity, M732	F8864492 sh 1,2,3,4	"	"	"	Level B	Level B
Fuze, MT, T369	F8864492 sh 1,2,3	"	"		C9214705	C9214704
Fuze, MT, XM558	"	"	"	"	Level B	Level B
Fuze, MT, M562	"	"	"	"	C9214705	C9214704
Fuze, MT, M563	"	"	"	"	"	"
Fuze, MT, M565	"	"	"	"	"	"
Fuze, MT, M571	"	"	"	"	"	"
Fuze, MTSQ, M577 & M577A1	"	"	"	C88864581 sh 1,2	"	"
Fuze, MTSQ,M582 & M582A1	F8864492 sh 1,2,3,4	"	"	"	Level A	Level A or B as appl.
Fuze, MT, M592	F8864492 sh 1,2,3	"	"	"	C9214705	C9214704
Fuze, MT, M711	N/A	N/A	N/A	N/A	"	"

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

TABLE I. Packaging of fuzes (cont'd)

FUZE DESIGNATION	LEVEL A (Overseas Shipment) PACKAGING DRAWING NUMBER	LEVEL A (Overseas Shipment) PACKING DRAWING NUMBER	LEVEL B (Long Term Shipment) PACKAGING DRAWING NUMBER	LEVEL B (Long Term Shipment) PACKING DRAWING NUMBER	LEVEL C (Interplant Shipment) PACKAGING DWG NO. SPEC NO.	LEVEL C (Interplant Shipment) PACKING DWG NO. SPEC NO.
Fuze, Rocket, M423	F8864492 sh 1,2,3	C8861213 sh 1,2	Level A	C8886458 sh 1,2	C9215020	C9215019
Fuze, Rocket, M427	"	"	"	"	"	"
Fuze, Rocket, M429	"	"	"	"	Level A	Level B
Fuze, Rocket, M432E1	"	"	"	"	"	"
Fuze, Rocket, M433	"	"	"	C8861213	"	C8861213 sh 1,2
Fuze, CP, M78A1 (with Booster M25)	F9216394	C8861213 sh 1,2	N/A	N/A	MIL-STD-1169	MIL-STD-1169
Fuze, Time, XM561E1	N/A	N/A	F8864492 sh 1,2,3	C8886458 sh 1,2	N/A	N/A
Fuze, ET, M762	F8864492	D8861213	Level A	Level A	Level A	Level A
Fuze, ET, M767 (with and without booster)	"	"	"	"	"	"

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

3.3 Palletization.

3.3.1 Level A. Shipping containers shall be palletized in accordance with the instructions of the ordering activity.

3.3.2 Level B. Not applicable.

3.3.3 Level C. Shipping containers may be palletized at the contractor's option, unless otherwise directed. Pallets, if used, shall be standard 40 by 48 inch warehouse pallets or pallets in accordance with MIL-P-15011 or NN-P-71. Gross weight shall not exceed 2000 pounds and the pallet load shall be able to withstand stacking without damage to the contents to a minimum height of ten feet. Strapping shall be used, either vertically or horizontally, as necessary to secure all containers in the load. Wood strips, 1" by 4", shall be used on top of carton loads under the strapping; 1" by 4" strips shall also be used on the sides and ends as required for fillers under the strapping. Strapping shall comply with QQ-S-781, Heavy Duty, Finish A or B, and shall be not less than 3/4 by .035. When two-way pallets are utilized, straps placed crosswise to the runners shall be placed between the load and the pallet.

3.4 Moisture content of inner tube. The moisture content of the inner tubes shall not exceed nine (9) percent.

3.5 Workmanship. All packaging, packing and marking operations shall be performed in a thorough, workmanlike manner. All required markings shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examination and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

4.1.1 Responsibility for compliance. All items must meet all requirements of section 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manfacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. Quality conformance inspection (see 4.3).

4.3 Quality conformance inspection.

4.3.1 Inspection lot formation. Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.3.2 Examination and tests.

a. Classification of characteristics. Quality conformance examinations and tests are specified in the following Classification of Characteristics paragraphs. The contractor's quality program or detailed inspection system shall provide assurance of compliance of all characteristics with the applicable drawing and specification requirements utilizing as a minimum the conformance criteria specified herein. When 0-1 inspection is specified herein, inspection criteria shall be in accordance with Table II below using the inspection levels cited in the Classification of Characteristics paragraphs. Samples shall be selected at random.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

Table II 0-1 Attribute plans

Lot Size	Inspection Level I	II	III	IV	V	VI
2 to 8	*	*	*	*	5	3
9 to 15	*	*	*	13	5	3
16 to 25	*	*	*	13	5	3
26 to 50	*	*	32	13	5	3
51 to 90	*	*	32	13	12	4
91 to 150	*	125	32	13	12	5
151 to 280	*	125	32	30	14	6
281 to 500	*	125	32	30	17	7
501 to 1200	*	125	74	35	20	9
1201 to 3200	1250	125	74	43	24	10
3201 to 10000	1250	125	87	50	30	10
10001 to 35000	1250	296	109	61	36	10
35001 to 150000	1250	296	124	74	40	10
150001 to 5000000	1250	346	156	91	40	10
500001 and over	1250	431	187	102	40	10

Numbers under inspection levels indicate sample size; asterisk indicates one hundred percent inspection. If sample size exceeds lot size, perform one hundred percent inspection. Accept on zero and reject on one or more for all inspection levels.

b. Alternative inspection provisions. Alternative inspection procedures, methods, or equipment, such as statistical process control, tool control, other types of sampling procedures, etc., may be used by the contractor when they provide, as a minimum, the level of quality assurance required by the provisions specified herein. Prior to applying such alternative procedures, methods or equipment, the contractor shall describe them in a written proposal submitted to the Government for evaluation and approval (see 6.8). When required, the contractor shall demonstrate that the effectiveness of the proposed alternative(s) is equal to or better than the specified quality assurance provisions herein. In cases of dispute as to whether the contractor's proposed alternative(s) provide equal assurance, the provisions of this specification shall apply. All approved alternative inspection provisions shall be specifically incorporated into the contractor's quality program or detailed inspection systems as applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.3.2.1	Box, Packing (prior to closing)	1 OF 1	8864492, 9216394 or 9259253, as applicable
			NEXT HIGHER ASSEMBLY

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Support missing or incorrect	0-1, Level III	3.1	Visual
102	Incorrect number of assemblies	0-1, Level III	3.1	Visual
103	Desiccant bag missing or torn (if applicable)	0-1, Level III	3.1	Visual
104	Wrench missing (when required)	0-1, Level III	3.1	Visual
105	Humidity indicator card missing	0-1, Level III	3.1	Visual
106	Polyethylene cushion missing	0-1, Level III	3.1	Visual
107	Barrier bag not sealed	0-1, Level III	3.1	Visual
108	Inner (chipboard) tube missing	0-1, Level III	3.1	Visual
Minor				
201	Desiccant holder missing	0-1, Level IV	3.1	Visual
202	Evidence of poor workmanship	0-1, Level V	3.5	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.3.2.2	Box, Packing (closed)	1 OF 1	8864492, 9216394, or 9259253, as applicable
			NEXT HIGHER ASSEMBLY

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Air leakage test	0-1, Level III	3.1	4.4.1
102	Hardware improperly engaged	0-1, Level III	3.1	Visual
103	Box dented or deformed	0-1, Level III	3.1	Visual
104	Box punctured	0-1, Level III	3.1	Visual
105	Marking missing, illegible or incorrect	0-1, Level III	3.1	Visual
106	Contents move when box is tilted	0-1, Level III	3.1	Manual
Minor				
201	Bare spot on exterior	0-1, Level IV	3.1	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.3.2.3	Box, Wirebound, Packing	1 OF 1	8861213, 9214704, 9215019, or 9247276 as applicable
			NEXT HIGHER ASSEMBLY

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	DOT marking missing, incorrect or illegible (when applicable)	0-1, Level II	3.1	Visual
102	Contents loose when box is tilted	0-1, Level III	3.1	Visual
103	Wire missing, broken or loose	0-1, Level III	3.1	Visual/Manual
104	Wire improperly secured	0-1, Level III	3.1	Visual
105	Board broken or split	0-1, Level III	3.1	Visual
Minor				
201	Marking (other than DOT marking) misleading or unidentifiable	0-1, Level IV	3.1	Visual
202	Car seal missing, unsealed or improperly positioned (when required)	0-1, Level IV	3.1	Visual
203	Evidence of poor workmanship	0-1, Level V	3.5	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF CHARACTERISTICS

MIL-P-60412C (AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER 8886458
4.4.3.4	Box, Pallet Type, Wirebound		NEXT HIGHER ASSEMBLY

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	DOT marking missing, incorrect or illegible (when applicable)	0-1, Level II	3.1	Visual
102	Skids missing, broken or loose	0-1, Level III	3.1	Visual/Manual
103	Strapping, missing, loose, engaged improperly or mislocated	0-1, Level III	3.1	Visual/Manual
104	Wires damaged, staples missing or loose	0-1, Level III	3.1	Visual/Manual
105	Boards broken or split full length	0-1, Level III	3.1	Visual
106	Closing loops not fastened	0-1, Level III	3.1	Visual
107	Number of containers incorrect	0-1, Level III	3.1	Visual
Minor				
201	Skids partially split	0-1, Level IV	3.1	Visual
202	Boards partially split	0-1, Level IV	3.1	Visual
203	Binding wires loose	0-1, Level IV	3.1	Visual
204	Closing loops loose or improperly engaged	0-1, Level IV	3.1	Visual/Manual
205	Marking (other than DOT marking) misleading or unidentifiable	0-1, Level IV	3.1	Visual
206	Evidence of poor workmanship	0-1, Level V	3.5	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.3.2.5	Carton, Packing (prior to sealing)	1 OF 1	9214705, 9215020, 9247277, 9271213 or 9272194 as NEXT HIGHER ASSEMBLY applicable

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Separator of filler missing (as applicable)	0-1, Level III	3.1	Visual
102	Incorrect number of components	0-1, Level III	3.1	Visual
103	Components packed incorrectly	0-1, Level III	3.1	Visual
104	Carton interior contaminated with dirt, line or other foreign matter	0-1, Level III	3.1	Visual
Minor	None defined			

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION
CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.3.2.6	Carton, Packing (after sealing)	1 OF 1	9214705, 9215020, 9247277, 9272193 or 9272194 as applicable
			NEXT HIGHER ASSEMBLY

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Contents loose when carton is tilted	0-1, Level III	3.1	Manual
102	Carton damaged exposing contents	0-1, Level III	3.1	Visual
103	Carton improperly closed or sealed	0-1, Level III	3.1	Visual
Minor				
201	Marking missing, incorrect or illegible	0-1, Level IV	3.1	Visual
202	Evidence of poor workmanship	0-1, Level V	3.5	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

4.3.3 Testing.

4.3.3.1 Moisture content of inner tube. (See 3.4) - Major defect. Prior to packing (see 4.3.2.1), three (3) inner tubes (see dwg. 9328329) shall be tested in accordance with 4.4.2. If any tube fails to meet the requirements, the lot of tubes shall not be used for packing fuzes.

4.3.4 Inspection equipment. The inspection equipment required to perform the examinations and tests prescribed herein is described in 4.4. When Automated Acceptance Inspection Equipment is to be used, the provisions of MIL-A-70625 shall apply. The contractor shall submit, for approval, inspection equipment designs in accordance with terms of the contract. See Section 6 of MIL-A-48078 and 6.4 herein.

4.4 Methods of inspection. (See 6.5).

4.4.1 Air leakage test. The boxes shall be tested using the procedure and test equipment as specified in drawing (dwg) 9246386. Under no circumstances shall water be employed as a test media.

4.4.2 Moisture content of inner tube. The inner tube shall be tested for moisture content in accordance with ASTM-D644.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with Table I (Packaging of fuzes).

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. This specification is intended for use to cover general packaging, packing and marking instructions for shipment of loaded fuzes, partially loaded fuzes and assembled metal parts. The requirements in this specification are intended to clarify and to state the specific packaging requirements necessary to cover shipment of fuzes during manufacture, loading and assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

6.2 Acquisition requirements. Acquisition requirements must specify the following:

a. Title, number and date of this specification.

b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1.1 and 2.2).

c. Levels of preservation and packaging (see 5.1).

6.3 Drawings. Drawings listed in Section 2 of this specification under the heading of US Army Armament, Research, Development and Engineering Center (ARDEC) may also include drawings prepared by and identified as US Army Research and Development Command (ARRADCOM), Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activities is now under the cognizance of ARDEC.

6.4 Submission of inspection equipment designs for approval. See MIL-A-48078. Submit equipment designs, as required, to: Commander, US Army Armament, Research, Development and Engineering Center, ATTN: AMSMC-QAR-I(D), Picatinny Arsenal, NJ 07806-5000.

6.5 Approval of equivalent test methods. Prior approval of the Contracting Officer is required for use of equivalent test methods or equipment. A description of the proposed method or equipment should be submitted through the Contracting Officer to: Commander, U.S. Army Armament, Research, Development and Engineering Center, ATTN: AMSMC-QAR-Q(D) Picatinny Arsenal, New Jersey 07806-5000. This description should include but not be limited to the procedures used, the accuracy and precision of the method or equipment, test data to demonstrate the accuracy and precision and drawings of any special equipment required.

6.6 Packaging and packing definitions.

6.6.1 Level A. Packaging and packing at Level A will be utilized when:

a. overseas shipment

b. fuzes are fully assembled by a fuze manufacturer or a Government installation and shipped directly overseas

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

6.6.2 Level B. Packaging and packing at Level B will be utilized for shipment:

a. of fuzes from a fuze manufacturer to a loading plant within the continental United States (CONUS) when it is apparent that the fuzes are destined to be shipped overseas separately. (The metal box and inner supports utilized in the CONUS shipment, if in satisfactory condition, will be reused for the overseas shipment).

b. when long term storage is anticipated.

6.6.3 Level C. Packaging and packing at Level C will be utilized for:

a. shipment from a fuze manufacturer to a loading plant within CONUS when it is apparent that the fuzes will not be shipped overseas separately.

b. shipment from one loading facility to another loading facility (within CONUS) for additional work or assembly to end item. (Applicable except when "use Level B" appears in Level C column of Table I).

6.7 General packaging and packing notes.

a. Packaging and packing may be reused between manufacturers and loading facilities if in satisfactory condition.

b. Fiber containers, if available, may be reused for Level B and C shipments. New containers will not, however, be procured. When the existing supply of fiber containers has been depleted, the specified packaging and packing will utilized with the exception of the M275 Fiber Container, Dwg. 7548122, and Box, Wooden, Dwg. 7548123, which may be used for Level C shipment of Fuze, PD, M524 Series and Fuze, PD, M519.

6.8 Submission of alternative inspection provisions. Proposed alternative inspection provisions should be submitted by the contractor to the procuring contracting officer for evaluation and approval by the technical activity responsible for preparation of this specification.

6.9 Subject term (key word) listing.

Fuzes, Artillery Type
Fuzes, Rocket
Marking
Packaging
Packing
Shipment

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

6.10 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 8140-A704)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	MIL-P-60412C (AR)	

3. DOCUMENT TITLE

PACKAGING, PACKING AND MARKING FOR SHIPMENT OF ARTILLERY TYPE AND ROCKET

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)
	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code)
US Army ARDEC Standardization & Specification Office	(1) Commercial: (201) 724-6671 (2) AUTOVON: 880-6671
c. ADDRESS (Include Zip Code) PICATINNY Arsenal, NJ 07806-5000	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

DD Form 1426, OCT 89 — Previous editions are obsolete. — 198/290

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.