MILITARY STANDARD

AUTOMATED ENGINEERING

DOCUMENT PREPARATION SYSTEM

HOSE AND TUBING
FLEXIBLE

TO ALL HOLDERS OF MIL-STD-35-21A(MI):

1. THIS CHANGE NOTICE CHANGES THE DOCUMENT IDENTIFIER OF THIS DOCUMENT FROM DOD-STD-35-21 TO MIL-STD-35-21 ON ALL PAGES. THIS CHANGE WILL APPLY TO THIS AND ALL SUBSEQUENT REVISIONS OF THIS DOCUMENT.

2. THE FOLLOWING PAGES OF MIL-STD-35-21A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
COVER	29 SEPTEMBER 1989	COVER	15 MARCH 1984
ii	29 SEPTEMBER 1989	ii	15 MARCH 1984
iii	29 SEPTEMBER 1989	iii	15 MARCH 1984
v	29 SEPTEMBER 1989	v	15 MARCH 1984
1	29 SEPTEMBER 1989	1	15 MARCH 1984
2	29 SEPTEMBER 1989	2	15 MARCH 1984
3	29 SEPTEMBER 1989	3	15 MARCH 1984
4	29 SEPTEMBER 1989	4	15 MARCH 1984
4a	29 SEPTEMBER 1989	NEW PAGE	
4b	29 SEPTEMBER 1989	NEW PAGE	
5	29 SEPTEMBER 1989	5	15 MARCH 1984
6	29 SEPTEMBER 1989	6	15 MARCH 1984
6a	29 SEPTEMBER 1989	NEW PAGE	
6b	29 SEPTEMBER 1989	NEW PAGE	
7	29 SEPTEMBER 1989	7	15 MARCH 1984
8	29 SEPTEMBER 1989	8	15 MARCH 1984
9	29 SEPTEMBER 1989	9	15 MARCH 1984
10	29 SEPTEMBER 1989	10	15 MARCH 1984
11	29 SEPTEMBER 1989	11	15 MARCH 1984
12	29 SEPTEMBER 1989	12	15 MARCH 1984
13	29 SEPTEMBER 1989	13	15 MARCH 1984
14	29 SEPTEMBER 1989	14	15 MARCH 1984

AREA EDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
107	29 SEPTEMBER 1989	107	15 MARCH 1984
108	29 SEPTEMBER 1989	108	15 MARCH 1984
109	29 SEPTEMBER 1989	109	15 MARCH 1984
110	29 SEPTEMBER 1989	110	15 MARCH 1984
111	29 SEPTEMBER 1989	111	15 MARCH 1984
112	29 SEPTEMBER 1989	112	15 MARCH 1984
113	29 SEPTEMBER 1989	113	15 MARCH 1984
114	29 SEPTEMBER 1989	114	15 MARCH 1984
143	29 SEPTEMBER 1989	143	15 MARCH 1984
144	29 SEPTEMBER 1989	144	15 MARCH 1984
145	29 SEPTEMBER 1989	145	15 MARCH 1984
146	29 SEPTEMBER 1989	146	15 MARCH 1984
147	29 SEPTEMBER 1989	147	15 MARCH 1984
148	29 SEPTEMBER 1989	NEW PAGE	
149	29 SEPTEMBER 1989	149	15 MARCH 1984
150	29 SEPTEMBER 1989	150	15 MARCH 1984

3. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

4. Holders of MIL-STD-35-21A(MI) will verify the page changes indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with append pages, is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.

Custodian:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SG
Army-CR

User activity:
Army-AR

Preparing activity:
Army-MI

(Project EDS-A390)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

MIL-STD-35-21A(MI)

15 MARCH 1984

SUPERSEDING
MIL-STD-35-21(MI)
27 APRIL 1974

MILITARY STANDARD

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

HOSE AND TUBING FLEXIBLE

AREA EDS

NO DELIVERABLE DATA
REQUIRED BY THIS DOCUMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL COMMAND
ALEXANDRIA, VA 22333

Hose and Tubing, Flexible
Automated Engineering
Document Preparation System

MIL-STD-35-21A(MI)

1. This Military Standard is approved for use by AMC, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data, which may be of use in improving this document, should be addressed to Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, Alabama 35898-5270, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the current version before use.

FOREWORD

1. The purpose of MIL-STD-35-21A(MI) is to provide instructions for the preparation of Specification Requirement Sheets (SRS) in order to produce Military Specification Exceptions (MSEs) for Hose and Tubing, Flexible.

2. In order to properly utilize this document, it is necessary to have a complete and thorough understanding of the MIL-STD-35.

3. It is important that the procedures described in the basic document (MIL-STD-35D and subsequent revisions) be followed explicitly in order to produce a document suitable for procurement. Information which is standard for all dash-numbered parts has been included in the basic document at the issuance of MIL-STD-35D. This information is not repeated in each dash-numbered part.

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	5
	2.1	Government Documents	5
	2.1.1	Specifications and Standards	5
	2.2	Nongovernment Publications	6
	2.3	Order of Precedence	6
	3.	DEFINITIONS	7
	4.	GENERAL REQUIREMENTS	8
	4.1	Introduction	8
	4.2	Specification Requirement Sheet (SRS)	8
	4.3	Configuration	8
	4.3.1	Dimensions	8
	4.3.2	Illustrations	8
	4.4	Units of Measure	8
	5.	DETAILED REQUIREMENTS	9
	5.1	Introduction	9
	5.2	MSE Formats	9
	5.3	Referenced Documents	9
	5.4	Tabulation	9
	5.5	Keyword Code Index (KCI) and Standard Paragraphs	11
	5.5.1	Interrelationship of Codes	11
	5.5.2	Automatic MSE Data	11
	5.5.3	MIL-STD-35 Tables	11

TABLES

Table	I.	Title Index	2
	II.	Tabulation Candidates	10

APPENDICES

APPENDIX	A.	Illustrations	123
	B.	Characteristic Code Index	143
		Index	149

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Hose and Tubing, Flexible.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate a MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (MIL-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and are included in MIL-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include, in the request, the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title, listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user's reference. When more than one document is listed for a MSE title, this information will be useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil - Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
HOSE	234020	L-H-520	GENERAL SPEC
		MIL-H-2815	DIVERS, AIR SUP
		MIL-H-5593	LOW PRESSURE
		MIL-H-6399	WIRE WOUND SYN.
		MIL-H-7061	SELF SEALING
		MIL-H-7938	RUBBER, FLAME RES
		MIL-H-8788	HI PRESS, HYDR
		MIL-H-8794	HYDR, FUEL RES
		MIL-H-13444	RUBBER, FUEL, OIL
		MS52103	MEDIUM PRESS, FLARED TUBE
		MS52104	LOW PRESS, FLARED TUBE
		MIL-H-15217	SANDBLAST
		MIL-H-24135	REINF, OIL RESIST
		MIL-H-24595	WIRE REINFORCED
		MIL-H-27267	TFE, GEN SPEC
		MIL-H-28596	RUBBER, STEAM
		MIL-H-51059	FLAME THROWER
		MIL-H-52544	REINF, OIL SUCT
		MIL-H-62217	ENG COOLANT, GEN
		WW-H-1053	FLEXIBLE, GEN
		ZZ-H-428	ENG COOLANT, GEN
		MS51008	ENG COOLANT, VARIOUS SIZES
		MS52130	ENG COOLANT
		ZZ-H-461	GAS, WELDING
		ZZ-H-601	WATER, REINF YARN
		ZZ-H-617	WIPER, WINDSHIELD
HOSE, AIR DUCT	234001	MIL-H-7365	GROUND HEATER

Source: https://assist.dla.mil - Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
HOSE, AIR DUCT	234001 (CONT)	MIL-H-8796	FLEXIBLE
		MIL-H-14506	FOR FILTER UNITS
		MIL-H-18158	LOW PRESS, FABRIC
		MIL-H-62028	HIGH TEMP FLEX
		MIL-H-87961	OXYGEN SYSTEM
HOSE, FIRE	234004	A-A-1887	SINGLE JACKET
		A-A-1888	DOUBLE JACKET
		A-A-1889	COTTON, DOUBLE JACKET
		A-A-2131	600 PSI
		A-A-2132	800 PSI
		A-A-2158	SUCTION
		A-A-2284	COTTON, SINGLE JACKET
		MIL-H-4497	COTTON, W/COUPLINGS
		MIL-H-24580	SYN RBR
		MIL-H-24606	DBL SYN JACKET
		MIL-H-52992	CHEMICAL
		ZZ-H-451	W/COUPLINGS
HOSE ASSEMBLY	234021	A-A-2160	NONMETAL, BOOSTER
		A-A-2245	NONMETAL, STANDPIPES
		MIL-H-370	RUBBER, LIQ FUEL
		MIL-H-3868	GREASE GUN
		MIL-H-4495	AERIAL REFUELING
		MIL-H-8790	HYDR, HI PRESSURE
		MS28579	3000 PSI, FLARED TUBE
		MS28762	3000 PSI, FLARELESS TUBE
		MS28920	3000 PSI, 45 DEG ELBOW END, FLARED TUBE
		MS28921	3000 PSI, 90 DEG ELBOW END, FLARED TUBE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
HOSE ASSEMBLY	234021 (CONT)	MS28924	3000 PSI, 90 DEG ELBOW TO 90 DEG ELBOW, FLARED TUBE
		MIL-H-10868	GAS TRANSFER
		MIL-H-11588	LIQ PETRO DISP
		MIL-H-17505	SUCTION-DISCH
		MIL-H-17902	RUBBER, FUELING
		MIL-H-21291	AVIATION FUEL
		MIL-H-24592	TFE, HI TEMP
		MIL-H-24606	FIRE, WATER SERVICE
		MIL-H-25579	TFE, HI TEMP
		MIL-H-26385	OXYGEN AND PRESSURE
		MS27797	OZONE RESIST
		MIL-H-26499	METAL, FLEX, OXYGEN
		MIL-H-26626	TFE, OXYGEN
		MIL-H-26666	TFE, HI PRESS.
		MIL-H-27267	TFE, MED PRESS.
		MIL-H-27301	METAL, CYRON LIQ
		MIL-H-27516	RUBBER
		MIL-H-38390	TFE, HI PRESS.
		MIL-H-45704	PROP TRANSFER
		MIL-H-53063	ELASTOMER, FUEL
		MIL-H-53064	ELASTOMER, FUEL
		MIL-H-53073	FUEL DISCHARGE
		MIL-H-81581	OXYGEN AND AIR
		MIL-H-82127	FUEL DISCH (SYN)
		MIL-H-83298	TFE, HI TEMP
		MIL-H-83373	JP-7
		MS8000	FLARE-FLARE
		MS8001	FLARELESS-FLARE -LESS
		MS8002	FLARE-FLANGE
		MS8003	FLARELESS-FLANGE
		MS8004	FLANGE-FLANGE
		MS8005	FLARE-FLARE
		MS8006	FLARELESS-FLARE -LESS
		MS8007	FLARE-FLANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
HOSE ASSEMBLY	234021 (CONT)	MS8008	FLARELESS-FLANGE
		MS8009	FLANGE-FLANGE
		ZZ-H-466	GAS, WELDING
HOSE AND HOSE ASSEMBLY	234026	A-A-2156	NONMETALLIC
		MIL-H-370	LIQUID FUEL
		MIL-H-3992	BRAKE, AIR-VAC
		MS39325	AIR BRAKE
		MIL-H-22240	SMOOTH BORE, FUEL
		MIL-H-24520	WATER COOLING OF EQMNT
		MIL-H-26521	FUEL, LOW TEMP
HOSE AND HOSE ASSEMBLY	234026 (CONT)	ZZ-H-500	PNEU, WRAPPED
		ZZ-H-521	NON-METAL, SPRAY
HOSE, RUBBER	234009	MIL-H-6000	ENGINE INSTALLATIONS
		MIL-H-6439	PAINT FINISH REMOVER
		MIL-H-52544	OIL SUCTION, REINFORCED
		MIL-H-83797	MED PRESS
		ZZ-H-481	OIL AND GASOLINE
HOSE ASSEMBLY, METAL	234014	MIL-H-83772	CYRO, AIRCRAFT SERVICE
HOSE, ASSEMBLY, RUBBER	234016	MIL-H-6615	FUEL AND WATER, LOW TEMP RESISTANT
		MIL-H-8795	HYDR, FUEL AND OIL RESISTANT
		MS28741	MEDIUM PRESSURE
		MIL-H-13719	HYDR BRAKE
		MIL-H-24239	HYDR, MINESWEEPING
		MIL-H-26894	GASOLINE
		MIL-H-28523	400 PSI
		MIL-H-29210	STEAM SERVICE, HI TEMP
		MIL-H-47305	3390 PSI PROOF PRESS

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
HOSE, ASSEMBLY, RUBBER	234016 (CONT)	MIL-H-52262	LIGHTWEIGHT, 4 INCH
		MIL-H-53027	6 INCH, DRINKING WATER
		MIL-H-53062	POL SERVICE, 6 INCH
		MIL-H-83796	MED PRESS
HOSE ASSEMBLY, TETRAFLUOROETHYLENE	234017	MIL-H-26633	OXYGEN
		MIL-H-85800	5000 AND 8000 PSI
HOSE AND HOSE ASSEMBLY, RUBBER	234019	MIL-H-13531	HYDR, FLEXIBLE
		MS500077	HYDR AND PNEU, FLARED TUBE, MED PRESS
		MS500083	HYDR AND PNEU, FLARED TUBE HI PRESS
		MIL-H-20176	WASTE DISCHARGE
		MIL-H-24136	HOSE AND FITTINGS
		MIL-H-52471	HYDR PRESS TYPE
		ZZ-H-561	WATER SUCTION
TUBING, FLEXIBLE	234023	MIL-T-7081	TUBE, ALUM ALLOY
		MIL-T-8231	TUBE, COPPER ALLOY
		MIL-T-46072	TUBE, ALLOY
		MIL-T-50777	TUBING ALUM
		MIL-T-81914	PLASTIC, FLEXI
		ZZ-T-831	PLASTIC, FLEXI

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2.1.1 Specifications and Standards. The following specifications and standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

MILITARY

MIL-H-775	Hose, Hose Assemblies, Rubber, Plastic, Fabric, or Metal (Including Tubing), and Fittings, Nozzles and Strainers, Packing of
MIL-C-5501	Cap and Plug, Protective, Dust and Moisture Seal
MIL-H-5606	Hydraulic Fluid, Petroleum Base, Aircraft, Missile and Ordance
MIL-M-6002	Marking, Standard Hose, Aircraft
MIL-H-8788	Hose, Hydraulic, High Pressure
MIL-F-19488	Fitting, Hose, Water, and Steam (other than Flexible, Metallic)
MIL-C-27487	Coupling Halves, Quick Disconnect, Cam-Locking Type
MIL-T-81914	Tubing, Plastic, Flexible, Convoluted, Conduit, General Specification for

STANDARDS

FEDERAL

FED-STD-162	Hose, Rubber, Visual Inspection Guide for

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

FED-STD-601	Rubber: Sampling and Testing
FED-STD-H28/10	Screw-Thread Standards for Federal Services Section 10 American National Hose Coupling Threads.

MILITARY

MIL-STD-35	Automated Engineering Document Preparation System
MIL-STD-105	Sampling Procedures and Tables for inspection by Attributes
MIL-STD-129	Marking for Shipment and Storage
MIL-STD-1523	Age Controls of Age-sensitive Elastomeric material.

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099).

2.2 Nongovernment Publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DoDISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation.

ASTM D380	Rubber Hose, Methods of Testing.
ASTM D412	Rubber Properties in Tension, Test Methods for.
ASTM D413	Rubber Property - Adhesion to Flexible Substrate, Test Method for.
ASTM D518	Rubber Deterioration - Surface Cracking, Test Method for.
ASTM D573	Rubber - Deterioration in an Air Oven, Test Method for.
ASTM D1149	Rubber Deterioration - Surface Ozone Cracking in a Chamber (Flat Specimen), Test Method for.
ASTM E380	Standard for Metric Practice

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the currentversion before use.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103.)

(Nongovernment standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services).

2.3 Order of Precedence. In the event of conflict between the text of this document and the references cited herein, the text of this document shall take precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

THIS PAGE INTENTIONALLY LEFT BLANK

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

Definitions contained in MIL-STD-35 are applicable to Hose and Tubing, Flexible.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 Introduction. In order to properly perpare an SRS for Hose and Tubing, Flexible, it is necessary to use MIL-STD-35 in conjunction with this dash-numbered part. In the event the instructions or the writing methodology are not followed, an AEDPS edit routine will print error messages rather than the desired MSE document.

4.2 Specification Requirement Sheet (SRS). SRS requirements described in MIL-STD-35 are applicable to Hose and Tubing, Flexible.

4.3 Configuration.

4.3.1 Dimensions. SRS requirements for dimensions described in MIL-STD-35 are applicable to Hose and Tubing, Flexible.

4.3.2 Illustrations. Illustrations applicable to Hose and Tubing, Flexible are contained in Appendix A to this document.

4.4 Units of measure. The International System of Units (SI) or inch-pound units (U.S.), may be used to specify characteristics (e.g. weight, dimensions). Refer to ASTME380 for guidance in using SI. However, when different units of measure are available for specifying a characteristic, only one may be used. Both units of measure cannot appear in the same MSE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in MIL-STD-35.

5.2 MSE formats. AEDPS has the capability to prepare a six-section or a single-section document. The six-section document appears similar to a military specification. The single-section document appears similar to a military specification sheet. Specification requirements described in MIL-STD-35 are applicable to either of the formats selected. It is mandatory that one of the two following codes and an "X" be entered on the SRS to create the desired MSE format:

a. 0700 for a six-section format

b. 0800 for a single-section format

5.3 Referenced documents. Section 2 of the MSE may contain a list of all referenced documents within Sections 3, 4 and 5 of the MSE. Instructions for referencing documents to appear in Section 2 of the forthcoming MSE are contained in MIL-STD-35.

5.4 Tabulation. Instructions for tabulation are provided in MIL-STD-35. Table II provides codes for column headings which may be used for hose and tubing, flexible, characteristics. When different units of measure within one system (U.S. or SI) are available for specifying a characteristic, only one of the units may be tabulated; e.g., either ounces or pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE II. TABULATION CANDIDATES

CODE	COLUMN HEADING	CODE	COLUMN HEADING	CODE	COLUMN HEADING
1737	STYLE	1739	TYPE	1740	GRADE
1742	CLASS	1744	END FITTINGS	1752	MINIMUM OPER PRESS PSI
1754	MINIMUM OPER PRESS KILOPASCAL	1756	MINIMUM OPER PRESS MEGAPASCAL	1762	MAXIMUM OPER PRESS PSI
1764	MAXIMUM OPER PRESS KILOPASCAL	1766	MAXIMUM OPER PRESS MEGAPASCAL	1772	NOMINAL OPER PRESS MEGAPASCAL
1774	NOMINAL OPER PRESS KILOPASCAL	1776	NOMINAL OPER PRESS MEGAPASCAL	1782	MIN PROOF PRESSURE PSI
1784	MIN PROOF PRESSURE KILOPASCAL	1786	MIN PROOF PRESSURE MEGAPASCAL	1788	MIN BURST PRESSURE PSI
1790	MIN BURST PRESSURE KILOPASCAL	1792	MIN BURST PRESSURE MEGAPASCAL	1826	TUBE WALL THICKNESS INCH
1828	TUBE WALL THICKNESS MILLIMETER	1876	SURGE PRESS PSI	1878	SURGE PRESS KILOPASCAL
1880	SURGE PRESS MEGAPASCAL	1890	TUBE SIZE INCH	1892	TUBE SIZE MILLIMETER
1894	HOSE SIZE INCH	1896	HOSE SIZE MILLIMETER		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

5.5 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on a SRS, that are unique for the type part covered by this dash-numbered part of MIL-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and it's associated code. Enter, on the SRS, the code and the characteristic value required. After the part's unique characteristics have been specified, refer to MIL-STD-35 when exceptions are required to Quality Assurance, Packaging, Notes, etc. Instructions are in MIL-STD-35 on how to enter any type characteristic value. Appendix B, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.5.1 Interrelationship of Codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The standard paragraph, of which the code is a part, is shown adjacent to the code on the right-hand page. When a characteristic value, entered with a code, becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact characteristic value entry, as supplied with the code, except for "X" entries.

5.5.2 Automatic MSE Data. Some statements, such as Altitude and Temperature, will appear in the printed MSE without making additional entries. These statements are linked by data base logic to characteristic codes listed under them and will print when one of the codes listed is used. Other statements may print automatically depending on the type MSE selected. Explanations are noted on the KCI as required.

5.5.3 MIL-STD-35 Tables. The KCI of this document contains references to tables in MIL-STD-35. Refer to MIL-STD-35 for general explanation in the generation of tables.

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
*REQUESTER'S NAME	0101
*COMPANY NAME/COMMAND	0102
*STREET/BUILDING	0103
*CITY, STATE, ZIP	0104
*PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE	0105
*REQUESTER'S CAGE CODE	1004
*CONTRACT NUMBER/OFFICE SYMBOL	1005
*BASE DOCUMENT	1006
*SYSTEM APPLICATION	1008
*GOVERNMENT DESIGN ACTIVITY CAGE CODE	6369
*FORMAT (SELECT ONE)	
SIX SECTION DOCUMENT.	0700
ONE SECTION DOCUMENT.	0800
*CONTROL (SELECT ONE)	
SOURCE.	6873

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
0101	0101.
0102	0102.
0103	0103.
0104	0104.
0105	0105.
1004	USER(S) CAGE CODE(S) 1004.
1005	CONTRACT NUMBER OR OFFICE SYMBOL 1005.
1006	THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S), 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN.
1008	SYSTEM APPLICATION 1008.
6369	GOVERNMENT DESIGN ACTIVITY CAGE CODE 6369.
0700	
0800	
	SOURCE(S).
6873	THE FOLLOWING SOURCE(S) SHOWN WITH THE PART NUMBER(S) IS/ARE THE ONLY APPROVED SOURCE(S) FOR THE ITEM(S) DESCRIBED BY THIS DOCUMENT. IDENTIFICATION OF THE APPROVED SOURCE(S) HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED.

Source: https://assist.dla.mil - Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
CONTROL (CONT)	
SPECIFICATION.	6874
*SOURCE TABLE	
NOTE: REFER TO TABLE V OF MIL-STD-35.	
APERTURE CARDS REQUIRED.	0107
REVISION OF AEDPS DOCUMENT (NUMBER)	0108
SCOPE	
NOTE: THIS ENTRY IS AUTOMATIC AND DETERMINED BY THE TITLE CODE USED.	
PART NUMBER	
NOTE: AUTOMATIC WITH A SINGLE ITEM MSE.	
NOTE: AUTOMATIC WITH A MULTI-ITEM MSE.	
UNITS OF MEASURE (SELECT ONE)	
U.S.	6941
SI.	6942

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the currentversion before use.

CHAR CODE	STANDARD PARAGRAPH
2178	THE CHANGE IN HOSE LENGTH SHALL BE NOT GREATER THAN 2178 MILLIMETER(S).
2180	THE CHANGE IN TENSILE STRENGTH SHALL BE NOT GREATER THAN 2180 PERCENT.
2182	THE CHANGE IN ELONGATION SHALL BE NOT GREATER THAN 2182 PERCENT.
2184	THE CHANGE IN TENSILE STRENGTH SHALL BE NOT GREATER THAN 2184 POUND(S) PER SQUARE INCH.
2186	THE CHANGE IN TENSILE STRENGTH SHALL BE NOT GREATER THAN 2186 MEGAPASCAL(S).
2664	TENSILE STRENGTH AND ELONGATION AFTER IMMERSION. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2664.
2666	TENSILE STRENGTH AND ELONGATION AFTER IMMERSION. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH ASTMD412.
2668	THE IMMERSION MEDIA SHALL BE 2668.
2670	THE IMMERSION MEDIA TEMPERATURE SHALL BE 2670 DEGREES CELSIUS.
2672	THE IMMERSION DURATION SHALL BE 2672 MINUTE(S).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
TENSILE STRENGTH AND ELONGATION AFTER IMMERSION (CONT)	
PER ASTMD412. (CONT)	
TEST WEIGHT (SELECT ONE)	
(POUNDS)	2674
(KILOGRAMS)	2676
MAXIMUM SEPARATION (SELECT ONE)	
(INCHES PER MINUTE)	2678
(MILLIMETERS PER MINUTE)	2680
WEIGHTED DURATION (SELECT ONE)	
(MINUTES)	2682
(HOURS)	2684
TEMPERATURE SHOCK	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	6214
NO EVIDENCE OF PHYSICAL DAMAGE.	6215

Source: https://assist.dla.mil - Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
2674	THE TEST WEIGHT SHALL BE 2674 POUND(S).
2676	THE TEST WEIGHT SHALL BE 2676 KILOGRAM(S).
2678	THE SEPARATION SPEED SHALL BE NOT GREATER THAN 2678 INCH(S) PER MINUTE.
2680	THE SEPARATION SPEED SHALL BE NOT GREATER THAN 2680 MILLIMETER(S) PER MINUTE.
2682	THE SPECIMEN SHALL BE WEIGHTED FOR 2682 MINUTE(S).
2684	THE SPECIMEN SHALL BE WEIGHTED FOR 2684 HOUR(S).
6214	TEMPERATURE SHOCK. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 4722.
6215	TEMPERATURE SHOCK. THERE SHALL BE NO EVIDENCE OF PHYSICAL DAMAGE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX

CHARACTERISTIC NAME	CHAR CODE
TEMPERATURE SHOCK (CONT)	
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	6212
PER MIL-STD-810, METHOD 503.	4710
SAMPLES ____	2688
FIRST TEST TEMPERATURE (DEGREES CELSIUS)	2694
DURATION FIRST TEMPERATURE (HOURS)	2696

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
6212	TEMPERATURE SHOCK. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 4713.
4710	TEMPERATURE SHOCK. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH MIL-STD-810, METHOD 503.
2688	TEST SAMPLE(S) SHALL BE 2688.
2694	THE FIRST TEST TEMPERATURE SHALL BE 2694 DEGREES CELSIUS.
2696	THE DURATION OF THE FIRST TEMPERATURE SHALL BE 2696 HOUR(S).

Source: https://aesist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
TEMPERATURE SHOCK (CONT)	
PER MIL-STD-810 (CONT)	
SECOND TEST TEMPERATURE (DEGREES CELSIUS)	2718
DURATION OF SECOND TEMPERATURE (HOURS)	2720
VIBRATION	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	4681
NO EVIDENCE OF PHYSICAL DAMAGE.	4682
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	1505

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
2718	THE SECOND TEST TEMPERATURE SHALL BE 2718 DEGREES CELSIUS.
2720	THE DURATION OF THE SECOND TEMPERATURE SHALL BE 2720 HOUR(S).
4681	VIBRATION. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 4681.
4682	VIBRATION. THERE SHALL BE NO EVIDENCE OF PHYSICAL DAMAGE.
1505	VIBRATION. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 1505.

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
VIBRATION (CONT)	
TEST METHODS (CONT)	
PER (DOC DES)	2734
VIBRATED AT DOUBLE AMPLITUDE OF (SELECT ONE)	
(INCHES)	2736
(MILLIMETERS)	2738
VIBRATION FREQUENCY (HERTZ)	2740
VIBRATED AT G PEAK (NUMBER)	2744
SWEEP TIME (MINUTE)	2746
VIBRATION DURATION (HOURS)	2748
FILL MEDIA ____	2750
FILL MEDIA TEMPERATURE (DEGREES CELSIUS)	2752
PRESSURIZATION (SELECT ONE)	
(PSI)	2754
(KILOPASCALS)	2756
AMBIENT AIR TEMPERATURE (DEGREES CELSIUS)	2758
DIRECTION OF VIBRATION (DIRECTION)	2760

Source: https://assist.dla.mil -- Downloaded: 20261O-23T20:54Z
Check the source to verify that this is the current version before use.

APPENDIX B

CHARACTERISTIC CODE

INDEX

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
0101	12	1760	18	1852	28	1948	46
0102	12	1762	18	1854	30	1950	48
0103	12	1764	18	1856	30	1952	48
0104	12	1766	18	1858	30	1954	48
0105	12	1768	18	1860	30	1956	48
0107	14	1770	18	1862	30	1958	48
0108	14	1772	18	1864	30	1960	50
0700	12	1774	18	1866	30	1962	50
0800	12	1776	20	1868	30	1964	50
1004	12	1778	20	1874	32	1966	50
1005	12	1780	20	1876	32	1968	50
1006	12	1782	20	1878	32	1970	50
1008	12	1784	20	1880	32	1972	54
1009	22	1786	20	1882	32	1974	54
1505	112	1788	20	1884	32	1976	56
1529	116	1790	20	1886	32	1978	58
1564	25	1792	22	1888	32	1980	58
1565	25	1794	24	1890	32	1982	58
1566	25	1796	24	1892	32	1984	58
1567	25	1798	24	1894	32	1986	60
1568	25	1800	24	1896	34	1988	60
1569	25	1814	24	1898	34	1990	58
1571	25	1816	24	1900	34	1992	60
1573	25	1818	24	1914	34	1994	62
1575	25	1820	24	1916	36	1995	62
1692	26	1822	26	1918	38	1996	62
1695	26	1824	26	1920	38	1998	62
1708	90	1826	26	1922	40	2018	62
1712	90	1828	26	1924	40	2020	62
1737	16	1830	26	1926	40	2022	62
1739	16	1832	26	1928	40	2024	64
1740	16	1834	26	1930	40	2026	64
1742	16	1836	26	1932	42	2028	64
1744	16	1838	28	1934	42	2030	66
1746	16	1840	28	1936	42	2031	66
1748	16	1842	28	1938	44	2032	66
1752	16	1844	28	1940	44	2034	66
1754	16	1846	28	1942	46	2036	66
1756	16	1848	28	1944	46	2038	66
1758	18	1850	28	1946	46	2040	66

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2042	66	2132	92	2222	34	2322	50
2044	72	2134	92	2224	36	2324	52
2046	72	2136	92	2226	36	2326	52
2048	74	2138	92	2228	36	2328	52
2049	74	2140	94	2230	36	2330	52
2050	74	2142	94	2232	36	2332	52
2052	74	2144	94	2234	36	2334	52
2054	76	2146	94	2236	36	2336	52
2056	76	2148	94	2238	36	2338	52
2058	80	2150	94	2240	36	2340	52
2059	80	2151	100	2242	38	2342	52
2060	80	2152	100	2244	38	2344	52
2062	80	2154	100	2246	38	2346	52
2064	80	2156	100	2248	42	2348	54
2066	80	2158	102	2250	42	2350	54
2068	80	2160	102	2252	42	2352	54
2070	84	2162	102	2254	42	2354	54
2072	84	2164	102	2256	42	2356	54
2074	86	2166	102	2258	44	2358	54
2075	86	2168	102	2260	44	2360	54
2076	86	2169	104	2262	44	2362	54
2078	86	2170	104	2264	44	2364	54
2080	86	2172	104	2266	44	2366	56
2082	86	2174	104	2268	44	2368	56
2084	86	2176	104	2270	44	2370	56
2086	86	2178	106	2272	44	2372	56
2090	86	2180	106	2274	44	2374	56
2092	88	2182	106	2276	46	2375	56
2094	88	2184	106	2278	46	2376	56
2096	88	2186	106	2280	46	2378	56
2098	88	2188	34	2282	46	2380	56
2100	88	2190	34	2284	46	2382	56
2118	88	2192	34	2286	46	2384	58
2120	88	2194	34	2288	48	2386	58
2122	88	2196	34	2290	48	2388	58
2124	88	2200	34	2292	48	2390	58
2126	92	2214	34	2294	48	2392	58
2127	92	2216	34	2296	48	2394	60
2128	92	2218	34	2298	50	2396	60
2130	92	2220	34	2300	50	2398	60

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2400	60	2496	74	2592	84	2682	108
2418	60	2498	74	2594	84	2684	108
2420	60	2500	74	2596	84	2688	110
2422	60	2518	74	2598	84	2694	110
2424	60	2520	76	2600	90	2696	110
2426	62	2522	76	2610	38	2718	112
2428	62	2524	76	2612	38	2720	112
2430	64	2526	76	2614	38	2722	112
2432	64	2528	76	2616	40	2724	112
2434	64	2530	76	2618	90	2726	112
2436	64	2532	76	2620	90	2728	112
2438	64	2534	76	2622	90	2730	112
2440	64	2536	78	2624	90	2732	112
2442	64	2538	78	2626	90	2734	114
2444	64	2540	78	2630	90	2736	114
2446	66	2542	78	2632	90	2738	114
2448	66	2544	78	2634	92	2740	114
2450	68	2546	78	2636	92	2744	114
2452	68	2548	78	2638	94	2746	114
2454	68	2550	78	2640	94	2748	114
2456	68	2552	78	2642	94	2750	114
2458	68	2554	78	2644	96	2752	114
2460	68	2556	78	2646	96	2754	114
2462	68	2558	78	2648	96	2756	114
2464	68	2560	78	2650	102	2758	114
2466	68	2562	80	2652	102	2760	114
2468	68	2564	82	2654	102	2762	116
2470	68	2566	82	2656	104	2764	116
2472	68	2568	82	2658	104	2908	58
2474	70	2570	82	2660	104	3710	86
2476	70	2572	82	2662	104	3810	86
2478	70	2574	82	2664	106	3910	88
2480	70	2576	82	2666	106	4108	36
2482	70	2578	82	2668	106	4508	100
2484	70	2580	82	2670	106	4681	112
2486	72	2582	82	2672	106	4682	112
2488	72	2584	82	2674	108	4712	110
2490	74	2586	84	2676	108	4754	72
2492	74	2588	84	2678	108	4755	72
2494	74	2590	84	2680	108	4756	72

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
4760	70	6994	120				
4761	70	6995	120				
4762	72	7001	118				
4943	116	7002	118				
4944	116	7003	118				
5209	116	7004	118				
6212	110	7005	118				
6214	108	7572	22				
6215	108	7573	22				
6217	96	7577	22				
6218	96	7578	22				
6219	96	7629	118				
6220	96	7630	118				
6221	96						
6222	98						
6224	98						
6225	98						
6228	96						
6229	96						
6231	98						
6232	98						
6234	98						
6235	98						
6236	98						
6237	100						
6238	100						
6315	100						
6316	100						
6318	98						
6319	98						
6369	12						
6372	118						
6870	118						
6873	12						
6941	14						
6942	14						
6974	14						
6991	120						
6992	120						
6993	120						

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

THIS PAGE WAS INTENTIONALLY LEFT BLANK

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

INDEX

	Page
Abrasion	36
Additional Part Marking	120
Additional Requirements	118
Adhesion	38
Aperture Cards Required	14
Applicable Documents	120
Base Document	12
Bend Radius	44
Buldge (Coupling)	46
Burst Pressure	48
City, State, Zip	12
Classification	16
Collapse	50
Company Name/Command	12
Configuration	12
Control	12
Design and Construction	24
Dielectric Breakdown Voltage	54
Elongation and Contraction	58
Flammability	62
Flexibility	66
Format	12
Fungus	70
Government Design Activity Cage Code	12
Hot Oil Circulation	72
Immersion	74
Impulse/Surge Pressure	76
Leakage	80
Mounting Hardware	118
Nomenclature	120
Notes	120

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

INDEX (CONT)

	Page
Ozone Resistance	84
Packaging	120
Part Marking	118
Part Number	14
Part Number Cross-Reference	120
Performance Characteristic	116
Phone Number	12
Proof Pressure	86
Quality Assurance Provisions	120
Ratings	16
Requester's Cage Code	12
Requester's Name	12
Revision of AEDPS Document (Number)	14
Scope	14
Source Table	14
Specific Gravity	90
Stability	92
Storage Conditions	116
Street/Building	12
Superseded Document	120
System Application	12
Temperature, High	96
Temperature, Low	98
Tensile Strength	100
Tensile Strength and Elongation After Immersion	104
Test Specimen	34
Temperature Shock	108
Unit of Measure	14
Vibration	112
Workmanship	118

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.