METRIC

DOD-B-24200/1A(SH)
23 October 1973
SUPERSEDING
MIL-B-24200/1(SHIPS)
15 February 1966


MILITARY SPECIFICATION SHEET

BATTERY CELLS AND ELEMENTS, LEAD-ACID, LEAD-ANTIMONY,

MAIN STORAGE, SUBMARINE, TYPE SARGO I (METRIC)

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the batteries and elements described herein shall consist of this document and the latest issue of DOD-B-24200




CELL STORAGE BATTERY
TYPE SARGO I



FSC 6140

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:56Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Class: 1.

Electrolyte specific gravity: 1.250 nominal

Measurement of capacity: Capacity in ampere-hours is based on an initial electrolyte temperature of 26.7°C, specific gravity of 1.250, and shall be not less than as specified in table I.

TABLE I. Electrical characteristics.

| Capacity ampere-hour | Time hours | Discharge current amperes | Minimum battery voltage | | Minimum cell voltage | |
|---|---|---|---|---|---|---|
| | | | 126-cell group | | | |
| | | | Average | Final | Average | Final |
| 4,025 | 1/2 | 8,050 | 182 | 160 | 1.31 | 1.05 |
| 5,320 | 1 | 5,320 | 204 | 180 | 1.46 | 1.28 |
| 7,245 | 3 | 2,415 | 228 | 201 | 1.61 | 1.51 |
| 8,100 | 5 | 1,620 | 234 | 207 | 1.65 | 1.57 |
| 8,460 | 6 | 1,410 | 236 | 208 | 1.66 | 1.58 |
| 9,300 | 10 | 930 | 240 | 212 | 1.69 | 1.63 |
| 10,200 | 20 | 510 | 244 | 215 | 1.71 | 1.66 |
| 10,980 | 36 | 305 | 245 | 217 | 1.72 | 1.68 |
| 11,280 | 48 | 235 | 246 | 217 | 1.72 | 1.68 |

Flash arrester: Not applicable.

Mass per cell (filled and charged):
Maximum: 768 kilograms (kg).
Maximum average: 753 kg.

Guaranteed service life (equivalent cycle equals 6500 ampere-hours of charge): 800 equivalent cycles or 72 months, whichever occurs first.

Initial capacity at the 10-hour rate, 6-hour rate, and 1-hour rate: 85 percent of rated.

Hydrogen evolution (maximum):
Initial: 75 cubic centimeters ($cm^3$).
After twelfth service routine: 185 $cm^3$.

Demonstration of rated capacity: within 75 equivalent cycles.

Route 18-hour discharge rate: 220 amperes.

Repair parts: Filling vents in lieu of flash arresters. No change in quantity.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Preparing activity:
Navy - SH
(Project 6140-N486-1)



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:56Z
Check the source to verify that this is the current version before use.

## STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
DOD - B- 24200/1A METRIC

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address – Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

Replaces edition of 1 Jan 72 which may be used.

S/N 0102-LF-001-4260

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:56Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DoD-316

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Naval Ship Engineering Center
Department of the Navy
Washington, D.C. 20362

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-19T19:56Z
Check the source to verify that this is the current version before use.