
MILITARY SPECIFICATION SHEET

WASHER, RECESSED, ALUMINUM ALLOY

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the washers described herein shall consist of this specification and the latest issue of MIL-W-45595.



SECTION G - G

NOTES:
1. All dimensions are in inches.

FIGURE 1. WASHER, RECESSED, ALUMINUM ALLOY.

FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-22T03:31Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:


1. Material: Aluminum Alloy.

2. Protective finish and surface treatment: Anodic coating or chemical surface treatment.

3. Surface Roughness: Surface roughness shall be 125 microinches in accordance with ANSI B46.1.

4. Part number: The part number consists of the letter "M", the basic number of this specification sheet, followed by a dash number taken from Table I plus a finish code letter "C" for chemical surface treatment or "D" for anodize.

EXAMPLE: M45595/3-01D



M45595/3-01D Indicates - Washer, Recessed, Aluminum Alloy; inside diameter .260 max; outside diameter .542 max; Anodized.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:31Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS.

DASH NUMBER	ØA ID		ØB OD		ØC		T THICKNESS	
	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN
01	.260	.252	.542	.522	.344	.334	.088	.078
02	.324	.315	.603	.583	.406	.396	.088	.078
03	.388	.378	.697	.677	.495	.485	.088	.078
04	.451	.441	.791	.771	.557	.543	.088	.078
05	.515	.504	.895	.875	.620	.604	.088	.078
06	.579	.569	.978	.958	.687	.667	.088	.078
07	.643	.631	1.072	1.052	.785	.765	.088	.078
08	.770	.757	1.260	1.250	.910	.890	.088	.078
09	.897	.884	1.447	1.427	1.035	1.015	.088	.078
10	1.025	1.010	1.635	1.615	1.160	1.140	.088	.078
11	1.150	1.135	1.885	1.865	1.285	1.265	.088	.078
12	1.275	1.260	2.135	2.115	1.447	1.427	.106	.096
13	1.400	1.385	2.323	2.303	1.572	1.552	.106	.096
14	1.525	1.510	2.510	2.490	1.687	1.667	.106	.096

Source: https://assist.dla.mil -- Downloaded: 2026l0-22T03:31Z
Check the source to verify that this is the currentversion before use.

Custodians:
Army - AR
Air Force - 99

Review activities:
Army - AV, ER
Air Force - 11, 82
DLA - IS

User activities:
Navy - EC
NSA - NS

Agent:
DLA - IS

Preparing activity:
Army - AR

(Project 5310-1344)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:31Z
Check the source to verify that this is the current version before use.