
MILITARY SPECIFICATION SHEET

WASHER, CONVEX, STEEL, ALLOY

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the washers described herein shall consist of this specification and the latest issue of MIL-W-45595.



SECTION G-G

NOTES:
1. All dimensions are in inches.

FIGURE 1. WASHER, CONVEX, STEEL, ALLOY.

FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:31Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material: Alloy Steel, Grade 8740 (UNS G87400) or Grade 4130 (UNS G41300).


2. Protective coating: Cadmium plated.

3. Hardness: 40-46HRC

4. Surface Roughness: Unless otherwise specified, surface roughness shall be 125 microinches in accordance with ANSI B46.1.

5. Part number: The part number consists of the letter "M", the basic number of this specification sheet, followed by a dash number taken from Table I.

EXAMPLE: M45595/6-01



M45595/6-01 Indicates - Washer, Convex, Steel, Alloy; inside diameter .200 min; outside diameter .339 min; Cadmium plate.

Source: https://assist.dla.mil -- Downloaded: 202610-22T03:31Z
Check the source to verify that this is the currenversion before use.

TABLE I. DASH NUMBERS AND DIMENSIONS.

DASH NUMBER	ØA ID		ØB OD		E COUNTERSUNK		F COUNTERSINK DEPTH (REF)	D RADIUS OFFSET		T THICKNESS		R SPHERICAL RADIUS	
	MAX	MIN	MAX	MIN	MAX	MIN		MAX	MIN	MAX	MIN	MAX	MIN
01	.210	.200	.349	.339	.282	.272	.025	.130	.120	.074	.058	.238	.218
02	.270	.260	.464	.454	.342	.332	.025	.173	.163	.095	.075	.310	.290
03	.333	.323	.592	.582	.405	.395	.025	.213	.203	.124	.104	.385	.365
04	.395	.385	.722	.712	.499	.489	.025	.252	.242	.154	.134	.460	.440
05	.458	.448	.855	.845	.562	.552	.025	.288	.278	.180	.160	.535	.515
06	.520	.510	.973	.963	.624	.614	.025	.332	.322	.210	.190	.610	.590
07	.583	.573	1.105	1.095	.687	.677	.025	.371	.361	.235	.215	.685	.665
08	.645	.635	1.225	1.215	.781	.771	.025	.414	.404	.256	.236	.760	.740
09	.770	.760	1.439	1.429	.906	.896	.025	.524	.514	.287	.267	.910	.890
10	.895	.885	1.641	1.631	1.031	1.021	.025	.634	.624	.311	.291	1.060	1.040
11	1.020	1.010	1.841	1.831	1.156	1.146	.030	.723	.713	.358	.338	1.210	1.190
12	1.145	1.135	2.129	2.119	1.281	1.271	.030	.805	.795	.415	.395	1.360	1.340
13	1.270	1.260	2.377	2.367	1.439	1.429	.035	.887	.877	.468	.448	1.510	1.490
14	1.395	1.385	2.629	2.619	1.564	1.554	.035	.966	.956	.522	.502	1.660	1.640

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T03:31Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AR
Air Force - 99

Review activities:
Army - AV, ER
Air Force - 11, 82
DLA - IS

User activities:
Navy - EC
NSA - NS

Agent:
DLA - IS

Preparing activity:
Army - AR

(Project 5310-1347)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:31Z
Check the source to verify that this is the current version before use.