MIL-C-43382
12 November 1965

MILITARY SPECIFICATION

CUP, COMMUNION, PLASTIC

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the requirements for a plastic communion cup.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-566 - Boxes, Folding, Paperboard.
PPP-B-636 - Box, Fiberboard.
PPP-B-665 - Boxes, Paperboard, Metal Stayed (Including Stay Material).
PPP-B-676 - Boxes, Setup.

MILITARY

MIL-B-43291 - Boxes, Fiberboard, Corrugated, Double-Wall, Weather Resistant.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications, standards, drawings and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 9925

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.

2.2 Other publications.- The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

AMERICAN SOCIETY FOR TESTING AND MATERIALS STANDARD

D-703-64 - Specification for Polystyrene Molding and Extrusion Materials

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia 3, Pa.).

FEDERAL FOOD, DRUG, AND COSMETIC ACT,
FOOD ADDITIVE AMENDMENT, 21 CODE;

Federal Regulations 121.2510 for Contact With Food

(Application for copies should be addressed to the Department of Health, Education and Welfare, 330 Independence Avenue S.W., Washington, D.C. 20407.)

3. REQUIREMENTS

3.1 Material.- The material shall be a commercial grade of clear, uncolored, unfilled polystyrene molding composition with improved resistance to thermal distortion, conforming to type 3 of ASTM D-703-64, except that the electrical requirements shall not apply.

3.1.1 Plastic cup.- The cup shall be odorless and shall conform to the Federal Food, Drug and Cosmetic Act, Food Additive Amendment, for contact with food.

3.2 Design, construction and dimensions.- The cup shall be designed and constructed to meet the dimensional requirements of figure 1.

3.3 Workmanship.- The cup shall meet the standards of good commercial practice and shall seat evenly on a flat surface without rocking. Furthermore, the cup shall be free from rough or irregular surfaces, rough edges, or corners, blisters and sink marks, which will detract from the use or appearance of the cups. The sprue shall be removed close to the surface and shall not leave a rough or disfiguring scar.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.

laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Inspection.- Sampling for inspection shall be performed in accordance with the provisions of MIL-STD-105 except where otherwise indicated herein.

4.2.1 Component inspection.- In accordance with 4.1 above, components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.2.1.1 Certificate of compliance.- Material requirements (see 3.1 and 3.1.1) may be accepted on the basis of a supplier's certificate of compliance for the characteristics indicated.

4.2.2 Examination of the end item.- Examination of the end item shall be in accordance with the classification of defects specified in 4.2.2.1, 4.2.2.2 and 4.2.2.3. The applicable inspection levels and acceptable quality levels shall be as indicated in 4.2.2.4. The lot size shall be expressed in units of one cup or containers as applicable.

4.2.2.1 Visual examination.- The finished cup shall be examined for defects in design, construction, appearance and workmanship. The sample unit for this examination shall be one cup.

Examine	Defect
Design	Not in accordance with figure.
Construction appearance and workmanship	Not clean. Broken, cracked, fracture, chipped, deformed, flow mark, wrinkle. Any scratches, pits, dents. Any blisters, crazing, bubbles or holes. Any rough or disfiguring scar. Scuffed or abraded area. Not odorless. Any rough edge, corners or sink marks.

4.2.2.2 Dimensional examination.- The cup shall be examined for dimensional defects. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit for this examination shall be one cup.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.

4.2.2.3 Examination of preparation for delivery.- An examination shall be made to determine that packaging, packing and marking, as required by Section 5 of this specification are complied with. Defects shall be scored in accordance with the list below. The sample unit shall be one shipping container fully prepared for delivery with the exception that it need not be sealed. Defects of closure listed below shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of containers in the end item inspection lot.

Examine	Defect
Markings (exterior and interior)	Incorrect, illegible, omitted; of improper size, location, sequence or method of application.
Materials	Any nonconforming component; component missing.
Workmanship	Inadequate application of component, such as incomplete closure of container flaps, improper taping, loose strapping, etc. Bulged or distorted containers.
Content	Weight of contents exceeds requirement. Number per container is more or less than specified.

4.2.2.4 Inspection levels and acceptable quality levels (AQLs) for examination.- The inspection levels for determining the sample size and the acceptable quality levels (AQLs), expressed in defects per 100 units, shall be as follows:

Examination paragraph	Inspection level	AQL
4.2.2.1	I	2.5
4.2.2.2	S-2	6.5
4.2.2.3	S-1	2.5

5. PREPARATION FOR DELIVERY

5.1 Packaging.- Packaging shall be level A or C as specified (see 6.2).

5.1.1 Level A.- Twelve cups shall be packaged in a snug-fitting paperboard box conforming to any classification of PPP-B-566, PPP-B-676, or PPP-B-665. Each paperboard box shall be fitted with a die cut platform containing separate cells for individual cup placement. Type of closure shall be indicated by the style of the box (see 6.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.

5.1.2 Level C.- Cups shall be packaged to afford adequate protection against damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing.- Packing shall be level A, B or C as specified (see 6.2).

5.2.1 Level A.- A quantity of cups, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, V3c or V3s of PPP-B-636. Alternatively, shipping containers shall conform to style RSC, V13c of MIL-B-43291. Each container shall be waterproofed in accordance with the appendix of PPP-B-636. Each shipping container shall be closed and reinforced with flat steel strapping or tape banding in accordance with the appendix of the applicable container specification. The weight of the contents of each PPP-B-636 shipping container shall not exceed 65 pounds.

5.2.2 Level B.- A quantity of cups, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, type CF or SF, class domestic, variety SW, grade 275 of PPP-B-636. Each shipping container shall be closed in accordance with method II of the appendix of the container specification. The weight of the contents of each shipping container shall not exceed 65 pounds.

5.2.2.1 When specified, shipping containers shall be fabricated from V3c or V3s fiberboard (see 6.2).

5.2.3 Level C.- Cups, packaged as specified in 5.1, shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers shall be in accordance with rules and regulations of carriers applicable to the mode of transportation.

5.3 Marking.- In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use.- The communion cup covered by this specification is to be used as a component of Chaplain's Kits and Sets to serve individuals at religious services.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.

6.2 Ordering data.- Procurement documents should specify the following:

a. Title, number and date of this specification.
b. Selection of applicable levels of packaging and packing (see 5.1 and 5.2).
c. Whether V-board shipping containers are required for level B shipments (see 5.2.2.1).

6.3 The method of packaging referred to in 5.1.1 is similar to method III of MIL-P-116.

Custodians:

Army - GL

Navy - PE

Air Force - 28

Preparing activity:

Army - GL

Project No. 9925-0091

Review activities:

Navy - PE

Air Force - 28

Armed Forces Chaplain Board

Review information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing Of DOD Documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.




FIG 1, CUP, COMMUNION

MIL-C-43382

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.

"to detach form, cut along this line"

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity.

SPECIFICATION

Cup, Communion, Plastic - MIL-C-43382

ORGANIZATION	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1 OCT 64 1426

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01762

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRE-SS
Natick, Massachusetts 01762

FOLD

"to detach this form, cut along this line"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:17Z
Check the source to verify that this is the current version before use.