INCH-POUND

MS39137F
4 January 1999
SUPERSEDING
MS39137E
15 May 1989

DETAIL SPECIFICATION SHEET

ADAPTER BODY, AUTOMOTIVE AIR BRAKE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

This adapter body is a component of the adapter, straight pipe to hose, automotive air brake hose, MS39133.



Figure 1. Adapter Body.

AMSC N/A FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

TABLE I. Adapter Body Dimensions.

MS dash no.	A (NPTF Short)	B	C	D	F	G ±.003	Material
-1-B	1/4	1.906	.500	.406	.484	.281	Brass
-1-S							Steel
-2-S	1/2	2.062	.656	.672	.745	.531	Brass
-2-S							Steel



Figure 2. Alternate Design Adapter Body.

TABLE II. Alternate Design Adapter Body Dimensions and Materials.

MS dash no.	A (NPTF Short)	B	C	D	E	Material
-A-1-B	1/4	2.12	.56	.53	.30	Brass
-A-1-S						Steel
-A-2-B	1/2	2.31	.75	.88	.49	Brass
-A-2-S						Steel

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Adapters shall be in accordance with figures 1 and 2 and tables I and II.

2. Materials shall conform to formed rod, tempered, half-hard brass as specified in ASTM B 16 and steel as specified in ASTM A 108.

3. Finishes for brass shall be uncoated and steel shall be zinc coated, thickness not less than 25µm, type II, as specified in ASTM B 633.

4. Tolerances for adapter bodies, unless otherwise specified, are as follows:

   .XXX = ±.005
   .XX = ±.02
   Angles ±2°

5. Threads shall be as specified in FED-STD-H28.

NOTES:

1. All dimensions are in inches, unless otherwise specified.

2. Referenced government documents of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this standard to the extent specified herein.

3. For design feature purposes, this standard takes precedence over acquisition documents referenced herein.

4. In the event of a conflict between the text of this specification sheet and the references cited herein, the text of this specification sheet shall take precedence.

5. Part or Identifying Numbers (PINs).

   Example of a military PIN: MS39137-1-B.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

Example of a military PIN, alternate design : MS39137-A-1-B.



Custodians:
Air Force - 99
Army - AT

Review activities:
Air Force - 82
Army - AR, EA

Preparing activity:
DLA - CC

(Project 4730-0849)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.