MIL-C-50861A (AR)
AMENDMENT 2
10 JANUARY 1983
SUPERSEDING
AMENDMENT 1
17 NOVEMBER 1980

MILITARY SPECIFICTION

CARTRIDGE, 40MM, HEDP, M430;
BODY ASSEMBLY FOR METAL PARTS

This Amendment forms a part of MiLitary Specification MIL-C-50861A (AR), dated 29 March 1976, and is approved for use by the US Army Armament Research and Development Command and is available for use by all Departments and Agencies of the Department of Defense.

Delete preamble and substitute the following:

"This specification is approved for use by the US Army Armament Research and Development Command and is available for use by all Departments and Agencies of the Department of Defense."

PAGE 2

* Add: "MIL-STD-1188 - Commercial Packaging of Supplies and Equipment

MIL-STD-1235 - Single and Multilevel Continuous Samples Procedures and Tables for Inspection by Attributes"

Delete "DRAWINGS, PICATINNY ARSENAL" and substitute the following:

DRAWINGS (See 6.5)

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND"

* Delete "8870372" and substitute "8869822".

PAGE 7

* 4.4.2.1 Delete defect characteristic "Major 104" in its entirety and substitute the following:

FSC 1310

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

"104. Runout of outside body diameter with pitch diameter of thread and front face 0.40% 3.2 Gage"

PAGE 8

* 4.4.2.2 Major 103, delete "pitch diameter of thread" and substitute "body diameter"

Delete defect characteristic "Major 109" in its entirety.

Major 110, Delete "32" and substitute "Note 1".

Add: "Note 1: MIL-STD-1235, CSP II, Code Letter H".

* Add the following QUALITY CONFORMANCE INSPECTION TABLE:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50861A (AR)
AMENDMENT 2

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.3	Body Assembly After Painting	1 OF 1	9287854
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL:	None defined				
MAJOR:					
101.	Salt spray	Note 1	Note 1	3.2	4.5.3
102.	Body diameter		0.40%	3.2	Gage

NOTES:

NOTE 1: Sampling and rejection shall be in accordance with TT-C-490

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

PAGE 10

* 4.5.4 Delete "8870372" and substitute "8869822".

* 4.5.4.1 Delete "8870372" and substitute "8869822".

PAGE 11

* Section 5: Delete in its entirety and substitute the following:

"5. PACKAGING

5.1 Packing and marking.

5.1.1 Level A and B. Body assemblies shall be packaged, packed and marked in accordance with MIL-STD-1169.

5.2 Commercial. Body assemblies shall be packed and marked in accordance with MIL-STD-1188, except unit pack quantity shall not exceed 200 body assemblies or 70 pounds whichever occurs first.

5.3 Shipping. When components from more than one lot are shipped as a carload, each lot shall be kept separate and the division between lots clearly indicated to prevent mixing of the lots in transit."

* 6.3 Delete "ARRADCOM, DRDAR-QAA-I" and substitute "ARRADCOM, DRDAR-QAF-I".

Add the following paragraph:

"6.6 Drawing. Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by and identified as, Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activities is now under the cognizance of ARRADCOM."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1310-A296)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.