MILITARY SPECIFICATION

CASE, CARTRIDGE, 40MM, M169;

CUP, CLOSING FOR

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers one type of Cup, Closing for use in Case Cartridge, 40MM, M169.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078	- Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-1169	- Packaging, Packing and Marking for Shipment of Inert Ammunition Components

FSC: 1310

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.

DRAWINGS

PICATINNY ARSENAL

9206911 - Cup, Closing

3. REQUIREMENTS

3.1 Material - Materials shall be in accordance with the applicable drawings and specifications.

3.2 Part - The part shall comply with all requirements specified on Drawing (Dwg.) 9206911; all associated drawings and with all requirements specified in applicable specifications.

3.3 Workmanship - All parts and assemblies shall be fabricated and finished in a thorough, workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion products, and other foreign matter. The cleaning method used shall not be injurious to any parts, nor shall the parts be contaminated by the cleaning agents. All marking and stamping shall be neat and sharply defined.

3.4 First Article Inspection - This specification contains technical provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the contract.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection and Standard Quality Assurance Provisions - Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of Inspections - The following types *of* inspection shall be conducted on this item:

a. First Article Inspection
b. Quality Conformance Inspection

4.3 First Article Inspection -

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.

4.3.1 Submission - The contractor shall submit a first article as designated by the Contracting Officer for evaluation in accordance with the provisions of 4.3.2. The first article sample shall consist of the following items in sample quantities as indicated.

Part Description	Drawings	Quantity
Cup, Closing	9206911	50

4.3.2 Inspections to be Performed - See MIL-A-48078 and Table 1 herein.

4.3.3 Rejection - See MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.

TABLE 1 - FIRST ARTICLE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-63062 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
	Cup, Closing				See below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Cup, Closing (Dwg. 9206911) Examination for Defects	50	-	3.2	4.4.2.1

NOTES:

SARPA-QA FORM 2567 FEB 74 4000

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.

4.4 Quality Conformance Inspection

4.4.1 Inspection Lot Formation - Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examination - See MIL-A-48073.

a. Sampling Plans - Unless otherwise specified in the Classification of Defects and Test Tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-63062 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.1	Cup, Closing				9206911
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined	See 4.5.1			
Major	Height		0.40%	3.2	Gage
Minor					
201	Outside diameter		0.65%	3.2	Gage
202	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 20261O-23T02:08Z
Check the source to verify that this is the current version before use.

4.4.3 Testing - Testing is described in the First Article and Quality Conformance Inspection Tables.

4.4.4 Inspection Equipment - The inspection equipment required to perform the examinations and test prescribed herein is described in the Paragraph Reference/Inspection Method column in the tables starting with Paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 and 6.3 herein.

4.5 Test Methods and Procedures -

4.5.1 Dimensional Control of Stamped Parts - In place of the normal sampling associated with the Classification of Defects and with the approval of the Contracting Officer, a sample of at least ten (10) parts shall be dimensionally inspected to qualify the tool used in the stamping process for use in production. In addition, a random sample of five (5)-parts shall be selected from the last portion of each hour's Production for dimensional inspection as a control of the tool during production.

If any defective parts are found during qualification of the tool, the tool producing the defective part shall not be used in production.

If any defective parts are found when inspection is performed for control of the tool, the tool producing the defective part shall be removed from production. Further, that portion of Production since the last tool control check shall be returned to the contractor for corrective action.

All tools removed from production because of some fault may, after reworking, be returned to production providing they pass the qualification test above. The contractor may request a change of inspection frequency. providing he presents objective evidence to the Contracting Officer to substantiate the request.

5. PREPARATION FOR DELIVERY

5.1 Preservation and Packaging -

5.1.1 Level C - The Cup, Closing shall be packed for shipment in accordance with MIL-STD-1169.

5.2 Packing -

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.

5.2.1 Level C - The Cup, Closing Preserved and packaged as specified in 5.1.1, shall be packed for shipment in accordance with MIL-STD-1169.

5.3 Marking - Marking of the carton shall comply with MIL-STD-1169.

5.4 Shipping - When components from more than one lot are shipped as a carload, each lot shall be kept separate, and the division between lots clearly indicated to prevent mixing of the lots in transit.

6. NOTES

6.1 Intended Use - The component covered by this specification is intended for use in Case Cartridge, 40MM, M169.

6.2 Ordering Data - See MIL-A-48078.

6.3 Submission of Inspection Equipment Designs for Approval - See MIL-A-418078 Submit equipment designs as required to Commander, Attn: SARPA-QA-T, Picatinny Arsenal, Dover, NJ 07801.

6.4 Submission of Results of Contractor-conducted Examinations and Tests - Unless otherwise specified by the Contracting Officer, the contractor shall forward requested records of examinations or tests to Commander, Picatinny Arsenal, Attn: SARPA-QA-A-S.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1310-A085

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R25[illegible]

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD, FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:08Z
Check the source to verify that this is the current version before use.