MILITARY SPECIFICATION

PROJECTILE, 8 INCH, HE, RA, M650
ACCESSORIES FOR

This amendment forms a part of Military Specification MIL-P-63143A (AR), dated 01 February 1979, and is approved for use by the US Army Armament Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, Drawings, ARRADCOM, Product and Packaging, delete the following drawings:

"9287978 - Pad
9287979 - Disk"

Add the following drawings:

"9370181 - Cup
9370182 - Pad
9370183 - Disc
9370215 - Disk"

PAGE 4

4.3.1, delete the following drawings:

"Pad - 9287978 - 10*
Disk - 9287979 - 10"

Add the following drawings:

"Cup - 9370181 - 10*
Pad - 9370182 - 10*
Disc - 9370183 - 10*
Disk - 9370215 - 10"

PAGE 6

Table I, Sheet 2:

Delete "9287978" and substitute "9370182"

Delete "9287979" and substitute "9370215"

FSC 1320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

PAGE 7

Table I, Sheet 3, add the following:

"Cup
(Dwg. 9370181)
Examination for Defects 10 3.2 4.4.2.16

Disc
(Dwg. 9370183)
Examination for Defects 10 3.2 4.4.2.17."

PAGE 16

4.4.2.8: Delete "9287978" and substitute "9370182"

Add Major defects 103 and 104 as follows:

Major category:

"Major 103: Hole diameter (a) 3.2 Ruler

Major 104: Hole missing or off center 100% 3.2 Visual"

PAGE 17

4.4.2.9: Delete "9287979" and substitute "9370215"

Add Major defects 105, 106, 107 and 108 as follows:

Major category:

"Major 105: Hole diameter, max. 0.40% 3.2 Gage

Major 106: True position of hole 0.40% 3.2 Gage

Major 107: Hole missing 100% 3.2 Visual

Major 108: Thickness through web, min. 0.40% 3.2 Gage"

PAGE 24

Add 4.4.2.16 and 4.4.2.17 as follows:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.16	Cup		9370181
			NEXT HIGHER ASSEMBLY
			9370179

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Crack, split, puncture or similar damage extending through material		0.40%	3.2	Visual
Minor					
201	Thickness		(a)	3.2	Gage
202	Inside diameter		(a)	3.2	Gage
203	Outside diameter		(a)	3.2	Gage
204	Total length		(a)	3.2	Gage
205	Evidence of poor workmanship		(a)	3.5	Visual

NOTES:
(a) See 4.4.3.1 and 4.4.3.2.

DRSMC-OA (D) Form 160, 1 Aug 83 replaces edition of 1 Jul 77 which may be used until exhausted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	OF	DRAWING NUMBER
4.4.2.17	Disc	1	1	9370138
				NEXT HIGHER ASSEMBLY: 9287993

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Thickness, min.		(a)	3.2	Gage
102	Diameter		(a)	3.2	Gage
Minor					
201	Evidence of poor workmanship		(a)	3.5	Visual

NOTES: (a) See 4.4.3.1 and 4.4.3.2.

DRSMC-QA (D) Form 160, 1 Aug 83 replaces edition of 1 Jul 77 which may be used until exhausted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

6.3: Delete "Command, Attn: DRDAR-QAR-I" and substitute "Center, Attn: DRSMC-QAR-I (D)".

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 1320-A749)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.