MIL-A-62463A(AT)
AMENDMENT 2
30 October 1984
SUPERSEDING
AMENDMENT 1
29 June 1984

MILITARY SPECIFICATION

ACTUATOR ASSEMBLY, ROTARY

This amendment forms a part of Military Specification MIL-A-62463A(AT), dated 30 March 1984, and is approved for use by US Army Tank-Automotive Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGES 3, 5 & 6

Paragraphs 3.4.1.a.2., 3.4.2.a.2. and 4.3.2.b.: Delete "15,000 psi (103,425 kPa) (minimum)" and substitute:

"7500 - 8000 psi (52,000 - 55,000 kPa)"

PAGE 4

Paragraph 3.4.1g: Delete "None" and substitute:

"A weep or seep is permitted in the area of the shaft seal."

PAGE 5

Paragraph 3.4.2g: Delete "None" and substitute:

"A weep or seep is permitted in the area of the shaft seal."

FSC 2530

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:41Z
Check the source to verify that this is the current version before use.

Table III, delete in its entirety, and substitute revised Table III as follows:

TABLE III. Classification of tests.

Title	Requirement	Test	First article	Quality conformance	
				Acceptance (100%)	Control
Characteristics Type I	3.4.1	4.6			
Operating pressure	a.1	4.6	X	X	
Proof pressure	a.2	4.6	X		X
Break-out pressure	a.3	4.6	X	X	
Displacement	b.	4.6	X		X
Torque	c.	4.6	X		X
Weight	d.	4.6	X		X
Travel	e.	4.6	X	X	
Travel buffing	f.	4.6	X		
External leaks	g.	4.6	X	X	
Internal leaks	h.	4.6	X	X	
Leveling valves	i.	4.6	X	X	
Relief valve setting	j.	4.6	X	X	
Characteristics Type II	3.4.2	4.6			
Operating pressure	a.1	4.6	X	X	
Proof pressure	a.2	4.6	X		X
Break-out pressure	a.3	4.6	X	X	
Displacement	b.	4.6	X		X
Torque	c.	4.6	X		X
Weight	d.	4.6	X		X
Travel	e.	4.6	X	X	
Travel buffing	f.	4.6	X		
External leaks	g.	4.6	X	X	
Internal leaks	h.	4.6	X	X	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:41Z
Check the source to verify that this is the current version before use.

Add paragraph:

"6.3 Definitions of leakage.

a. Weep - Any evidence of fluid beyond a seal or joint.

b. Seep - Any evidence of fluid beyond a seal or joint that does not result in the formation of a droplet.

c. Leak - Any evidence of fluid beyond a seal or joint that results in the formation of a droplet.

d. Drip - Any evidence of fluid beyond a seal or joint where droplets form and fall."

Custodian:
Army - AT

Preparing Activity:
Army - AT

Project No. 2530-A316

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:41Z
Check the source to verify that this is the current version before use.