
MILITARY SPECIFICATION SHEET

SHIM, SOLID, ROUND

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the shims described herein shall consist of this specification and the latest issue of MIL-S-70334.



NOTES:
1. All dimensions are in inches.
2. Dimensional data is specified in Table I herein.
3. Shim to be free of burrs.

FIGURE 1. SHIM, SOLID, ROUND

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:23Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material and finish:
   Aluminum Alloy, Anodized
   Aluminum Alloy, Chemically Treated
   Brass, Black Chemical Finish
   CRES, Passivated
   Carbon Steel, Cadmium Plated

2. Tolerances: Unless otherwise specified, tolerances shall be as specified:

THICKNESS		DIAMETER	
.001 to .005	± 10%	Up to 1"	± .003
.006 to .010	± .0005	Over 1" up to 3"	± .005
.011 to .016	± .001	Over 3"	± .010

3. Part number: The part number consists of the letter "M", the basic number of this specification sheet, followed by a dash number taken from Table I plus a material and finish code letter.

Example: M70334/1-0001A

- M70334/1 — Specification sheet number
- -0001 — Dash number as tabulated in Table I
- A — Material and finish code
  - "A" Aluminum Alloy, Anodized
  - "T" Aluminum Alloy, Chemically Treated
  - "B" Brass, Black Chemical Finish
  - "C" CRES, Passivated
  - "D" Carbon Steel, Cadmium Plated

M70334/1-0011A indicates: Shim, Solid, Round; .250 ID X .748 OD X .002 Thick of Aluminum Alloy, Anodized.

M70334/1-0055C indicates: Shim, Solid, Round; .252 ID X .344 OD X .005 Thick of CRES, Passivated.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:23Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS

T THICKNESS														
.001			.002			.003			.004			.005		
DASH NO	Ø R ID	Ø S OD	DASH NO	Ø R ID	Ø S OD	DASH NO	Ø R ID	Ø S OD	DASH NO	Ø R ID	Ø S OD	DASH NO	Ø R ID	Ø S OD
0001	.088	.153	0007	.128	.250	0026	.096	.140	0045	.135	.234	0050	.100	.188
0002	.125	.187	0008	.130	.188	0027	.125	.250	0046	.170	.360	0051	.127	.218
0003	.187	.500	0009	.200	.400	0028	.166	.250	0047	.195	.468	0052	.128	.281
0004	.190	.246	0010	.250	.359	0029	.190	.265	0048	.252	.344	0053	.130	.188
0005	.252	.344	0011	.250	.748	0030	.250	.359	0049	.375	.500	0054	.190	.344
0006	.447	.625	0012	.275	.360	0031	.252	.344				0055	.252	.344
			0013	.275	.750	0032	.313	1.000				0056	.255	.390
			0014	.393	.627	0033	.377	.498				0057	.317	.470
			0015	.395	.930	0034	.377	.625				0058	.377	.498
			0016	.399	.555	0035	.393	.627				0059	.393	.627
			0017	.500	.700	0036	.415	.470				0060	.415	.470
			0018	.753	.975	0037	.570	.875				0061	.503	.625
			0019	.795	.867	0038	.753	.975				0062	.600	.740
			0020	.900	.995	0039	1.000	1.375				0063	.625	.734
			0021	1.000	1.375	0040	1.250	1.375				0064	.752	1.000
			0022	1.432	1.623	0041	1.432	1.623				0065	.753	.975
			0023	2.190	2.438	0042	2.190	2.438				0066	1.000	1.250
			0024	2.435	2.873	0043	2.435	2.873				0067	1.432	1.623
			0025	3.050	3.313	0044	3.050	3.313				0068	1.650	1.840
												0069	2.190	2.438
												0070	3.050	3.313

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:23Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS - CONTINUED

T THICKNESS														
.006			.007			.008			.010			.011		
DASH NO	ØR ID	ØS OD	DASH NO	ØR ID	ØS OD	DASH NO	ØR ID	ØS OD	DASH NO	ØR ID	ØS OD	DASH NO	ØR ID	ØS OD
0071	.200	.510	0082	.377	.498	0084	.100	.200	0087	.093	.187	0122	.128	.315
0072	.280	.500	0083	.377	.625	0085	1.758	3.250	0088	.094	.205	0123	.255	.390
0073	.280	.760				0086	1.891	2.469	0089	.128	.315	0124	.312	.495
0074	.320	.700							0090	.156	.250			
0075	.681	1.000							0091	.198	.450			
0076	.800	.980							0092	.199	.305			
0077	.812	2.000							0093	.234	.500			
0078	1.020	1.325							0094	.252	.308			
0079	1.080	1.490							0095	.252	.344			
0080	1.320	2.050							0096	.255	.350			
0081	3.515	4.015							0097	.260	.300			
									0098	.260	.335			
									0099	.258	.368			
									0100	.281	.500			
									0101	.284	.544			
									0102	.312	.415			
									0103	.320	.425			
									0104	.324	.520			
									0105	.377	.498			
									0106	.378	.810			
									0107	.380	.585			
									0108	.393	.627			
									0109	.531	1.000			
									0110	.753	.975			
									0111	.840	1.310			
									0112	1.078	1.375			
									0113	1.320	2.000			
									0114	2.182	2.750			
									0115	2.190	2.438			
									0116	2.435	2.873			
									0117	2.515	3.225			
									0118	2.598	3.313			
									0119	3.050	3.313			
									0120	6.000	6.250			
									0121	10.930	12.312			

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:23Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS - CONTINUED

T THICKNESS														
.012			.013			.014			.015			.016		
DASH NO	ØR ID	ØS OD	DASH NO	ØR ID	ØS OD	DASH NO	ØR ID	ØS OD	DASH NO	ØR ID	ØS OD	DASH NO	ØR ID	ØS OD
0125	.128	.250	0140	.128	.315	0144	.128	.315	0150	.128	.315	0159	.094	.160
0126	.128	.315	0141	.199	.305	0145	.198	.450	0151	.187	.250	0160	.109	.245
0127	.198	.450	0142	.320	.425	0146	.210	.510	0152	.235	.290	0161	.128	.375
0128	.199	.305	0143	.502	.750	0147	.324	.520	0153	.265	.500	0162	.140	.312
0129	.250	.480				0148	.630	.781	0154	.380	.625	0163	.150	.300
0130	.252	.344				0149	1.110	1.250	0155	.520	.660	0164	.156	1.375
0131	.255	.531							0156	.750	.990	0165	.160	.205
0132	.258	.368							0157	.752	1.000	0166	.166	.250
0133	.320	.425							0158	1.031	1.281	0167	.175	.245
0134	.324	.520										0168	.200	.313
0135	.500	.875										0169	.203	.265
0136	1.210	1.550										0170	.203	.625
0137	2.002	2.490										0171	.261	.497
0138	2.002	2.740										0172	.390	.465
0139	3.125	3.675										0173	.530	1.000
												0174	.594	.734
												0175	.644	.844
												0176	.752	1.250
												0177	1.202	1.310
												0178	2.190	2.480

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:23Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AR
Air Force - 99

Review activities:
Army - AV, MI
DLA - IS

User activity:
NSA - NS

Preparing activity:
Army - AR

Agent:
DLA - IS

(Project 5365-0106)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:23Z
Check the source to verify that this is the current version before use.