INCH-POUND


MIL-C-13486/13B
6 June 1989
SUPERSEDING
MIL-C-13486/13A
21 June 1968

MILITARY SPECIFICATION SHEET

CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, SHIELDED

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-C-13486




NOTE: All dimensions are in inches.

FIGURE 1. Dimensions and configuration.

Ⓑ denotes changes


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T00:41Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1 of this specification sheet.
Conductor size: All conductors shall be size 20 (see table I of MIL-C-13486).
Longitudinal shifting: This requirement of MIL-C-13486 shall not apply.
Shielding: All shielding shall be electrically connected.
Shielding internal: Internal shielding shall consist of a closely and uniformly woven wire braid applied directly over the insulated conductors by means of a multiple carrier braider. Each carrier shall have no less than four strands of 0.005 inch diameter tinned copper wire. The shielding shall provide no less than 85% coverage.
Shielding outer: Outer shielding (see figure 1 of this specification sheet) shall consist of a closely and uniformly woven wire braid woven by means of a multiple carrier braider. Each carrier shall have no less than eight strands of 0.0063 inch diameter tinned copper wire. The shielding shall provide no less than 85% coverage.
Insulated conductors, identification: See table I of this specification sheet.

TABLE I. Color code chart.

| Conductor number | Base | Stripe |
|---|---|---|
| 1 | Red | None |
| 2 | Red | Black |
| 3 | Red | White |
| 4 | Red | Green |
| 5 | Black | None |
| 6 | Black | White |
| 7 | Black | Red |
| 8 | Black | Green |
| 9 | White | None |
| 10 | White | Black |
| 11 | White | Red |
| 12 | White | Green |

Part or Identifying Number (PIN): M13486/13-1
Former Part Number: 7724579



Source: https://assist.dla.mil -- Downloaded: 202640-18T00:41Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AT
Navy - SH
Air Force - 85

Review activities:
Air Force - 99
DLA - IS

User activities:
Air Force - 71, 79, 80, 84

Preparing activity:
Army - AT

(Project 6145-1075-13)



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T00:41Z
Check the source to verify that this is the current version before use.