MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

METERS

TO ALL HOLDERS OF DOD-STD-35-12A(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-12A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
1	26 FEBRUARY 1979 (Reprinted without change)		
2	30 JUNE 1992	2	29 JANUARY 1980
3	30 JUNE 1992	3	29 JANUARY 1980
4	30 JUNE 1992	4	29 JANUARY 1980
4a	30 JUNE 1992	4a	29 JANUARY 1980
5	26 FEBRUARY 1979 (Reprinted without change)		
6	30 JUNE 1992	6	26 FEBRUARY 1979

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-12A(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

User activity:
Army - AR

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SC
Army-CR

Preparing activity:
Army - MI

(Project EGDS-A399)

AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Meters.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate an MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects that are applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. It is recommended that MIL-STD-1279, Selection and Use of Meters, Electrical Indicating be reviewed prior to using this dash-numbered part book.

The title code for an MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSE°s for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index, entered on an SRS, will specify that the title of the MSE will be the title shown in the Title Index.

Each MSE title listed in the Title Index is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user°s reference; when more than one document is listed for a MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

Reprinted without change.
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
METER, ELECTRICAL	031012	MIL-M-3971	TIME TOTALIZING CAP 10000 HOURS AC OR DC
		MIL-V-6753	VOLTMETERS, AC, 0-150 VOLT, 330 TO 1200 CYCLE
		MS24332	0-150 VOLT AC 330 TO 1200 CY
		MIL-M-7793	TIME TOTALIZING
		MIL-M-7793/5	MINIATURE, 28 VOLT DC
		MIL-M-7793/6	MINIATURE, 115 VOLT, 400 CYCLE
		MIL-M-7793/7	115 V, 60 CYCLE
		MIL-M-7793/8	115 VOLT, 60 OR 400 HERTZ
		MS21341	HERMETICALLY SEALED 28 V DC
		MS27650	HERMETICALLY SEALED 26 V 400 HERTZ
		MS27651	HERMETICALLY SEALED 115 V 400 HERTZ AC
		MIL-M-7793	115 VOLT, 60HZ
		MIL-M-10304	WATERTIGHT
		MIL-M-16034	SWITCHBOARD AND PORTABLE
		MIL-M-16125	SWITHCBOARD AND PORTABLE
		MIL-M-19261	SWITCHBOARD
		MIL-M-23167	SWITCHBOARD

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:53Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
METER, ELECTRICAL	031012 (CONT)	MIL-M-24359	AMMETER DC MA HORIZONTAL AND VERTICAL
		MIL-I-26525	BATTERY GENTR INDICATOR
		MS24532	VOLTMETER GEN 28 VOLT DC
		AN3201	AMMETER, DC
		MS25025	LOADMETER, DC AIRCRAFT
METER, ELECTRICAL, DIGITAL INDICATING, PANEL TYPE, SQUARE FLANGE	031008	MIL-M-7793	TIME TOTALIZING 60 AND 400 CPS AC AND 28 V DC
		MIL-M-7793/9	115 VOLT 400 CYCLE
		MIL-M-7793	115 VOLT, 60 HZ
METER, ELECTRICAL, DIGITAL INDICATING, PANEL TYPE, ROUND FLANGE	031009	MIL-M-3971	TIME TOTALIZING CAP 10000 HOURS AC OR DC
		MIL-M-7793	TIME TOTALIZING
METER, ELECTRICAL, DIGITAL INDICATING, PANEL TYPE, SPECIAL FLANGE	031010	MIL-M-7793	TIME TOTALIZING
		MIL-M-7793/5	MINIATURE, 28 VOLT DC
		MIL-M-7793/6	MINIATURE, 115 VOLT, 400 CYCLE
		MIL-M-7793/8	115 VOLT, 60 OR 400 HERTZ
		MS21341	HERMETICALLY SEALED 28 V DC
		MS27650	MERMETICALLY SEALED 26 V 400 HERTZ

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:53Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
METER, ELECTRICAL, DIGITAL INDICATING, PANEL TYPE SPECIAL FLANGE	031010 (CONT)	MS27651	HERMETICALLY SEALED 115 V 400 HERTZ
METER, ELECTRICAL, POINTER INDICATING, EDGEWISE PANEL TYPE, HORIZONTAL	031005	MIL-M-24359	AMMETER DC MA HORIZONTAL
METER, ELECTRICAL, POINTER INDICATING, EDGEWISE PANEL TYPE, VERTICAL	031004	MIL-M-24359	AMMETER DC MA VERTICAL
METER, ELECTRICAL, POINTER INDICATING, PANEL TYPE, RECTANGULAR FLANGE	031001	AN3201	AMMETER, DC
		MIL-M-10304	WATERTIGHT
		MIL-M-16034	SWITCHBOARD AND PORTABLE
		MIL-M-16125	SWITCHBOARD AND PORTABLE
		MIL-M-19261	SWITCHBOARD
		MIL-M-23167	SWITCHBOARD
		MS25025	LOADMETER, DC, AIRCRAFT
METER, ELECTRICAL, POINTER INDICATING, PANEL TYPE, ROUND FLANGE	031002	MIL-V-6753	VOLTMETERS, AC, 0-150 VOLT, 330 TO 1200 CYCLE
		MS24332	0-150 VOLT AC 330 TO 1200 CY
		MIL-M-10304	FLUSH MOUNT, RUGGEDIZED AC AND DC
		MIL-M-23167	FREQUENCY EXPANDED SCALE

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:53Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
METER, ELECTRICAL, POINTER INDICATING, PANEL TYPE, SPECIAL FLANGE	031003	MIL-I-26525	BATTERY GENTR INDICATOR
		MS24532	VOLTMETER GEN 28 VOLT DC

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:53Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-I-26525	Indicator, Voltage: Battery-Generator(28 Nominal Volt DC)
MIL-M-3971	Meters, Time Totalizing, Non-Hermetically Sealed, Electrical; General Specification For
MIL-M-7793	Meter, Time Totalizing
MIL-M-10304	Meters, Electrical Indicating, Panel Type, Ruggedized, General Specification For
MIL-M-16034	Meters, Electrical Indicating (Switchboard and Portable Types)
MIL-M-16125	Meters, Electrical, Frequency
MIL-M-19261	Meter, Power Factor 4-1/2 Inch, Switchboard Type
MIL-M-23167	Meter, Frequency, Expanded Scale Switchboard Type (Naval Shipboard Use)
MIL-M-24359	Meters, Milliammeters, Direct Current Panel Mounting (Edgewise Type)
MIL-V-6753	Voltmeters, 0-150 Volt, 330 to 1200 Cycle, Alternating Current

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-104	Limit For Electrical Insulation Color
MIL-STD-130	Identification Marking of Military Property

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

MIL-STD-202	Test Methods for Electronic and Electrical Component Parts
MIL-STD-810	Environmental Test Methods
MIL-STD-1279	Meters, Electrical Indicating, Selection and Use Of
MIL-STD-1285	Marking of Electrical and Electronic Parts
MIL-STD-1523	Age Control of Age-Sensitive Elastomeric Materials (for Aerospace Applications)
MS33558	Numeral and Letter, Aircraft Instrument Dial, Standard Form Of

FEDERAL

FED-STD-595	Colors Used in Government Procurement

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other Publications. The following documents form a part of this standard to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

ANSIC39.1	Electrical Analog Indicating Instruments Requirements For

(Application for copies should be addressed to American National Standards Institute (ANSI), 1430 Broadway, New York, N.Y. 10018.)

ASTME380	Metric Practice Guide

(Application for copies should be addressed to the Americal Society for Testing and Materials, 1916 Race St., Philadelphia, Pa. 19103.)

Source: http://www.dtic.mil - Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.