
FED. SUP CLASS
6220

MOUNTING HOLE TO ACCOMODATE LIGHT 4 1/2 INCHES DIA.



PART NUMBER	SYMBOL NUMBER	MAX. WEIGHT
MS17999-219	219-PORT	
MS17999-220	220-STARBOARD	

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the Bu OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

APPROVED 6 MAY 1963 REVISED

P.A. SHIPS
Other Cust

TITLE **LIGHT, NAVIGATIONAL, SIDE SPT, CONTOUR, FOR CLASS 2 AND 3 BOATS**

MILITARY STANDARD
MS 17999(SHIPS)

PROCUREMENT SPECIFICATION
MIL-F-16377

SUPERSEDES: 9000-S6405-74355

SHEET 1 OF 4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:11Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6220

LIST OF MATERIAL - QUANTITIES FOR ONE UNIT

PC. NO.	NAME	QTY SYM 219	QTY SYM 220	MATERIAL	SPECIFICATION	REQUIREMENTS
1	HOUSING	1		BRASS OR BRZ		SEE REQ 3
2	HOUSING		1	BRASS OR BRZ		SEE REQ 3
3	RETAINER	1	1	CAST BRASS		
4	ADAPTER	1	1	ALKYD RESIN		GREY
5	LIGHT SHIELD	1	1	BRASS		
6	GLOBE ASSEMBLY	1			MS17374-2	
7	GLOBE ASSEMBLY		1		MS17374-3	
8	#8-32 R.H. MACH SCR. 1/4 LONG	2	2	BRASS		SEE REQ 2
9	LOCKWASHER FOR 8-32 SCR.	2	2	PHOS. BRONZE		SEE REQ 2
10	#6-32 R. H. MACH SCR 1/2 LONG	4	4	BRASS		
11	LAMP (SEE LAMP SCHEDULE)	1	1			
12	CAP	1	1		MS16170-11	
13	PACKING ASSEMBLY	1	1		MS16178-1	
14	NUT	1	1		MS16169-20	
15	LAMP HOLDER	1	1		MS17077	
16	LABEL	1	1		MIL-L-19896 TYPE IV	SEE REQ 4
17	CABLE, DBSP-3	25FT	25FT		MIL-C-915	
18	TERMINAL FOR PC 17	2	2			

REQUIREMENTS:
1. LIGHTS SHOWN HEREON SHALL COMPLY WITH AND BE TESTED IN ACCORDANCE WITH APPLICABLE REQUIREMENTS OF SPECIFICATION MIL-F-16377.
2. AFTER INSTALLATION IN VESSEL, LIGHT APERTURE SHALL BE ADJUSTED TO ASSURE COMPLIANCE WITH THE BEAM OR CUT-OFF REQUIREMENTS AS DEFINED BY U. S. COAST GUARD REGULATIONS. UPON ADJUSTMENT, THE LIGHT APERTURE SHALL THEN BE LOCKED IN THE HOUSING PC 1 OR 2, BY MEANS OF PC 8, TWO HOLES FOR WHICH SHALL BE DRILLED AND TAPPED APPROXIMATELY 90° APART, ON AXIS INDICATED.
3. INNER SURFACE OF PCS 1 & 2, EXCEPTING 1.250 RADIUS SPHERICAL SURFACE, SHALL BE PAINTED DULL BLACK.
4. LIGHT SHALL BE FURNISHED UNPAINTED. A LABEL, PC 16, OR A SUITABLE TAG COVERING PAINTING INSTRUCTIONS SHALL BE ATTACHED TO EACH LIGHT.
5. PIECES 3 AND 5 MAY BE MOLDED OF A PLASTIC SPECIFICALLY APPROVED BY BUREAU OF SHIPS, CODE 660W.
6. COMMERCIAL BRASS LOCKNUT MAY BE SUBSTITUTED FOR PC 14.

NOTES:
1. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS.

LAMP SCHEDULE

SYSTEM	TYPE	CANDLE POWER	MIL-STD NO
6-8 VOLT	TS-44	15	15584-1
12-16 VOLT	TS-45	15	15584-2
24-28 VOLT	TS-102	15	15584-8

APPROVED 6 MAY 1963 REVISED

P.A. SHIPS
Other Cust

TITLE LIGHT, NAVIGATIONAL, SIDE SPT, CONTOUR, FOR CLASS 2 AND 3 BOATS

MILITARY STANDARD
MS 17999(SHIPS)

PROCUREMENT SPECIFICATION MIL-F-16377

SUPERSEDES: 9000-S6405-74355

SHEET 2

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BU OF SHIPS Department of the NAVY and is mandatory for use by all other military activities are required that activity; to employ this standard where suitable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:11Z
Check the source to verify that this is the current version before use.

This standard has been approved by the BU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

P.A. SHIPS
Other Cust

PROCUREMENT SPECIFICATION MIL-P-16377

SUPERSEDES: 9000-S6405-74355


TITLE **LIGHT, NAVIGATIONAL, SIDE SPT, CONTOUR, FOR CLASS 2 AND 3 BOATS**

MILITARY STANDARD

MS 17999(SHIPS)

SHEET 3

(1) SHOWN
(2) SAME AS PC. 1 EXCEPT TO OPPOSITE HAND (MAY BE MADE IN TWO PIECES)




DWG. NO., REV., CURRENT AT TIME OF MFR. AND SYM NO TO BE CAST OR STAMPED IN 1/8 LTRS.


FED. SUP CLASS 6220


APPROVED 6 MAY 1963 REVISED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:11Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6220







16 — SIZE TO SUIT

PAINTING INSTRUCTIONS

1. AFTER INSTALLATION AND ADJUSTMENT, ALL EXPOSED METAL SURFACES OF THE ASSEMBLED LIGHT WHICH REFLECT OUTBOARD ANY LIGHT FROM THE GLOBE, SHALL BE PAINTED FLAT BLACK.
2. ALL OTHER METAL SURFACES OF LIGHT (NOT PAINTED FLAT BLACK) SHALL BE PAINTED TO MATCH THE SURROUNDING AREA.

APPROVED 6 MAY 1963 REVISED

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

P.A. SHIPS Other Cust	TITLE LIGHT, NAVIGATIONAL, SIDE SPT, CONTOUR, FOR CLASS 2 AND 3 BOATS	MILITARY STANDARD MS 17999(SHIPS)
PROCUREMENT SPECIFICATION MIL-F-16377	SUPERSEDES: 9000-S6405-74355	SHEET 4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:11Z
Check the source to verify that this is the current version before use.