


PROJECT NO. 1660-0299


FED. SUP CLASS 1660







REAR VIEW







OPTIONAL PANEL CONFIGURATION



CIRCUIT

DASH NO.	TYPE	PRESSURE GAGE SPECIFICATION	COLOR OF LIGHT	VOLTAGE	PANEL LIGHT	PANEL FINISH (SEE NOTE 7)
-1	CRU-72/A	MIL-G-25507	RED	28	MS25010A11 OR MS25453-1	DURABLE DULL BLACK
-5	CRU-52/A	MIL-G-25520	RED	28		
-6	CRU-54/A	MIL-G-25520	RED	6		
-7	CRU-55/A	MIL-G-25520	WHITE	6	MS25010A12	DURABLE DULL GRAY

(E)

FOR NOTES SEE SHEET 2.

REVISED (D) 22 MAR 73 (E) 28 SEP 73

APPROVED 18 MAR 63

USER SYMBOLS:

REVIEWER SYMBOLS: ARMY - AV NAVY - AS

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. NAVY - AS Other Cust ARMY - AV	TITLE REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC, PRESSURE BREATHING.	MILITARY STANDARD MS22062
PROCUREMENT SPECIFICATION MIL-R-25410	SUPERSEDES MS22036	SHEET 1 OF 2

DD FORM 1 MAR 72 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 23065

Source: https://assist.dla.mil -- Downloaded: 202610-23T14:45Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
1660

NOTES:

1. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.005.
2. PANEL DIMENSIONS SHALL CONFORM TO MS25212.
3. COLOR CODING OF THE OXYGEN SUPPLY VALVE AND EMERGENCY PRESSURE CONTROL PERMITTED, SUBJECT TO PRIOR APPROVAL OF THE QUALIFYING AGENCY.
4. REGULATORS UTILIZING PRESSURE GAGE IN ACCORDANCE WITH MIL-G-25520 SHALL HAVE AN INLET PRESSURE OF 50 TO 500 PSI.
5. REGULATORS UTILIZING PRESSURE GAGE IN ACCORDANCE WITH MIL-G-25507 SHALL HAVE AN INLET PRESSURE OF 50 TO 2000 PSI.
6. PRESSURE GAGE SHALL INDICATE OXYGEN PRESSURE AT ALL TIMES REGARDLESS OF POSITION OF ON-OFF VALVE.
7. -1, -5 AND -6 SHALL BE COLOR NO. 37038 OF FED-STD-595, -7 SHALL BE COLOR NO. 36231 OF FED-STD-595.
8. -5 AND -6 ARE FUNCTIONALLY AND DIMENSIONALLY INTERCHANGEABLE EXCEPT FOR THE PANEL LAMP. -5 AND -6 CAN BE INTERCHANGED BY INSTALLING THE CORRECT LAMP (SEE TABLE).
9. -6 AND -7 ARE FUNCTIONALLY AND DIMENSIONALLY INTERCHANGEABLE, ONLY PANEL COLOR AND PANEL LIGHT COLOR BEING DIFFERENT.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

APPROVED 18 MAR 63 REVISED (E) FOR CHANGES SEE SHEET 1

USER SYMBOLS:

REVIEWER SYMBOLS:
ARMY - AV
NAVY - AS

"Review/user information is current as of the date of this document. For future coordinations of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. NAVY - AS Other Cust ARMY - AV	TITLE REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC, PRESSURE BREATHING	MILITARY STANDARD MS22062
PROCUREMENT SPECIFICATION MIL-R-25410	SUPERSEDES MS22036	SHEET 2 OF 2

DD FORM 1 MAR 72 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PLATE NO. 23065

Source: https://assist.dla.mil -- Downloaded: 202610-23T14:45Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL	OMB Approval No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MS22062E REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC, PRESSURE BREATHING

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO (If "Yes", in what way?)

4. REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316

U.S.MAIL

Engineering Specifications and Standards Department (Code ES)
Naval Air Engineering Center
Philadelphia, PA 19112

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.