INCH-POUND

MIL-M-63508 (AR)
AMENDMENT 1
30 APRIL 1990

MILITARY SPECIFICATION

MINE, METAL PARTS FOR
MINES: BLU-91/B AND BLU-92/B

This Amendment forms a part of Military Specification MIL-M-63508 (AR), dated 8 March 1982 and is approved for use by the U.S. Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 7

4.4.2.1 Cover:

105: Delete in its entirety.

106: Delete "Width of tab" and substitute “Diameter of screw holes incorrect (4)”.

117: Delete "True position of tabs (4)” and substitute Location of screw holes incorrect (4)”.

PAGE 16

After paragraph 4.4.2.10, add new paragraphs 4.4.2.11, Page 16.A (included), consisting of Classification of Defects and test for Screw, Cover, Drawing Number 12913182 and 4.4.2.12, Page 16.B (included), consisting of Classification of Defects and test for Cover, Drawing Number 12913181.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:59Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.11	Screw, Cover	1 OF 1	12913182
			NEXT HIGHER ASSEMBLY: 9292710/9330381

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Head diameter undersize		0.40%	3.2	Gage
102	Overall length oversize		0.40%	3.2	Gage
Minor					
201	Poor workmanship		1.00%	3.6	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:59Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.12	Cover				12913181
					NEXT HIGHER ASSEMBLY
					9292710/9330381
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None Defined				
Major					
101	Outside diameter		0.40%	3.2	Gage
102	Length of oval holes		0.40%	3.2	Gage
103	Width of oval holes		0.40%	3.2	Gage
104	Thickness		0.40%	3.2	Gage
105	Diameter of screw holes		0.40%	3.2	Gage
106	Depth of offset		0.40%	3.2	Gage
107	Distance from outside diameter to offset		0.40%	3.2	Gage
108	Location of oval holes		0.40%	3.2	Gage
109	Location of screw holes incorrect		0.40%	3.2	Gage
Minor					
201	Protective finish missing or improper		0.65%	3.2	Visual
202	Poor workmanship		1.00	3.6	Visual

NOTES:

Source: https://assist.dla.mil -- (Downloaded: 2026-10-23T02:59Z)
Check the source to verify that this is the current version before use.

MIL-M-63508 (AR)
AMENDMENT 1

Custodian:
Army-AR

Preparing activity
Army-AR

(Project 1345-A572)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:59Z
Check the source to verify that this is the current version before use.